N 284.

PRICE 1/-

A Catalogue of New Rare and Beautiful PLANTS AND ORCHIDS

OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S., F.Z.S., F.R.H.S.,
M.A.I., F.R.B.S. & M.S.A.
Socc. Hort. Berol.,
Bruxell., St. Petersburgh
et Paris, et Soc.
Agric. et Bot.
Gandav. Socius.

1893

New ❋ Plant
Merchan

536, KING'S ROA
(and Ashburnham Par

CHELSEA
LONDON
S.W.

SHOUT
SHARE
IT

MR. WILLIAM BULL'S
ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HIS ROYAL HIGHNESS PRINCE CHRISTIAN
HIS SERENE HIGHNESS THE DUKE OF TECK
HER ROYAL HIGHNESS THE DUCHESS OF ALBANY
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF THE BELGIANS
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
HIS HIGHNESS PRINCE LIECHTENSTEIN
HIS HIGHNESS PRINCE WITTGENSTEIN
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF ST. ALBANS
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ARGYLL
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
His Grace the DUKE OF FIFE
The Most Hon. the MARQUESS OF LORNE
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF SALISBURY
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF BREADALBANE
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF AILESBURY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Most Hon. the MARQUESS OF ZETLAND
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY AND TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND BALCARRES
The Right Hon. the EARL OF MORTON
The Right Hon. the EARL OF EGLINTON AND WINTON
The Right Hon. the EARL OF HADDINGTON
The Right Hon. the EARL OF STRATHMORE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF SOUTHESK
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF DYSART
The Right Hon. the EARL OF KINTORE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AVLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL BATHURST
The Right Hon. the EARL OF CLARENDON
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF DARNLEY
The Right Hon. the EARL OF WARWICK
The Right Hon. the EARL OF CORK AND ORRERY
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF LISBURNE
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF LEITRIM
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CASTLE-STUART
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY

LIST OF PATRONS—Continued.

The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL CADOGAN
The Right Hon. the EARL NELSON
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF MORLEY
The Right Hon. the EARL OF ST. GERMANS
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL OF LISTOWEL
The Right Hon. the EARL AMHERST
The Right Hon. the EARL CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF VARBOROUGH
The Right Hon. the EARL OF DUCIE
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF STRAFFORD
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon. VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT GALWAY
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT CLIFDEN
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT PORTMAN
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. VISCOUNT STORMONT
The Right Hon. VISCOUNT EMLYN
The Right Hon. LORD BROOKE
The Right Hon. LORD ESME GORDON
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD WINDSOR
The Right Hon. LORD ST. JOHN OF BLETSOE
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAY
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSINGHAM
The Right Hon. LORD SUFFIELD
The Right Hon. LORD KENYON
The Right Hon. LORD BRAYBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON

The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD SANDYS
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAYLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD CAREW
The Right Hon. LORD WENLOCK
The Right Hon. LORD SEATON
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVLLAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD EGERTON OF TATTON
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ANNALY
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD O'NEILL
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD LAWRENCE
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLECH
The Right Hon. LORD SACKVILLE
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD TREVOR
The Right Hon. LORD LAMINGTON
The Right Hon. LORD DERWENT
The Right Hon. LORD HOTHFIELD
The Right Hon LORD NORTHBOURNE
The Right Hon. LORD MONKSWELL
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHSCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD WANTAGE
The Right Hon. LORD ESHER
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEY
The Right Hon. LORD HAMILTON OF DALZELL
The Right Hon. LORD HINDLIP
The Right Hon. LORD ARMSTRONG
The Right Hon. LORD CHEYLESMORE
The Right Hon. LORD IVEAGH
The Right Hon. LORD MASHAM
M. LE DUC DE MASSA
M. LE COMTE DE GERMINY
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The ROYAL HORTICULTURAL SOCIETY
The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER, LIVERPOOL AND HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY, CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING MANY

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

THE EAST INDIES, SOUTH SEA ISLANDS, NORTHERN QUEENSLAND, CEYLON, BRAZIL, SOUTH AMERICA, NEW CALEDONIA, &c., &c.

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

At the Principal London and International Flower Shows.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.

AGLAONEMA VERSICOLOR.

For description and price *vide* page 9.



GEONOMA ACAULIS.

For description and price *vide* page 10.

HYPOLYTRUM SCHRADERIANUM. For description and price *vide* page 10.

DAVALLIA EPIPHYLLA.

For description and price *vide* page 10.

SELAGINELLA USTA.

For description and price *vide* page 11.

HELICONIA ILLUSTRIS. For description *vide* page 10.

1893.

NEW PLANTS
ANNOUNCED FOR THE FIRST TIME
BY
WILLIAM BULL, F.L.S.

AGLAONEMA VERSICOLOR.

An attractive ornamental foliage plant, belonging to the Aroid family, introduced from the East Indies. It is of neat growth and bears on an erect stem beautifully mottled shortly stalked spreading leaves, the petioles sheathing with membraneous edges. The leaf blades obliquely oblong, rounded at the base, acute at the apex, irregularly blotched with patches of dark velvety green, interspersed among patches of lighter green, and some of milky white. This pretty variegated plant should be grown in the stove. *Vide* illustration, page 3. 15*s*.

ANTHURIUM SCHERZERIANUM ROSEUM.

An extremely pretty variety of the well-known Flamingo Plant, '*Anthurium Scherzerianum*, producing charming rose-coloured spathes flushed with salmon, in striking contrast to the rich scarlet spathes of the type. Owing to the enduring character of the spathes, Anthuriums are most desirable plants for the decoration of Stove-houses and Conservatories. 1 and 1½ guinea.

ANTHURIUM SCHERZERIANUM SANGUINEUM.

A very handsome and distinct variety of the well known *A. Scherzerianum*, differing from the type in the colour of its spathes, which, instead of being bright scarlet, are of a deep blood-red or dark crimson colour. As an ornamental stove plant this is a most desirable acquisition for exhibition, or for any decorative purpose, its attractive spathes, like those of the type, lasting a long time in perfection. 1 and 1½ guinea.

CYRTANTHUS INTERMEDIUM.

A pretty hybrid variety raised between *C. McKennii* and *C. angustifolium*. It has neat strap-shaped leaves, and bears on an erect two-edged scape a truss of many flowers, which are orange-pink, and about 1¾ inch long, being curved and tubular trumpet-shaped; the three outer segments or lobes are rose coloured with a green midrib, the inner three being of a uniform rose colour. 5*s*.

DAVALLIA CONCINNA.

An elegant growing evergreen Stove Fern introduced from North Australia. It has a stout creeping root stock, from which rise purplish leaf stalks, bearing subcoriaceous fronds of a pale olive-green colour, glabrous on both surfaces, deltoid-acuminate, compoundly divided in a tripinnate manner into pinnæ and pinnulæ, the ultimate segments being oblong-obovate, wedge-shaped at the base, and remotely crenate at the apex. 10*s*. 6*d*. and 15*s*.

DAVALLIA LUCIDA.

A bold-looking handsome Fern with deep shining-green coriaceous fronds. The root-stock is of the thickness of the finger, and is covered with soft fibrillose scales. The stipes are wiry and support deltoid bipinnate fronds, the primary pinnæ wedge-shaped at base, lanceolate-acuminate; the secondary pinnæ are broadly oblong, wedge-shaped and deeply lobed at the base, gradually less so towards the apex; ultimate segments oblong obtuse, remotely and shallowly toothed at the margin. 10*s*. 6*d*.

DAVALLIA EPIPHYLLA.

A specially elegant Fern in the way of *D. fijiensis*, but quite distinct from it. The rootstock is creeping and covered with brown scales from which ascend wiry purple stipes as thick as a crow-quill, glabrous and deeply channelled. The fronds are subcoriaceous, deltoid in outline, three to four times pinnately divided, the larger pinnæ deltoid-lanceolate, the pinnules narrow, wedge-shaped and deeply pinnately divided. It has been introduced from New South Wales. *Vide* Illustration, page 6. 10*s*. 6*d*. & 15*s*.

GEONOMA ACAULIS.

A dwarf, nearly stemless Brazilian Palm, with short, dilated, sheathing leaf stalks, destitute of spines, the young leaves roundish, deeply two-lobed at the apex, plicated erose, adult leaves deeply pinnately divided, pinnæ lanceolate. It is a native of Northern Brazil and should be grown in the stove. *Vide* Illustration, page 4. 5 guineas.

HELICONIA ILLUSTRIS.

This handsome Heliconia is undoubtedly one of the most beautifully coloured foliage plants ever introduced. It comes from the South Sea Islands and is of Musa-like growth, the leaves being arranged in two ranks above and tufted at the base. The stalks are sheathing and of a bright rose-red colour, supporting ovate-lanceolate spreading leaves, the prominent mid-rib of a beautiful rose-pink colour, the secondary veins, of which many run to the margin and form loops, being of the same brilliant colour. It will form, without question, a most superb adornment to our Stoves. *Vide* Illustration, page 8. Price on application.

HOPLOPHYTUM LINEATUM.

A striking variegated Bromeliaceous plant from Brazil with cylindric tufts of leaves, spreading at the apex. The leaves are oblong strap-shaped, concave, abruptly acuminate, finely and remotely toothed, green, with alternating broad stripes of white. 2 & 3 guineas.

HYPOLYTRUM SCHRADERIANUM.

An ornamental Cyperaceous plant from Brazil. The leaves are crowded in bold triangular tufts; each leaf is about 2 feet 6 inches in length by 2¼ inches in breadth, purplish sheathing and folding at the base, expanding above into arching straped leaves of firm texture, green with purplish-red margins, traversed on the upper surface by two ribs running equi-distant from base to apex. The bold triangular tuft of leaves, the colour, and the peculiar venation of the leaves, give to this plant a very distinct appearance. *Vide* Illustration, page 5. 2 & 3 guineas.

LAMPROCOCCUS SPECIOSUS.

A highly ornamental Brazilian Bromeliad, with spreading tufted leathery leaves, oblong acute and mucronate, finely toothed at the margin and concave above, more or less densely covered with silvery scales, especially on the under surface. On the upper surface the leaves are bright shining green, banded with broad longitudinal stripes of clear yellow, forming a most effective variegation. 2 & 3 guineas.

ONCOSPERMA FASCICULATUM.

An ornamental and elegant Stove Palm from Ceylon, which in the adult condition attains considerable size. In the young plants, the leaflets are lanceolate-acuminate in shape, and gradually attain a pinnate form, as fresh leaves develop. The rachis is covered with brown fluffy scales, and is provided with long, slender black spines. 1 guinea.

PTERIS TREMULA VARIEGATA.

A very elegant form of the well-known and useful *Pteris tremula*, in which the segments of the fronds are linear oblong, the ground colour light green, with a central band of milky white. This pretty ornamental Fern is a hybrid between the well-known *Pteris tremula* and the prettily variegated *Pteris Victoriæ*. Price on application.

SELAGINELLA USTA.

An elegant species from New Caledonia, with erect pale green fronds, oblong acute in outline, arching from base to apex, and convex from side to side on the upper surface; the wiry rachis is tripinnately divided, the ultimate divisions being linear oblong. The upper leaves are distichous, flattened against the rachis, and slightly imbricate. This species is a pretty addition to this decorative class of plants. *Vide Illustration*, page 7. 10*s.* 6*d.*

VRIESIA PURPURASCENS.

A richly coloured Bromeliaceous plant with deep purple sheathing leaves, each oblong lanceolate from a dilated base, the apex mucronate, the margins having numerous closely-set fine teeth. On the upper surface the leaves are a dark green, flushed with blackish purple, while the under sides expose a surface of a striking rich purple colour. This attractive and desirable ornamental plant has been introduced from Brazil. 2 and 3 guineas.

NEW LOBELIA.

"BARNARD'S PERPETUAL."

This distinct novelty is no doubt one of the most useful and best of Lobelias. The flowers are of the most brilliant ultramarine blue, strikingly ornamented with a pure white marking at the base of each of the two lower petals. It is of compact habit, and alike useful for bedding or growing in pots, its brightness and perpetual blooming character making it exceptionally useful for parterres and ribbon borders. It was awarded a Certificate of Merit by the Royal Horticultural Society, when exhibited in May, 1892, at the Temple Show. 2*s.* 6*d.* each, 18*s.* per dozen.

NEW, RARE AND DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive 5*s.*

ACALYPHA ILLUSTRATA, 2*s.* 6*d.* and 3*s.* 6*d.*
MACROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
OBOVATA, 3*s.* 6*d.*
ACALYPHA TRIUMPHANS, 3*s.* 6*d.*
ACANTHOPANAX, *vide* page 35
ACANTHUS MONTANUS, 3*s.* 6*d.*

ADANSONIA DIGITATA.

This is the celebrated African Baobab Tree. 10*s.* 6*d.*

ÆCHMEA AMAZONICA, 5*s.* and 7*s.* 6*d.*
FULGENS, *vide* Lamprococcus fulgens
MINIATA, *vide* Lamprococcus miniata
MARIÆ REGINÆ, 10*s.* 6*d.*
PANICULIGERA, 10*s.* 6*d.*
ÆCHMEA VEITCHII, *vide* Chevalliera Veitchii
WEILBACHII, *vide* Lamprococcus Weilbachii
ÆSCHYNANTHUS GRANDIFLORUS, 3*s.* 6*d.*
LOBBIANUS, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

AGLAONEMA PICTA COMPACTA.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing, green with a membraneous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. This plant is a native of Java. 5*s.* and 7*s.* 6*d.*

AGLAONEMA MARANTÆFOLIA (oblongifolia), 5*s.*
PICTA GRACILIS, 5*s.*
VERSICOLOR, *vide* page 9.
ALLAMANDA CHELSONI, 3*s.* 6*d.*
HENDERSONI, 3*s.* 6*d.*
MAGNIFICA, 10*s.* 6*d.*
NERIIFOLIA, 3*s.* 6*d.*
NOBILIS, 3*s.* 6*d.*
WILLIAMSII, 15*s.*
ALOCASIA CHANTRIERI, 1 guinea
EDULIS, 3*s.* 6*d.*
OIOANTEA (LONGILOBA), 3*s.* 6*d.* and 5*s.*
GRANDIS, 5*s.*
HYBRIDA, 7*s.* 6*d.*
INTERMEDIA, 7*s.* 6*d.*
JENNINOSII, 2*s.* 6*d.*
JOHNSTONI, *vide* Cyrtosperma Johnstoni
MARSHALLII, 2*s.* 6*d.*

ALOCASIA MARGINATA.

A striking and ornamental Aroidaceous plant, introduced from Brazil. The leaf-blade is broadly cordate, rounded into a sharply pointed apex; the basal lobes very obtusely rounded at the apex, with a deep narrow sinus between. The upper leaf surface is of a dark green colour, the reverse being slightly tinted purple, with pale reddish midrib and nerves. 7*s.* 6*d.*

ALOCASIA PRINCEPS.

This ornamental and effective stove plant has been imported from the Malay Archipelago. The leaf-blades are sagittate, the margins deeply sinuous, imparting to the plant a very distinct character. On the upper surface the leaves are of a metallic olive-green colour, the under surface being greyish green, the entire leaf margined with chocolate-brown. 1 and 1½ guinea.

ALOCASIA METALLICA, 3*s.* 6*d.* and 5*s.*
(SCHISTOCASIA) PORTEI, 10*s.* 6*d.* & 15*s.*
SANDERIANA, 15*s.* and 1 guinea
SEDENI, 5*s.*
THIBAUTIANA, 7*s.* 6*d.* and 10*s.* 6*d.*
ZEBRINA, 7*s.* 6*d.* and 10*s.* 6*d.*
ALPINIA MUTICA, 7*s.* 6*d.*
VITTATA, 3*s.* 6*d.* and 5*s.*
AMARYLLIS ACHIEVEMENT, 7*s.* 6*d.*
ACHILLES, 10*s.* 6*d.*
AGRAMANNI PULCHERRIMA, 15*s.*
AMAZON, 10*s.* 6*d.*
AMBASSADOR, 7*s.* 6*d.*
ARIADNE, 10*s.* 6*d.*
ASPASIA, 5*s.*
AULICA, 3*s.* 6*d.*
AMARYLLIS AULICA SUPERBA, 5*s.* and 7*s.* 6*d.*
BARON, 5*s.*
BRILLIANT, 7*s.* 6*d.*
CERBERUS, 10*s.* 6*d.*
COMMANDER, 7*s.* 6*d.*
COQUETTE, 5*s.*
CORSAIR, 10*s.* 6*d.*
COUNTESS, 10*s.* 6*d.*
CYRUS, 10*s.* 6*d.*
DIADEM, 15*s.*
DR. MASTERS, 10*s.* 6*d.*
ELECTRA, 10*s.* 6*d.*
EMMELINE, 7*s.* 6*d.*
EMPRESS OF INDIA, 7*s.* 6*d.*
EUROPA, 1 guinea
EUTERPE, 15*s.*

ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3, 4 and 5 guineas.

AMARYLLIS FIOARO, 7*s*. 6*d*.
FORMOSISSIMA (*Jacobæa Lily*), 6*d*.
GENERAL, 21*s*.
IMPERATRICE DE BRAZIL, *vide* procera.
HEROINE, 10*s*. 6*d*.
IGNESCENS, 2*s*. 6*d*. and 3*s*. 6*d*.
IMPERIALIS, 21*s*.
JOHNSONII, 5*s*.
JUPITER, 7*s*. 6*d*.
MABEL, 10*s*. 6*d*.
METEOR, 10*s*. 6*d*.
NEPTUNE, 10*s*. 6*d*.
NIMROD, 5*s*.
OBERON, 21*s*.
ONDINE, 10*s*. 6*d*.
OPTIMA, 10*s*. 6*d*.
OSCAR, 10*s*. 6*d*.
PAULINE, 15*s*.
PORTIA, 5*s*.

AMARYLLIS.

AMARYLLIS PRINCEPS, 1½ guinea
PROCERA, 10*s*. 6*d*. and 15*s*.
REGALIS, 21*s*.
REGINA, 7*s*. 6*d*.
RETICULATA, 5*s*.
ROMEO, 7*s*. 6*d*.
ROSALIND, 5*s*.
SAPPHO, 7*s*. 6*d*.
SOUVENIR, 7*s*. 6*d*.
STELLA, 7*s*. 6*d*.
SULTANA, 10*s*. 6*d*.
SYLVIA, 7*s*. 6*d*.
THOMAS SPEED, 10*s*. 6*d*.
TITANIA, 7*s*.6*d*.
TROJAN, 10*s*. 6*d*.
URANIE, 7*s*. 6*d*.
VERONA, 15*s*.
VESTA, 10*s*. 6*d*.
VESUVIUS, 7*s* 6*d*.
VICTORIA, 10*s*. 6*d*.

AMARYLLIS, choice selections of good sorts, 3, 4 and 5 guineas per dozen.

AMOMUM VITTATUM.

A very remarkable plant, on account of its striking resemblance to a Maranta. It is of dwarf habit, and produces from a creeping rootstock tufts of lanceolate coriaceous groen leaves, having whitish bars or stripes between the nerves, of which there are six or eight principal pairs. The flowers are rosy-red, borne in dense spikes at the foot of the leafstalks. It has been figured in the *Botanical Magazine*, Tab. 6832. 10*s*. 6*d*.

AMASONIA CALYCINA, 5*s*.
AMORPHOPHALLUS CAMPANULATUS, fine tubers of this gigantic Aroid. 5*s*. and 7*s*. 6*d*.
GIGANTEUS, 5*s*.
VIROSUS, a remarkable Aroid, a good illustration of which is given in the *Botanical Mayazine* for February, 1888. 3 guineas

ANONA MURICATA (*Sour Sop*), 15*s*.
RETICULATA (*Netted-leaf Custard Apple*), 15*s*.
ANANASSA PENANGENSIS VARIEGATA, 21*s*.
SATIVA VARIEGATA, 10*s*. 6*d*.
ANCHOMANES DUBIUS, 10*s*. 6*d*.
ANCYLOGYNE LONGIFLORA, 3*s*. 6*d*.

ANTHURIUM CARNEUM.

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 5*s*. and 7*s*. 6*d*.

ANTHURIUM ANDREANUM, 5*s*. and 7*s*. 6*d*.
BAKERI, 10*s*. 6*d*.
CANDIDUM, 3*s*. 6*d*.
CHANTRIERI, 10*s*. 6*d*. and 15*s*.
CHELSEIENSE, *vide* page 15.
CRUENTUM, 15*s*. and 1 guinea.
CRYSTALLINUM, 3*s*. 6*d*., 5*s*. & 7*s*. 6*d*.

ANTHURIUM DECHARDI, 3*s*. 6*d*. and 5*s*.
FERRIERENSE, 3*s*. 6*d*. and 5*s*.
FLORIBUNDUM, 3*s*. 6*d*.
GALEOTTIANUM, 5*s*.
HARRISII PULCHRUM, 7*s*. 6*d*. and 10*s*. 6*d*.
HYBRIDUM, 7*s*. 6*d*. and 10*s*. 6*d*.
INTERMEDIUM, 7*s*. 6*d*. and 10*s*. 6*d*.

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 10*s*. 6*d*. and 15*s*.

ANTHURIUM LIEVENSII, 15*s*. and 21*s*.
LEUCONEURUM, 3*s*. 6*d*.
LUCIDUM, 5*s*.
MACROLOBUM, 5*s*. and 7*s*. 6*d*.
MAGNIFICUM—*syn*. **A. grande** and **A. cordifolium**, 3*s*. 6*d*.
MARQUIS DE BEAUVOIR, 2 guineas
MOOREANUM, 15*s*. and 21*s*.
NYMPHÆFOLIUM, 10*s*. 6*d*.
REGALE, 3*s*. 6*d*. and 5*s*.
REINE DES BELGES, 10*s*. 6*d*.
ROTHSCHILDIANUM

ANTHURIUM SCHERZERIANUM, 3*s*. 6*d*. and 5*s*.
SCHERZERIANUM ALBUM GRANDIFLORUM, 1 and 1½ guinea
—— FORMOSUM, 2 and 3 guineas.
—— GIGANTEUM, 1, 1½ and 2 guineas
—— MAXIMUM, *vide* page 13.
—— ROSEUM, *vide* page 9.
—— RUBRUM, 21*s*. and 31*s*. 6*d*.
—— SANGUINEUM, *vide* page 9.
—— SPLENDENS, 1, 1½ and 2 guineas
—— WARDII, 2 and 3 guineas
—— WILLIAMSII, 3*s*. 6*d*.
TRIUMPHANS, 10*s*. 6*d*. and 15*s*.

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spatho, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. The beautiful spathes are freely produced, and last a long time in perfection. 1 and 1½ guinea.

ANTHURIUM VEITCHII, 1½ and 2 guineas.
VICOMTE AMEDÉ DE LA COMBE, 2 guineas.
WAROCQUEANUM, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
Fine Plants, 10*s.* 6*d.* and 15*s.*

ANTIGONON INSIGNE, 7*s.* 6*d.*
LEPTOPUS, 7*s.* 6*d.*
SPECIOSUM, 7*s.* 6*d.*
AOTUS, *vide* page 35.

APHELANDRA BLANCHETIANA (AMŒNA).

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward. It has been introduced from Brazil. 5*s.* and 7*s.* 6*d.*

APHELANDRA AURANTIACA, 2*s.* 6*d.* and 3*s.* 6*d.*
AURANTIACA ROEZLII, 2*s.* 6*d.* and 3*s.* 6*d.*
CHAMISSONIANA, 3*s.* 6*d.* and 5*s.*
CHRYSOPS, 5*s.* and 7*s.* 6*d.*
CRISTATA, 2*s.* 6*d.*
LEOPOLDII, 2*s.* 6*d.*
ARALIA CHABRIERI, *vide* ELÆOENDRON ORIENTALE
ELEGANTISSIMA, 5*s.*
FILICIFOLIA, 3*s.* 6*d.*
GUILFOYLEI, 5*s.*
LEPTOPHYLLA, 3*s.* 6*d.*
LONGIPES, 10*s.* 6*d.*
RETICULATA, 3*s.* 6*d.*
ROTUNDA, 7*s.* 6*d.*
VEITCHII, 5*s.*
—— ORACILLIMA, 3*s.* 6*d.* and 5*s.*
See also page 35.
ARDISIA MAMILLATA, 3*s.* 6*d.*
OLIVERI, 3*s.* 6*d.*
PICTA, 1 guinea
POLYCEPHALA, 5*s.* and 7*s.* 6*d.*
ARDISIAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species with handsome and elegant flowers of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. 3*s.* 6*d.* and 5*s.*

ARISTOLOCHIA ELEGANS.

ARISTOLOCHIA RIDICULA.

A very remarkable and interesting species introduced from Brazil. The upper portion of the flower is somewhat conical, widening towards the month, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, with dark purple reticulations on a cream-coloured ground. 5*s.* and 7*s.* 6*d.*

ARISTOLOCHIA SACCATA.

This curious and remarkable species, which is a native of Sylhet, produces a number of quaint and pretty pitcher-like flowers. These are pendulous, the tube, which is bent abruptly upwards in the middle, being of an attractive shade of rose, having many nerves and reticulations, of a brick-red colour. The hood or cap of the flower is rich purple, with dark venations, in telling contrast to the bright yellow circular throat. 7*s.* 6*d.*

ARISTOLOCHIA CAUDATA, 10*s.* 6*d.*
ORNITHOCEPHALA, 5*s.* and 7*s.* 6*d.*
TRICAUDATA, 5*s.*
TRILOBATA, 3*s.* 6*d.* and 5*s.*
ARTANTHE RUBRONODOSA, 7*s.* 6*d.*
ARTOCARPUS CANNONI, *see* Ficus.
EBURNEUS, 5*s.*
INTEGRIFOLIUS (The Jack Fruit), 10*s.* 6*d.*
LACINIATUS METALLICUS, *see* Ficus.
ASPARAGUS, of sorts, *vide* page 35.
ATACCIA CRISTATA, 7*s.* 6*d.* and 10*s.* 6*d.*

BARLERIA ARGENTEA, 5*s.*
BATATAS PANICULATA, 3*s.* 6*d.* and 5*s.*
BAUHINIAS, of sorts, 5*s.* and 7*s.* 6*d.*
BEGONIA, *vide* Index
BELOPERONE ATROPURPUREA, 5*s.*
BERTOLONIA FORMOSA, 7*s.* 6*d.*
GUTTATA SPLENDENS, 15*s.*
MARGARITACEA SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
MARMOREA SUPERBA, 3*s.* 6*d* and 5*s.*
PUBESCENS, 3*s.* 6*d.*

HALF NATURAL SIZE.

CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 2 and 3 guineas.

BERTOLONIA Van Houttei, 5*s*.
velutina, 5*s*.
vittata, 7*s*. 6*d*.
BIGNONIA aurantiaca, 7*s*. 6*d*. and 10*s*. 6*d*.
Chamberlaynii, 3*s*. 6*d*. and 5*s*.
picta, 3*s*. 6*d*. and 5*s*.
reticulata, 5*s*.
Roezliana, 5*s*.
—— villosa, 5*s*.
venusta, 3*s*. 6*d*. and 5*s*.
See also pages 36 and 50.
BILLBERGIA chlorosticta, 10*s*. 6*d*. and 15*s*.
exscapa, 1 guinea.
farinosa, 10*s*. 6*d*.
Leopoldii, 7*s*. 6*d*.
Moreliana, 5*s*. and 7*s*. 6*d*.
Saundersii, 10*s*. 6*d*.
BOMAREA, *vide* page 36.
BOUGAINVILLEA glabra, 2*s*. 6*d*. and 3*s*. 6*d*.
lateritia, 2*s*. 6*d*. and 3*s*. 6*d*.
BOUGAINVILLEA refulgens, 7*s*. 6*d*.
speciosa, 2*s*. 6*d*. and 3*s*. 6*d*.
spectabilis, 2*s*. 6*d*. and 3*s*. 6*d*.
BROSIMUM, *vide* Galactodendron
BROWNEA coccinea, 1 guinea
erecta, 1 and 1½ guinea
grandiceps, 10*s*. 6*d*.
hybrina, 1½ guinea
BRUNFELSIA americana, 3*s*. 6*d*.
BURCHELLIA capensis, 2*s*. 6*d*. and 3*s*. 6*d*.
CALADIUM, *vide* Index
CALLIPHRURIA Hartwegiana, 2*s*. 6*d*.
subedentata, 2*s*. 6*d*.
CALPICARPUM ornatum, 1 guinea
CAMOENSIA maxima. *vide* page 17.
CAMPYLOBOTRYS, *vide* Hoffmannia
CANNA, *vide* Index
CAPPARIS frondosa, 5*s*.
CARAGUATA, *vide* Tillandsia.
CAREX elegans variegata, 2*s*. 6*d*. & 3*s*. 6*d*.

CAREX SCAPOSA.

This ornamental species has been introduced from the mountains of Southern China. The flowers are borne in crowded cymes on long scapes, the spikelets being of a deep rose colour, while the anthers and filaments are pure white, affording a most pleasing contrast, the elegant and feathery appearance of the inflorescence being exceedingly charming. 7*s*. 6*d*.

CARLUDOVICA, *vide* Index
CENTRADENIA floribunda rosea, 3*s*. 6*d*.
CEROPEGIA Gardneri, 3*s*. 6*d*. and 5*s*.
CENTROPOGON Lucyanus, 1*s*. 6*d*. and 2*s*. 6*d*.
CENTROSOLENIA bullata (Episcia tessellata), 5*s*.
CHAMÆCLADON rubens, 5*s*.
CHAMERANTHEMUM Beyrichii variegatum, 3*s*. 6*d*.
CHEVALLIERA (ÆCHMEA) Veitchii, 7*s*. 6*d*. and 10*s*. 6*d*.
CHIRITA sinensis, 3*s*. 6*d*.
CHRYSOPHYLLUM Cainito (Star Apple), 10*s*. 6*d*.
imperiale, 10*s*. 6*d*. 15*s*. and 1 guinea

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scapo, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 3*s*. 6*d*., 5*s*. & 7*s*. 6*d*.

CINNAMOMUM Cassia (*Cassia*), 10*s*. 6*d*.
zeylanicum (*Cinnamon*), 7*s*. 6*d*.
CISSUS albo-nitens, 3*s*. 6*d*.
discolor, 2*s*. 6*d*. and 3*s*. 6*d*.
Lindeni, 3*s*. 6*d*. and 5*s*.
CISSUS porphyrophylla, 3*s*. 6*d*. and 5*s*.
CLERODENDRON Balfourianum, 2*s*. 6*d*. & 3*s*. 6*d*.
delectum, 3*s*. 6*d*. and 5*s*.
fallax, 3*s*. 6*d*.
fragrans flore pleno, 2*s*. 6*d*.

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 5*s*. and 7*s*. 6*d*.

CLERODENDRON nutans, 7*s*. 6*d*. and 10*s*. 6*d*.
speciosum, 3*s*. 6*d*.
splendens, 3*s*. 6*d*. and 5*s*.
COCHLIOSTEMA Jacobianum, 5*s*., 7*s*. 6*d*. & 10*s*. 6*d*.
COFFEA arabica, 3*s*. 6*d*. and 5*s*.
liberica, 3*s*. 6*d*. and 5*s*.
COLA acuminata (Kola Nut), 15*s*.
COLOCASIA, *vide* Aloeasia
COMBRETUM grandiflorum, 5*s*.
CORYNOSTYLIS hybanthus albiflora, 3*s*. 6*d*.
COSSIGNIA borbonica, 10*s*. 6*d*.
COSTUS albescens, 7*s*. 6*d*.
elegans, 5*s*.
CRINUM asiaticum, 3*s*. 6*d*.
longiflorum, 5*s*.
ornatum, 5*s*.
Zeylanicum, 3*s*. 6*d*.
CROSSANDRA undulata, 3*s*. 6*d*.
CROTON (Coniæum) aigburthiensis, 3*s*. 6*d*. & 5*s*.
Aigburth Gem, 7*s*. 6*d*.
Andreanus, 3*s*. 6*d*.
aneitumensis, 3*s*. 6*d*. and 5*s*.
angustifolius, 2*s*. 6*d*.
aureo-punctatus, 3*s*. 6*d*.
Baron Frank Seillière, 3*s*. 6*d*.
Baronne James de Rothschild, 3*s*. 6*d*.
Broomfieldii, 5*s*.
Cerberus, 5*s*.
chelsoniensis, 3*s*. 6*d*.
Countess, 3*s*. 6*d*. and 5*s*.
Crœsus, 7*s*. 6*d*.
Cyrus, 5*s*.
Disraeli, 3*s*. 6*d*.
Duke of Bucoleuch, 3*s*. 6*d*.
Earl of Derby, 3*s*. 6*d*.
eburneus, 3*s*. 6*d*. and 5*s*.
Eclipse, 7*s*. 6*d*.

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. *5s.* and *7s. 6d.*

CROTON ETNA, *3s. 6d.* and *5s.*
EVANSIANUS, *3s. 6d.*
CROTON EXCURRENS, *10s. 6d.*
FASCIATUS, *vide* C. Hendersoni

CROTON FLAMINGO.

This attractive variety has been imported from the Antipodes, and is the most handsome of all the bright red or high-coloured Crotons. It has very dark bronzy green leaves, the costa and a narrow portion of the leaf on each side of it being most strikingly coloured with rich crimson, forming a central band of colour the entire length of the leaf, a few spots of crimson being scattered through the bronzy green portion of the leaf blades. *7s. 6d.* and *10s. 6d.*

CROTON FORMOSUS, *5s.* and *7s. 6d.*
GLORIOSUS (Princess of Wales), *5s.*
ORACILIS, *10s. 6d.*
HASTIFERUS, *2s. 6d.* and *3s. 6d.*
CROTON HAWKERII, *3s. 6d.*
HENDERSONI (FASCIATUS), *3s. 6d.*
HEROICUS, *5s.*
INTERRUPTUS AUREUS, *3s. 6d.*

CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the midrib and veins beautifully picked out with golden-yellow, the margins and midrib rosy-crimson. *5s.* and *7s. 6d.*

CROTON JAMESII, *2s. 6d.* and *3s. 6d.*
CROTON JUBILEE, *2s. 6d.* and *3s. 6d.*

CROTON JUNIUS.

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrently extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green. *7s. 6d.*

CROTON MACAFEEANUS, *3s. 6d.*
CROTON MACARTHURI, *2s. 6d.* and *3s. 6d.*

CROTON MAGNIFICENT.

A very striking and most handsome variety. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature, the midrib and primary veins, with a band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves becomes suffused with bright carmine. *5s.* and *7s. 6d.*

CROTON MAJESTICUS, *3s. 6d.*
CROTON MASSANOEANUS, *3s. 6d.* and *5s.*

CROTON MEMPHIS.

One of the most handsome and ornamental varieties ever imported. It has long acuminate leaves, the rich coloration of which is extremely effective. In the young state the leaves are pale green, irregularly blotched and marmorated with yellow. As the leaves mature, the green becomes deep olive, the yellow variegation changing to rich orange, marked and veined with deep crimson, a colour which eventually suffuses the whole leaf. *10s. 6d.*

CROTON MORTII, *3s. 6d.*
MORTEFONTANENSIS, *5s.*
CROTON MUTABILIS, *vide* C. princeps
NEPTUNE, *3s. 6d.* and *5s.*

CROTON NESTOR.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta-crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. *5s.* and *7s. 6d.*

CROTON NIMROD, *3s. 6d.* and *5s.*
NOBILIS, *3s. 6d.*
CROTON OBERON, *3s. 6d.*
ORESTES, *3s. 6d.*

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy-pink, and the midrib of a deeper rosy-crimson. *7s. 6d.* and *10s. 6d.*

CROTON PRINCE OF ORANGE.

One of the most effective of the golden variegated series of Codiæums. It is of free growth having long lanceolate leaves of a rich deep gold colour, very attractive and varied in its markings, some of the leaves being entirely golden, others having blotches and marmorations of dark olive green, whilst in a few the green colour predominates, sometimes covering the entire leaf blade, with the exception of a few scattered irregular spots or blotches of gold. 1 guinea.

CROTON PICTURATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
PRINCE OF WALES, 3*s.* 6*d.*
CROTON PRINCEPS (MUTABILIS), 3*s.* 6*d.* and 5*s.*
PRINCESS OF WALES, *vide* C. gloriosus

CROTON REIDII.

A magnificent variety, one of the finest of the broad-leaved section. The young foliage is bright green, with golden midrib and veins, the costa and primary veins passing as the leaves attain age into crimson-cerise, a colour eventually extending over the entire surface of the leaf blades, but still further brightened with golden orange, blotched with dark olive green. 7*s.* 6*d.* and 10*s.* 6*d.*

CROTON QUEEN VICTORIA, 3*s.* 6*d.*
REX, 3*s.* 6*d.*
RECURVATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
RUBERRIMUS, 3*s.* 6*d.*
CROTON SCEPTRE, 10*s.* 6*d.*
SCHOMBURGKIANUS, 3*s.* 6*d.*
SPECIOSUS, 3*s.* 6*d.* and 5*s.*
SPLENDIDUS, 5*s.*

CROTON SUNBEAM.

An attractive variety with dark bronzy leaves from nine to ten inches long, and about two inches broad. In the young state the leaves are very freely blotched with yellow, gradually changing as growth advances into rosy-crimson, which in turn, as the leaf arrives at maturity, becomes of a blood-red colour. It has been imported from the South Sea Islands. 5*s.* and 7*s.* 6*d.*

CROTON THOMSONII, 3*s.* 6*d.* and 5*s.*
TRICOLOR, 7*s.* 6*d.*
UNDULATUS, 2*s.* 6*d.*
CROTON VARIABILIS (FALCATUS), 2*s.* 6*d.*
VARIEGATUS, 2*s.* 6*d.*
VEITCHIANUS, 3*s.* 6*d.*

CROTON VICTORY.

A magnificent variety with a very effective variegation of bright crimson. The mature leaves are about a foot long by two and a half inches broad, of a deep olive green colour, with rich crimson veins and costa, from which extends in an arcuate manner a rich coloration of reddish-crimson, the deep green of the laminæ between the primary veins being broken up in an irregular manner by the same bright colour. In a young state the leaves are deep orange-yellow, suffused with crimson. 10*s.* 6*d.*

CROTON VITTATUS, 5*s.* and 7*s.* 6*d.*
VOLUTUS, 3*s.* 6*d.*
WARRENII, 3*s.* 6*d.* and 5*s.*
WEISMANNI, 2*s.* 6*d.* and 3*s.* 6*d.*
WILLIAMSII, 3*s.* 6*d.* and 5*s.*
CRYPTANTHUS (TILLANDSIA) ACAULIS, 3*s.* 6*d.*
CRYPTANTHUS (TILLANDSIA) ACAULIS ZEBRINA, 5*s.*
(TILLANDSIA) ACAULIS ZEBRINA AUREA, 7*s.* 6*d.*
(——) BEUCKERII, 10*s.* 6*d.*
(——) BIVITTATA, 5*s.* and 7*s.* 6*d.*
CUPANIA FILICIFOLIA, *vide* Jacaranda Clausseniana

CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 10*s.* 6*d.*

CURCULIGO RECURVATA, 3*s.* 6*d.*
RECURVATA STRIATA, 7*s.* 6*d.*
—— VARIEGATA, 5*s.* and 7*s.* 6*d.*
CURMERIA PICTURATA, 3*s.* 6*d.*
WALLISII, 5*s.*
CYANOPHYLLUM BOWMANNI, 5*s.*
MAGNIFICUM, 3*s.* 6*d.* and 5*s.*
CYANOTIS (TRADESCANTIA) MULTICOLOR, 2*s.* 6*d.*
(TRADESCANTIA) ZANONIA, 3*s.* 6*d.*
(——) ZEBRINA, 2*s.* 6*d.*
(——) —— ARGENTEA, 2*s.* 6*d.*
CYCADS, *vide* Index.
CYPERUS ALTERNIFOLIUS, 1*s.* 6*d.* and 2*s.* 6*d.*
ALTERNIFOLIUS VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
DISTANS, 2*s.* 6*d.* and 3*s.* 6*d.*
LAXUS, 1*s.* 6*d.*
—— VARIEGATUS, 3*s.* 6*d.* and 5*s.*
CYRTANTHERA CHRYSOSTEPHANA, 3*s.* 6*d.*
POHLIANA, 3*s.* 6*d.*
CYRTOCERAS REFLEXUM, 3*s.* 6*d.* and 5*s.*
CYRTODEIRA CHONTALENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
METALLICA, 2*s.* 6*d.* and 3*s.* 6*d.*
CYRTOSPERMA JOHNSTONI, 7*s.* 6*d.* and 10*s.* 6*d.*
DALECHAMPIA ROEZLIANA ALBA, 2*s.*6*d.* & 3*s.*6*d.*
ROEZLIANA CARNEA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
DICHORISANDRA AUBLETII, 7*s.* 6*d.*
UNDATA, 3*s.* 6*d.* and 5*s.*
DIEFFENBACHIA AMAZONICA, 2*s.*6*d.*, 3*s.*6*d.* & 5*s.*
BARAQUINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
BAUSEI, 2*s.* 6*d.* and 3*s.* 6*d.*
BOWMANNII, 2*s.* 6*d.* and 3*s.* 6*d.*
CHELSONIENSIS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
COSTATA, 5*s.*
EBURNEA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
FLAVO-VIRENS, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
ILLUSTRIS, 5*s.*
INSIGNIS, 7*s.* 6*d.*

DIEFFENBACHIA LANCEOLA, 5*s*.
LEOPOLDII, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
LUCINDA, 3*s*. 6*d*.
MACULOSA, 3*s*. 6*d*.
MAONIFICA, 3*s*. 6*d*.
MAJESTICA, 10*s*. 6*d*.
MEMORIA CORSI, 3*s*. 6*d*.
DIEFFENBACHIA, NEBULOSA, 3*s*. 6*d*.
NOBILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
PICTA, 2*s*. 6*d*. and 3*s*. 6*d*.
PRINCEPS, 7*s*. 6*d*.
SHUTTLEWORTHII, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
SPLENDENS, 2*s*. 6*d*. and 3*s*. 6*d*.

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. 7*s*. 6*d*.

DIEFFENBACHIA VELUTINA, 2*s*. 6*d*. and 3*s*. 6*d*.
WEIRII, 2*s*. 6*d*. and 3*s*. 6*d*.
DIONÆA MUSCIPULA, *vide* page 40.
DIOSCOREA ANŒCTOCHILUS, 5*s*. and 7*s*. 6*d*.
AROYREIA, 5*s*. and 7*s*. 6*d*.
DIOSCOREA BULBIFERA, 5*s*.
CHRYSOPHYLLA, 5*s*.
DISCOLOR VARIEGATA, 3*s*. 6*d*.
ILLUSTRATA, 3*s*. 6*d*.
METALLICA, 5*s*.

DIOSCOREA SPECIOSA.

A free-growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5*s*.

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

DIPLADENIA AMABILIS, 3*s*. 6*d*.
AMŒNA, 3*s*. 6*d*.
BOLIVIENSIS, 3*s*. 6*d*.
CARISSIMA, 5*s*. and 7*s*. 6*d*.
DIADEMA, 15*s*.
HYBRIDA, 3*s*. 6*d*.
ILLUSTRIS OLABRA, 7*s*. 6*d*.
INSIONIS, 3*s*. 6*d*.
DIPLADENIA MAONIFICA (ACUMINATA), 3*s*. 6*d*. & 5*s*.
REGINA, 5*s*.
DIPTERIX ODORATA (**TONQUIN BEAN**), 42*s*.
DISSOTIS PLUMOSA, 5*s*.
DORSTENIA AROENTEA, 5*s*.
BARTERI, 7*s*. 6*d*.
CAULESCENS 7*s*. 6*d*.
THOMSONII, 7*s*. 6*d*.

DRACÆNA ARGENTEO-STRIATA.

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves, beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ornamental purposes. 2 & 3 guineas.

DRACÆNA ALBO-MARGINATA, 3*s*. 6*d*.
AMABILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
ANERLEYENSIS, 3*s*. 6*d*. and 5*s*.
AURANTIACA, 3*s*. 6*d*. and 5*s*.
BAPTISTII, 3*s*. 6*d*.
BAUSEI, 3*s*. 6*d*. and 5*s*.
BELLA, 5*s*.
BERKELEYI, 3*s*. 6*d*. and 5*s*.
CANTRELLII, 7*s*. 6*d*.
CAUSTONI, 3*s*. 6*d*. and 5*s*.
CONOESTA (RUBRA), 2*s*. 6*d*. and 3*s*. 6*d*.
COOPERI, 2*s*. 6*d*. and 3*s*. 6*d*.
CRISTULA, 3*s*. 6*d*.
DRACÆNA ELIZABETHÆ, 3*s*. 6*d*.
ERNESTII, 3*s*. 6*d*. and 5*s*.
FERREA VARIEGATA, 3*s*. 6*d*.
FRAGRANS, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
—— VARIEGATA, 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
FREDERICI, 3*s*. 6*d*. and 5*s*.
GLADSTONEI, 3*s*. 6*d*. and 5*s*.
GOLDIEANA, 7*s*. 6*d*. and 10*s*. 6*d*.
GRACILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
GUILFOYLEI, 2*s*. 6*d*. and 3*s*. 6*d*.
IONEA, 3*s*. 6*d*.
LEONARDII, 3*s*. 6*d*.

DRACÆNA LINDENI.

In habit this most distinct and striking Dracæna is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

EUCHARIS SANDERII.

A distinct and beautiful new species. Its snow-white flowers are produced in umbels, and the corona, which is marked with six yellow stripes, is so shallow that it merely projects as a rim beyond the mouth of the tube. The leaves are deep green. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society.] [3*s.* 6*d.* and 5*s.* each.

For other Eucharis, *see* page 24.

EURYCLES AUSTRALASICA.

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. 3*s.* 6*d.* each; 36*s.* per dozen.

DRACÆNA MAJESTICA, 3*s.* 6*d.* and 5*s.*
MASSANGEANA, *vide* fragrans variegata
MRS. BAUSE, 3*s.* 6*d.* and 5*s.*
MRS. C. J. FREAKE, 3*s.* 6*d.*
MRS. WILLS, 3*s.* 6*d.*
PHRYNIOIDES, 10*s.* 6*d.*
REGINA, 3*s.* 6*d.*
RENARDIÆ, 5*s.*
ROSSII, 3*s.* 6*d.* and 5*s.*
RUBRA, *vide* D. congesta
SALMONEA, 3*s.* 6*d.* and 5*s.*
SPLENDENS, 3*s.* 6*d.* and 5*s.*
STRICTA, 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.* and 5*s.*
SURCULOSA MACULATA, 7*s.* 6*d.*
SYDNEYI, 3*s.* 6*d.*

DRACÆNA TERMINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
TERMINALIS ALBA, 3*s.* 6*d.* and 5*s.*
THOMSONII, 3*s.* 6*d.* and 5*s.*
VIVICANS, 3*s.* 6*d.* and 5*s.*
WILLSII, 3*s.* 6*d.* and 5*s.*
WILSONI, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
see also page 40.
DRACONTIUM ASPERUM, 5*s.*
CARDERI, 7*s.* 6*d.*
SCALPTURATUM, 7*s.* 6*d.*
DRYMONIA MARMORATA, 7*s.* 6*d.*
TURIALVÆ, 5*s.*
DURIO ZIBETHINUS (DURIAN).
DYCKIA BREVIFOLIA, 7*s.* 6*d.*
ECHITES, *vide* Dipladenia
PICTA, 3*s.* 6*d.* and 5*s.*

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. *5s.* and *7s. 6d.*

ELÆODENDRON ORIENTALE (ARALIA CHABRIERII), *5s.*
ELETTARIA DIEPENHORSTII, *5s.*
ENCEPHALARTOS, *vide* Index
ENCHOLIRION CORALLINUM, *7s. 6d.*
EPIPHYLLUMS, of sorts; useful for winter and early spring blooming, and very showy and attractive. *30s.* and *42s.* per dozon.
EPIPREMNUM MIRABILE "TONGA PLANT" *3s. 6d.* and *5s.*
EPISCIA TESSELLATA, *vide* Centrosolenia bullata

ERANTHEMUM MACROPHYLLUM.

A very desirable winter-flowering stove plant introduced from Indiа. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour. It is very free flowering and of good habit. *5s.*

ERANTHEMUM MOOREI, *3s. 6d.*
CUMABÆRINUM, *5s.*
PULCHELLUM, *2s. 6d.* and *3s. 6d.*
TRICOLOR, *3s. 6d.*
VELUTINUM, *5s.*
VERBENACEUM, *3s. 6d.*
ERYTHRINA PARCELLII, *10s. 6d.*
see also page 40.
ERYTHROXYLON COCA, *10s. 6d.*
EUCHARIS AMAZONICA, *1s. 6d.* and *2s. 6d.*; *15s.* and *24s.* per dozen.
CANDIDA, *2s. 6d.* each; *24s.* per dozen.
SANDERII, *vide* page 22.
STEVENSII, *7s. 6d.*
EUADENIA EMINENS, 1 guinea
EUCODONIA, *vide* Index.
EUGENIA JAMBOS (*Rose Apple*), *10s. 6d.*
PIMENTA (*Allspice*), *5s.*
vide also page 40.
EUPHORBIA JACQUINIÆFLORA, *2s. 6d.* and *3s. 6d.*
EURYCLES AUSTRALASICA, *vide* page 23.
EXOSTEMMA CHONTALENSIS, *10s. 6d.*
FERNS, *vide* Index.
FICUS BARBATA, *2s. 6d.* and *3s. 6d.*
(ARTOCARPUS) CANNONI, *3s. 6d.*
EBURNEA, *5s.*
ELASTICA, *3s. 6d.*
—— VARIEGATA, *5s.* and *7s. 6d.*
EXSCULPTA, *3s. 6d.* and *5s.*
INDICA, *3s. 6d.*
(ARTOCARPUS) LACINIATA METALLICA, *3s. 6d.*
MOOREI, *5s.*
RADICANS, *3s. 6d.*
RELIGIOSA (*Sacred Indian Fig*), *7s. 6d.*
FICUS SYCOMORUS (*Sycamore Tree of Scripture*), *7s. 6d.* and *10s. 6d.*
FILICIUM DECIPIENS, *5s.* and *7s. 6d.*
FITTONIA ARGYRONEURA, *2s. 6d.*
GIGANTEA, *2s. 6d.*
PEARCEI, *2s. 6d.*
FRANCISCEA CALYCINA, *3s. 6d.* and *5s.*
CONFERTIFLORA (LAURIFOLIA), *3s. 6d.*
EXIMIA, *3s. 6d.*
LINDENI, *3s. 6d.*
MAGNIFICA, *3s. 6d.* and *5s.*
VIOLACEA GRANDIFLORA, *3s. 6d.* and *5s.*
GALACTODENDRON UTILE (Milk Tree), 1 guinea
GARCINIA LIVINGSTONI, *10s. 6d.* and *15s.*
GARDENIA CITRIODORA, *3s. 6d*
FLORIDA, *2s. 6d.* and *3s. 6d.*
GLOBOSA, *5s.*
RADICANS, *2s. 6d.* and *3s. 6d.*
THUNBERGII, *5s.*
GEISSOMERIA MARMORATA, *3s. 6d.*
GESNERA DONKELAARI, *5s.*
DUVALII, *3s. 6d.*
LEOPOLDII, *3s. 6d.*
—— ALBO-CARMINEA, *3s. 6d.*
—— ROSEO-LILACINA, *3s. 6d.*
MACRANTHA, *2s. 6d.*
vide Index
GLONERA JASMINIFLORA, *3s. 6d.*
GLORIOSA PLANTII, *2s. 6d.* and *3s. 6d.*
SUPERBA, *3s. 6d.*
GLOXINIA, *vide* Index
GODWINIA GIGAS, *10s. 6d.*
GONOLOBUS CUNDURANGO, *vide* page 40.
GOODYERA, *vide* Orchids

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. *5s.* and *7s. 6d.*

GUZMANNIA PICTA (NIDULARIUM FULGENS), *7s. 6d.* and *10s. 6d.*
HÆMANTHUS KALBREYERI, *5s.*
KATHERINÆ, *5s.* and *7s. 6d.*
—— SUPERBUM, 1 guinea
NATALENSE, *7s. 6d.*
vide also page 41.
HEVEA BRASILIENSIS (*Para Rubber*).
HEDYCHIUM ACUMINATUM, *5s.*
GARDNERIANUM, *vide* page 41.
HELICONIA AUREO-STRIATA, *5s.* and *7s. 6d.*
BREVISPATHA, *10s. 6d.*
ILLUSTRIS, *vide* page 10.
HEMIGRAPHIS COLORATA, *3s. 6d.*
HIBISCUS ROSA SINENSIS ALBO-VARIEGATUS, *2s. 6d.* and *3s. 6d.*
ROSA SINENSIS BRILLIANTISSIMUS, *5s.*
—— —— COLLERI, *3s. 6d.*
—— —— DENNISONI, *3s. 6d.*
—— —— INTERMEDIUS, *7s. 6d.*

HIBISCUS Rosa sinensis Lambertii, 3*s*. 6*d*.
Rosa sinensis magnificus, 5*s*.
—— —— miniatus semi-plenus, 3*s*. 6*d*.
—— —— puniceus, 3*s*. 6*d*.
—— —— vivicans, 3*s*. 6*d*.
—— —— zebrinus, 3*s*. 6*d*.
moschatus, 7*s*. 6*d*.
schizopetalus, 2*s*. 6*d*. and 3*s*. 6*d*.
see also page 41.

HIPPEASTRUM, *vide* **AMARYLLIS**
HOFFMANNIA (Higginsia) Ghiesbreghtii, 2*s*. 6*d*. and 3*s*. 6*d*.
Ghiesbreghtii variegata, 5*s*.
Ortgiesii, 3*s*. 6*d*.
refulgens robusta, 3*s*. 6*d*.
HOMALONEMA peltatum, 10*s*. 6*d*.
HOPLOPHYTUM lineatum, *vide* page 10.

HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 3*s*. 6*d*. & 5*s*.

HOYA bella, 3*s*. 6*d*.
campanulata, 3*s*. 6*d*. and 5*s*.
carnosa, 2*s*. 6*d*. and 3*s*. 6*d*.
imperialis, 3*s*. 6*d*. and 5*s*.
Paxtoni, 2*s*. 6*d*. and 3*s*. 6*d*.

HYDROCOTYLE nitidula, 3*s*. 6*d*.
HYMENOCALLIS macrostephana, 10*s*. 6*d*., 15*s*. and 1 guinea
vide Pancratium
HYPOLYTRUM Schraderianum, *vide* page 10.

HYMENOSPORUM FLAVUM.

A handsome evergreen plant of branching habit, furnished with broadly obovate glabrous leaves. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 7*s*. 6*d*.

IMPATIENS HAWKERII.

A most lovely flowering plant, with magnificent large flatly expanded flowers of the most brilliant rich deep carmine colour, relieved by a lustrous bluish tinge round the small white eye. The handsome flowers of this superb Impatiens are produced in the greatest profusion from March until October, the plant being of free growth and of good habit. 2*s*. 6*d*. and 3*s*. 6*d*.

IMPATIENS flaccida (platypetala), 2*s*. 6*d*.
flaccida (platypetala) alba, 1*s*. 6*d*.
Sultani, 1*s*. 6*d*.
—— carminata, 2*s*. 6*d*. and 3*s*. 6*d*.
—— salmonea, 2*s*. 6*d*. and 3*s*. 6*d*.
IPOMŒA Horsfalliæ, 5*s*. and 7*s*. 6*d*.

IPOMŒA Learii, 2*s*. 6*d*. and 3*s*. 6*d*.
ternata (Thomsoniana), 5*s*.
ISOLOMA hirsuta, 3*s*. 6*d*.
IXORA amabilis, 3*s*. 6*d*.
Aurelia, 3*s*. 6*d*.
coccinea superba, 3*s*. 6*d*.

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10*s*. 6*d*.

IXORA Duffii, *vide* I. macrothyrsa.

IXORA eximia, 7*s*. 6*d*.

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10*s*. 6*d*.

IXORA Laverna, 3*s*. 6*d*.
Lobbii, 7*s*. 6*d*.
macrothyrsa (Duffii), 3*s*. 6*d*. and 5*s*.
Miranda, 7*s*. 6*d*.
Modiola, 5*s*.
ornata, 7*s*. 6*d*.

IXORA Pilgrimii, 3*s*. 6*d*.
Prince of Orange, 3*s*. 6*d*.
princeps, 3*s*. 6*d*.
Regina, 3*s*. 6*d*.
sanguinea, 3*s*. 6*d*.
Westii, 3*s*. 6*d*.

IXORA SALMONEA.

This distinct and attractive variety bears large trusses of light buff flowers, marked with bright salmon, the blossoms being of good shape. From its excellent habit, and free-flowering qualities, this variety will be found of great service for exhibition and decorative purposes generally. 15*s*.

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free-flowering. 10*s*. 6*d*.

IXORA Verona, 3*s*. 6*d*.

IXORA Williamsii, 3*s*. 6*d*.

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7*s*. 6*d*.

JACARANDA Claussenïana (Cupania filicifolia), 10*s.* 6*d.* and 15*s.*
elegantissima, 10*s.* 6*d.*
mimosæfolia, 5*s.*
JASMINUM Duchesse d'Orleans, 3*s.* 6*d.*
gracillimum, 2*s.* 6*d.*
hirsutum (multiflorum) 2*s.* 6*d.* & 3*s.* 6*d.*
ligustrifolium, 3*s.* 6*d.*
Sambac, 2*s.* 6*d.* and 3*s.* 6*d.*
—— flore pleno, 3*s.* 6*d.*
see also page 41.
JATROPHA multifida, 5*s.*
JONESIA Asoca, 10*s.* 6*d.* and 15*s.*
JUSTICIA flavacoma, 2*s.* 6*d.*
KÆMPFERIA Bensoniæ, 7*s.* 6*d.*
Berkeleyi, 7*s.* 6*d.*
Gilbertii, 3*s.* 6*d.*
moulmeinensis, 7*s.* 6*d.*
Roscoeana, 5*s.*
rotunda, 5*s.*
undulata, 5*s.*
KYLLINGIA monocephala, 3*s.* 6*d.*
LABISIA alata, 7*s.* 6*d.*
Malouana, 10*s.* 6*d.*
LAMPROCOCCUS (Æchmea) fulgens, 3*s.* 6*d.* and 5*s.*
(Æchmea) miniata, 5*s.*
(——) speciosus, *vide* page 11.
(——) Weilbachi, 7*s.* 6*d.*
LANDOLPHIA Kirkii, 10*s.* 6*d.*
Watsoniana, 7*s.* 6*d.*
LAPORTEA Schomburgkii versicolor, 10*s.* 6*d.*
LASIANDRA, *vide* page 42.
LAURUS cinnamomum, 5*s.* and 7*s.* 6*d.*
LEDENBERGIA roseo-ænea, 3*s.* 6*d.*
LIBONIA, *vide* page 42.
MACROZAMIA, *vide* Index
MAGNOLIA pumila, 5*s.* and 7*s.* 6*d.*
MANETTIA bicolor, 2*s.* 6*d.* and 3*s.* 6*d.*
cordata, 2*s.* 6*d.* and 3*s.* 6*d.*
MANGIFERA indica (Mango), 21*s.*
MARANTA arundinacea *(The Arrowroot Plant)*, 7*s.* 6*d.*
arundinacea variegata, 3*s.* 6*d.* and 5*s.*
Baraquinii, 3*s.* 6*d.*
bella, 7*s.* 6*d.*
bicolor, 5*s.*
conspicua, 7*s.* 6*d.*
oratiosa, 7*s.* 6*d.*
iconifera, 7*s.* 6*d.*
Kerchoveana, 3*s.* 6*d.* and 5*s.*
Leopoldii, 3*s.* 6*d.*
Lindeni, 3*s.* 6*d.*
Lubbersii, 2*s.* 6*d.*
Makoyana, 3*s.* 6*d.*
Massangeana, 3*s.* 6*d.*
musaica, 10*s.* 6*d.*
nitens, 7*s.* 6*d.*
nitida, 10*s.* 6*d.*
prasina, 7*s.* 6*d.*
radiata, 5*s.*
roseo-picta, 3*s.* 6*d.*
Veitchii, 3*s.* 6*d.* and 5*s.*
Warscewiczii, 3*s.* 6*d.*
Wiotii, 5*s.*
zebrina, 3*s.* 6*d.*
MARCGRAVIA paradoxa, 3*s.* 6*d.*
MEDINILLA amabilis, 3*s.* 6*d.*
Curtisii, 3*s.* 6*d.*
magnifica, 3*s.* 6*d.*
MELASTOMA malabathrica, 5*s.*
MESUA ferrea, 7*s.* 6*d.* and 10*s.* 6*d.*
METHONICA, *vide* Gloriosa
MEYENIA erecta, 2*s.* 6*d.* and 3*s.* 6*d.*
MICANIA pulverulenta, 3*s.* 6*d.*
MONSTERA deliciosa (Philodendron pertusum), 5*s.* and 7*s.* 6*d.*
MUSA Cavendishii, 10*s.* 6*d.* and 15*s.*
coccinea, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
zebrina, 10*s.* 6*d.* and 15*s.*

MUSSÆNDA ERYTHROPHYLLA.

A remarkable introduction from the Congo. It is of shrubby habit, and produces heads of the richest dazzling scarlet bracts, which are roundish ovate in form, about three and a-half inches long, by three inches wide; at the base of each bract are borne three or four funnel-shaped sulphur-yellow flowers, the whole plant, including the bracts and flowers, being covered with a silky pubescence. The leaves are opposite, roundish ovate, and of a bright green colour. 10*s.* 6*d.*

MUSSÆNDA frondosa, 2*s.* 6*d.* and 3*s.* 6*d.*
MYRISTICA moschata (Nutmeg), 2 guineas
NÆGELIA, *vide* Gesnera
NAPOLEONA imperialis, 5*s.* and 7*s.* 6*d.*
NEPENTHES ampullaria vittata, 10*s.* 6*d.*
Chelsoni, 1 guinea
coccinea, 15*s.*
Courtii, 1 guinea
distillatoria, 10*s.* 6*d.*
Dominii, 10*s.* 6*d.*
gracilis major, 5*s.*
Henryana, 15*s.* and 1 guinea
Hookeri (Sir Joseph Hooker's Pitcher Plant), 1 guinea
Hookeræ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea
NEPENTHES hybrida maculata, 10*s.* 6*d.*
intermedia, 10*s.* 6*d.*
Kennedyana, 10*s.* 6*d.*
Lawrenceana, 10*s.* 6*d.* and 15*s.*
Mastersiana, 1 and 1½ guinea
Moroanæ, 10*s.* 6*d.* and 15*s.*
Outramiana, 10*s.* 6*d.*
Rafflesiana, 15*s.*
Ratcliffiana, 10*s.* 6*d.* and 15*s.*
Sedeni, 5*s.*
Stewartii, 10*s.* 6*d.*
superba, 10*s.* 6*d.*
zeylanica rubra, 10*s.* 6*d*
NEPHTHYTIS liberica, *vide* page 30.
picturata, *vide* page 27.

NEPHTHYTIS PICTURATA.

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. 21*s.*

NIDULARIUM INNOCENTII STRIATUM.

NIDULARIUM INNOCENTII STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are furnished with small spinose teeth. 15*s*., 1, 1½ & 2 guineas.

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. 7*s.* 6*d.*

NEPHTHYTIS PICTURATA, *vide* page 27.
NIDULARIUM FULGENS, *vide* Guzmannia picta
INNOCENTII, 5*s.* and 7*s.* 6*d.*
—— STRIATUM, *vide* page 28.
MAKOYANUM, 15*s.*
METALLICUM, 10*s.* 6*d.* and 15*s.*
SPECTABILE, 7*s.* 6*d.* and 10*s.* 6*d.*
OCHROSIA ELLIPTICA, 5*s.*
ONCIDIUM, *vide* ORCHIDS
OPHIOPOGON, *vide* page 43.
OPLISMENUS IMBECILLUS VARIEGATUS (PANICUM VARIEGATUM), 1*s.* 6*d.*
INTERMEDIUS (PANICUM INTERMEDIUM), 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, *vide* Index
OXALIS BUPLEURIFOLIA, 5*s.*
SENSITIVA, 3*s.* 6*d.* and 5*s.*
PALISOTA BARTERI, 5*s.*
PALMS, of sorts, *vide* Index
PANAX DISSECTUM, 7*s.* 6*d.*
FRUTICOSUM, 7*s.* 6*d.*
VICTORIÆ, 3*s.* 6*d.* and 5*s.*
PANCRATIUM AMŒNUM, 3*s.* 6*d.*
CRASSIFOLIUM, *vide* page 30.
FRAGRANS, 3*s.* 6*d.*, 5*s.* to 1 guinea.
GUIANENSE, *vide* page 31.
MACROPHYLLUM, 10*s.* 6*d.*, 15*s.* and 1 guinea
LITTORALE, 5*s.*
SPECIOSUM, 5*s.* and 7*s.* 6*d.*
PANCRATIUM ZEYLANICUM, *vide* page 30.
vide Hymenocallis
PANDANOPHYLLUM HUMILE, 1½ guinea
PANDANUS JAVANICUS VARIEGATUS, 3*s.* 6*d.* & 5*s.*
LABYRINTHICUS, 3*s.* 6*d.* and 5*s.*
LAIS, 3*s.* 6*d.* and 5*s.*
UTILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
VEITCHII, 2*s.* 6*d.* and 3*s.* 6*d.*
PANICUM VARIEGATUM, *vide* Oplismenus
INTERMEDIUM, *vide* Oplismenus
PARITIUM ELATUM (CUBA BAST), 7*s.* 6*d.*
PASSIFLORA BUONAPARTEA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
EDULIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGENS, *vide* Tacsonia Buchanani
KERMESINA, 3*s.* 6*d.*
LAURIFOLIA, 5*s.*
MACROCARPA, 3*s.* 6*d.* and 5*s.*
PRINCEPS (RACEMOSA), 3*s.* 6*d.*
QUADRANGULARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
—— VARIEGATA, 3*s.* 6*d.* and 5*s.*
VIOLACEA, 3*s.* 6*d.*
VITIFOLIA, *vide* Tacsonia Buchanani
see also page 43.
PAULLINIA HOOIBRENKII, 10*s.* 6*d.*
OCEANICA, 10*s.* 6*d.*
SORBILIS, Guarana Tea Plant, 10*s.* 6*d.*
THALICTRIFOLIA, 3*s.* 6*d.*

PAULOWILHELMIA SPECIOSA.

A beautiful soft-wooded stove plant, as distinct as it is showy, and likely to become a very popular plant. Its attractive mauve blue flowers, marked with yellow on the disc, are disposed in large terminal panicles, made up of numerous opposite cymes. The leaves are cordate, irregularly toothed on the margins, and of a cheerful green colour. 7*s.* 6*d.*

PAVETTA BORBONICA, 10*s.* 6*d.*
PAVONIA MAKOYANA, 3*s.* 6*d.*
MULTIFLORA (WIOTII), 3*s.* 6*d.*
PELLIONIA DAVEAUANA, 2*s.* 6*d.*
PULCHRA, 2*s.* 6*d.*
PENTAS CARNEA, 1*s.* 6*d.* and 2*s.* 6*d.*
PENTAS KERMESINA, 1*s.* 6*d.* and 2*s.* 6*d.*
PEPEROMIA EBURNEA, 3*s.* 6*d.*
PHILODENDRON CARDERI, 7*s.* 6*d.*
CRINIPES, 5*s.*
DISCOLOR, 5*s.*
GLORIOSUM, 5*s.* and 7*s.* 6*d.*

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots. 15*s.* and 1 guinea.

PHILODENDRON IMPERIALE (MAMEI), 5*s.* & 7*s.* 6*d.*
LINDENIANUM, 3*s.* 6*d.* and 5*s.*
MELANOCHRYSUM, 5*s.*
PERTUSUM, *vide* Monstera deliciosa
QUERCIFOLIUM, 5*s.*
RADIATUM, 5*s.*
PHYLLANTHUS ATROPURPUREUM, 3*s.* 6*d.*
ELEGANS, 5*s.*
MUCRONATUM, 3*s.* 6*d.*
PHYLLANTHUS NIVOSUM, 3*s.* 6*d.*
ROSEO-PICTUM, 3*s.* 6*d.*
SUBEMARGINATUM, 3*s.* 6*d.*
PHYLLARTHRON COMORENSE, 7*s.* 6*d.*
PHYLLOTÆNIUM LINDENI, 3*s.* 6*d.* and 5*s.*
PIPER ARGENTEUM, 10*s.* 6*d.*
ORNATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PIPERS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

PANCRATIUM CRASSIFOLIUM.

PANCRATIUM CRASSIFOLIUM.

A very desirable free-flowering Stove species, producing on short erect scapes umbels of from eight to ten pure white flowers, deliciously fragrant; admirably adapted for bouquets and every other purpose for which cut flowers are usually required. The above illustration conveys some idea of its graceful and ornamental character. 2*s.* 6*d.* each; 24*s.* per dozen.

PANCRATIUM ZEYLANICUM.

An exceedingly attractive dwarf-growing stove species, bearing large pure white flowers, very deliciously scented. As will be seen by the illustration, the corona is funnel-shaped and deeply serrated on the margin, from which the filaments arise and incurve towards the centre. The petals being gracefully recurved lend an additional charm to the flowers of this desirable species. 2*s.* 6*d.* each; 24*s.* per doz.

For other Pancratiums, *vide* p. 29.

PANCRATIUM GUIANENSE.

A very distinct species introduced from British Guiana, producing its elegant flowers in handsome clusters on erect scapes. The blossoms are pure white, the narrow segments being drooping and most prettily curled and twisted, presenting an aspect of the most charming description. The corona is trumpet-shaped, the filaments which proceed from it being bright green, and furnished with bright yellow anthers. *7s. 6d.* and *10s. 6d.*

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10*s*. 6*d*.

PITCAIRNIA CORALLINA, 5*s*. and 7*s*. 6*d*.
PLATYPHYLLA, 7*s*. 6*d*.
TABULÆFORMIS, 3*s*. 6*d*. and 5*s*.
PLUMBAGO COCCINEA SUPERBA, 2*s*. 6*d*. & 3*s*. 6*d*.
ROSEA, 2*s*. 6*d*. and 3*s*. 6*d*.
see also page 43.

POGOSTEMON PATCHOULI, 2*s*. 6*d*. and 3*s*. 6*d*.
POINSETTIA PULCHERRIMA, 1*s*. 6*d*. and 2*s*. 6*d*.
PULCHERRIMA ALBA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— PLENISSIMA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— ROSEO-CARMINATA, 2*s*. 6*d*.
PORTLANDIA GRANDIFLORA, 7*s*. 6*d*.

POTHOS ARGENTEUS.

An attractive variegated Araceous plant of climbing habit, imported from Borneo. The leaves are ovate-acuminate, unequal-sided and of firm texture, nearly the whole of the upper surface being of a shining silvery grey colour, the effect being greatly enhanced by an irregular band of deep green, the leaves being also margined in an irregular manner with the same colour. 10*s*. 6*d*.

POTHOS ARGYREIOS, 2*s*. 6*d*. and 3*s*. 6*d*.
AUREUS, 3*s*. 6*d*. and 5*s*.
POTHOS CELATOCAULIS, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
MACROPHYLLUS, 3*s*. 6*d*.

POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. 10*s*. 6*d*.

POTHOS NITENS.

A distinct looking stove plant, with leaves of a dark shining bronzy-purplish green and climbing terete stems which hold fast to any surface with which they come in contact by means of their adventitious roots. This will prove an effective and attractive species for covering the walls and trellises in our stoves. It has been imported from the Eastern Archipelago. 7*s*. 6*d*.

PSIDIUM CATTLEYANUM (The Guava), 3*s*. 6*d*. and 5*s*.
PUYA MAIDIFOLIA, 5*s*.
SULPHUREA, 7*s*. 6*d*.
UNDULATA, 7*s*. 6*d*.
RAVENALA MADAGASCARIENSIS. "The Traveller's Tree," 7*s*. 6*d*. and 10*s*. 6*d*.
REIDIA GLAUCESCENS, 2*s*. 6*d*. and 3*s*. 6*d*.
RHOPALA, of sorts, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
ROGEIRA CORDATA (AMŒNA), 3*s*. 6*d*.
GRATISSIMA, *vide* page 44.
RONDELETIA BREVIFOLIA, 3*s*. 6*d*.
SPECIOSA MAJOR, 3*s*. 6*d*.

RUELLIA ACUTANGULA, 5*s*.
PORTELLÆ, 3*s*. 6*d*.
ROSEA, 3*s*. 6*d*.
SACCHARUM OFFICINARUM "Sugar Cane," 5*s*.
SANCHEZIA NOBILIS GLAUCOPHYLLA, 3*s*. 6*d*.
NOBILIS VARIEGATA, 3*s*. 6*d*.
SANSEVIERA ZEYLANICA, 3*s*. 6*d*.
SCHISMATOGLOTTIS DECORA, 5*s*.
LATIFOLIA, 5*s*.
LAVALLEI, 5*s*.
LONGISPATHA, 5*s*.
SIAMENSIS, 10*s*. 6*d*.
VARIEGATA, 3*s*. 6*d*.
SCHISTOCASIA PORTEI, *vide* Alocasia Portei

SCHUBERTIA GRAVEOLENS.

An exceedingly handsome stove climber, of free growth, producing in great abundance clusters of funnel-shaped white flowers, individually nearly three inches across, very sweet scented, and from the great consistency of the blooms, lasting a long time when cut and placed in water. 3*s*. 6*d*. & 5*s*.

SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10*s*. 6*d*.

THUNBERGIA AFFINIS.

This extremely beautiful species has been introduced from Zanzibar, and is one of the most handsome of the genus. When cultivated in pots it assumes a dwarf compact habit, the flowers being of large size, very rich bright purple in colour, with an orange-yellow throat. *5s.* and *7s 6d.*

SINNINGIA PURPUREA NIORA, 3*s.* 6*d.*
SMILAX DISCOLOR, 7*s.* 6*d.*
SMILAX SHUTTLEWORTHII, 7*s.* 6*d.*
SOLANDRA GRANDIFLORA, 3*s.* 6*d.*
SOLANUM SEAFORTHIANUM, 5*s.*
SONERILA ORIENTALIS, 3*s.* 6*d.*
ORIENTALIS PICTA, 3*s.* 6*d.*
—— PUNCTATA, 3*s.* 6*d.*
SPATHIPHYLLUM PICTUM, 5*s.*
SPATHODEA CAMPANULATA, 7*s.* 6*d.*
SPHÆROGYNE LATIFOLIA, 3*s.* 6*d.*
SPHÆROSTEMA MARMORATUM, 3*s.* 6*d.* and 5*s.*
STADMANNIA AMABILIS, 10*s.* 6*d.*
STENOSPERMATIUM WALLISII, 5*s.*
STEPHANOPHYSUM BAIKIERI, 2*s.* 6*d* & 3*s.* 6*d.*
STEPHANOTIS FLORIBUNDA, 3*s.* 6*d.*
FLORIBUNDA, "Elvaston" variety, 3*s.* 6*d.* & 5*s.*

STERCULIA DISCOLOR.

An ornamental stove plant, introduced from East and North Australia, having pale green irregularly lobed leaves, the divisions—generally three or five—never extending more than halfway to the centre of the leaf. The flowers, which are borne in spicate panicles, are rose-red in colour, and somewhat campanulate or funnel-shaped. It has been figured in the *Botanical Magazine*, Tab. 6608. 7*s.* 6*d.*

STEUDNERA COLOCASIÆFOLIA, 5*s.*
DISCOLOR, 10*s.* 6*d.*
STIGMAPHYLLUM CILIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
STRELITZIA AUGUSTA, 15*s.*
REGINÆ, 7*s.* 6*d.*
STREPTOCARPUS REXII, 2*s.* 6*d.* and 3*s.* 6*d.*
REXII HYBRIDS.—Many pretty varieties of various shades of colour. 3*s.* 6*d.* each, 36*s.* per dozen.
STREPTOCARPUS REXII PURPUREUS, 5*s.*
SYNGONIUM ALBO-LINEATUM, 3*s.* 6*d.*
WENDLANDII, 3*s.* 6*d.*
TABERNÆMONTANA CAMASSA, 3*s.* 6*d.*
CORONARIA FLORE PLENO, 3*s.* 6*d.*
TACSONIA BUCHANANI (VITIFOLIA), 3*s.* 6*d.* & 5*s.*
TAPEINOTIS CAROLINÆ MAJOR, 5*s.*
TERMINALIA ELEGANS, 5*s.* & 7*s.* 6*d.*
TETRANEMA MEXICANA, 1*s.* 6*d.*

TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes, the orange-red corolla tube being from three to four inches long. 15*s.*

THEOBROMA CACAO (Cocoa), 10*s.* 6*d.*
THROPHRASTA IMPERIALIS, *vide* Chrysophyllum imperiale
THUNBERGIA AFFINIS, *vide* page 33.
FRAGRANS, 2*s.* 6*d.*
GRANDIFLORA, 3*s.* 6*d.*
HARRISII (LAURIFOLIA), 3*s.* 6*d.*
THYRSACANTHUS RUTILANS, 2*s.* 6*d.* and 3*s.* 6*d.*
TILLANDSIA ACAULIS ZEBRINA, *vide* Cryptanthus
ACAULIS ZEBRINA AUREA, *vide* Cryptanthus.
BEUCKERII, *vide* Cryptanthus.
BIVITTATA, *vide* Cryptanthus
FENESTRALIS, *vide* Vriesia fenestralis.
HIEROGLYPHICA, 5*s.* and 7*s.* 6*d.*

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10*s.* 6*d.*, 15*s.* & 21*s.*

TILLANDSIA (CARAGUATA) MUSAICA, 15*s.* and 21*s.*
TOXICOPHLÆA (ACOCANTHERA) SPECTABILIS, 3/6
THUNBERGII, 5*s.*

TRADESCANTIA DECORA.

This pretty ornamental foliaged species has been imported from Rio Grande do Sul, and bears elongate lanceolate leaves with sheathing petioles, spirally arranged on upright stems. The foliage is dark olive-green, the leaf-blade having a striking median variegation of silvery-grey. 10*s.* 6*d.*

TYDÆA, *vide* Index
URCEOLINA AUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
UROSKINNERA SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
UTRICULARIA MONTANA, 7*s.* 6*d.* and 10*s.* 6*d.*
VANILLA AROMATICA, 3*s.* 6*d.* and 5*s.*
PLANIFOLIA, 5*s.* and 7*s.* 6*d.*
VINCA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
ALBA OCULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
VRIESIA BRACHYSTACHYA, 5*s.*
VRIESIA FALKENBERGII, 1 guinea.
FENESTRALIS, 5*s.*
PURPURASCENS, *vide* page 11.
SPLENDENS (SPECIOSA), 3*s.* 6*d.* and 5*s.*
XYLOPHYLLA ANGUSTIFOLIA, 5*s.*
INTERMEDIA, 5*s.*
ZINGIBER CYLINDRICUM, 3*s.* 6*d.*
D'ARCEYI, 5*s.*
OFFICINALE, 2*s.* 6*d.*
ZERUMBET, 3*s.* 6*d.*

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2*s.* 6*d.*
ABUTILONS, *vide* page 49.
ACACIA ARMATA, 1*s.* 6*d.*
DEALBATA 2*s.* 6*d.* and 3*s.* 6*d.*
DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
LONGIFOLIA MAGNIFICA, 3*s.* 6*d.*
LOPHANTHA, *vide* ALBIZZIA
ACACIA PLATYPTERA, 3*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.* and 5*s.*
RICEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
TENUIFOLIA, 5*s.*
VERTICILLATA, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5*s.*
ACROPHYLLUM VENOSUM, 5*s.* and 7*s.* 6*d.*

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite ovate leaves on dark purple petioles. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5*s.*

ADENANDRA FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAPANTHUS UMBELLATUM, 1*s.* 6*d.*
AGAPANTHUS UMBELLATUM ALBUM, *vide* A. umbellatum candidum

AGAPANTHUS UMBELLATUM CANDIDUM.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3*s.* 6*d.*

AGAPANTHUS UMBELLATUM MAXIMUM, 3*s.* 6*d.*
UMBELLATUM MINUS, 3*s.* 6*d.*
AGAPANTHUS UMBELLATUM FOLIIS VARIEGATIS, 2*s.* 6*d.* and 3*s.* 6*d.*

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10*s.* 6*d.*

AGAVE AMERICANA LONGIFOLIA VARIEGATA, 5*s.*
AMERICANA VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAVE BULBOSA, *vide* Fourcræa
SHAWII, 3*s.* 6*d.* and 5*s.*

ALBERTA MAGNA.

This desirable plant has been described as being one of the finest flowering plants of Natal, from which country it has lately been introduced. It has deep green shining evergreen leaves, and is of shrubby growth, producing dense terminal panicles of bright red flowers, afterwards succeeded by beautiful fruits, each crowned with two enlarged calyx lobes nearly an inch long, giving the plant a very striking appearance. It should be grown in a greenhouse or conservatory, although, as it comes from a high elevation, it may prove half-hardy in favourable situations. 10*s.* 6*d.*

ALBIZZIA (ACACIA) LOPHANTHA, 1*s.* 6*d.*
ALOE FEROX, 3*s.* 6*d.* and 5*s.*
ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA), 1*s.*
ALSTROMERIA ERREMBAULTII, 9*s.* per dozen.
HÆMANTHA, 9*s.* per dozen.
LUTEA, 6*s.* per dozen.
PULCHELLA, 6*s.* per dozen.
TRICOLOR (PULCHRA), 4*s.* 6*d.* per dozen.
See also page 50.
AMARYLLIS, *vide* pages 12 and 14.
AMORPHOPHALLUS (PROTEINOPHALLUS) RIVIERI, 1*s.* 6*d.* and 2*s.* 6*d.*
ANOPTERUS GLANDULOSA, 5*s.* and 7*s.* 6*d.*
ANTHERICUM VARIEGATUM, *vide* Phalangium argenteo-lineare
AOTUS GRACILLIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
APHELEXIS HUMILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA PURPUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUPESTRIS GRANDIFLORA 2*s.* 6*d.* and 3*s.* 6*d.*
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica
PAPYRIFERA, 3*s.* 6*d.*
ARAUCARIA BIDWILLII, 5*s.* and 7*s.* 6*d.*
BRASILIENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
COOKII,
CUNNINGHAMII.

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 5*s.* and 7*s.* 6*d.* Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5*s.* and 7*s.* 6*d.*
GOLDIEANA
ARDUINA GRANDIFLORA, 7*s.* 6*d.*
ARUNDO DONAX VARIEGATA, 3*s.* 6*d.* and 5*s.*
ASPARAGUS DECUMBENS, 3*s.* 6*d.* and 5*s.*
ASPARAGUS FALCATUS, 7*s.* 6*d.*
PLUMOSUS, 3*s.* 6*d.* and 5*s.*
—— NANUS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
TENUISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
VIRGATUS, 3*s.* 6*d.* and 5*s.*

AZALEA BALSAMINÆFLORA.

Syn. :—A. ROSÆFLORA, A. ROLLISSONII.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18*s.*, 30*s.* and 42*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* each.

HYBRID AZALEAS.

The following Azaleas are hybrids between *A. amœna* and some of the Indian varieties. Combined with the well-known proliferousness and early blooming habit of *A. amœna*, they have fine well-shaped attractive flowers, which, borne in such profusion, are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

ILLUMINATOR, a well-formed bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion. This charming variety has been awarded a First-class Certificate by the Royal Horticultural Society. 5*s.*

MAGNET, this variety produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, the upper petals speckled at the base with bright rose. 5*s.*

ORACLE, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta, rendered additionally attractive by their lustrous satiny appearance. 5*s.*

STARLIGHT, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5*s.*

SYBIL, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5*s.*

VICTORY, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5*s.*

The collection of six varieties, 21*s.*

BAMBUSA FALCATA (*syn.* ARUNDINARIA FALCATA, THAMNOCALAMUS FALCONERI), 3*s.* 6*d.* and 5*s.*
vide page 50.

BEGONIA, *vide* Index

BERBERIDOPSIS CORALLINA, 3*s.* 6*d.*

BESCHONERIA YUCCOIDES, *vide* Fourcræa Beddinghausei.

BIGNONIA (TECOMA) CAPENSIS, 2*s.* 6*d.*
CAPREOLATA, 2*s.* 6*d.*
CHERERE, 3*s.* 6*d.* and 5*s.*
EXCELSA, 7*s.* 6*d.* and 10*s.* 6*d.*
GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
JASMINOIDES, 2*s.* 6*d.*
—— ALBA MAGNA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
—— SPLENDIDA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SPECIOSA, 3*s.* 6*d.*

BIGNONIA TWEEDIANA, 3*s.* 6*d.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
vide also pages 18 and 50.

BILLARDIERA LONGIFLORA, 2*s.* 6*d.*

BLANDFORDIA AUREA, 10*s.* 6*d.*
FLAMMEA, 10*s.* 6*d.*
NOBILIS, 5*s.* and 7*s.* 6*d.*
PRINCEPS, *vide* page 37.

BOMAREA CARDERI, 10*s.* 6*d.* and 15*s.*
PATACOCENSIS (CONFERTA), 10*s.* 6*d.*

BORONIA DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
ELATIOR, 2*s.* 6*d.*
HETEROPHYLLA, 5*s.*
MEGASTIGMA, 2*s.* 6*d.* and 3*s.* 6*d.*

BOUVARDIAS, *vide* Index

BOWIEA VOLUBILIS, 3*s.* 6*d.*

BOWKERIA TRIPHYLLA.

A handsome ornamental flowering plant, with lanceolate corrugated leaves, arranged in threes on reddish stems. The flowers are white, nearly one inch long, inflated and bi-labiate, suggesting *Scrophularia*, to which the genus is allied; these are borne in subterminal cymes, usually nine flowers on each cyme. The plant is a native of Natal, where it flowers in December, so that it will doubtless prove a very useful winter-flowering plant for the greenhouse. 10*s.* 6*d.*

BLANDFORDIA PRINCEPS.

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are 2½ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, Tab. 6209. 2 and 3 guineas.

BREDIA HIRSUTA.

A pretty neat-growing Melastomaceous plant, native of Japan, producing erect panicled cymes of charming rose-coloured flowers, individually about half an inch in diameter. The plant has slender spreading branches, furnished with ovate acute dark green leaves. It has been figured in the *Botanical Magazine*, Tab. 6647. 7*s*. 6*d*.

BRUGMANSIA ARBOREA, 3*s*. 6*d*.
KNIGHTII (flore pleno), 3*s*. 6*d*.
SANGUINEA, 3*s*. 6*d*. and 5*s*.
SUAVEOLENS, 3*s*. 6*d*.
BRUNSVIGIA JOSEPHINÆ (The Candelabra Plant), 7*s*. 6*d*.
BUPHANE TOXICARIA (Poison bulb), 7*s*. 6*d*.
CALLA ÆTHIOPICA, *vide* Richardia africana.
ELLIOTTIANA, *vide* Richardia.
CALLICARPA PURPUREA, 3*s*. 6*d*.
CALODENDRON CAPENSE (Cape Chestnut), 5*s*.

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 30*s*. and 42*s*. per dozen.
New varieties, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

CAMPANULA VIDALII, 2*s*. 6*d*.
CAMPHORA OFFICINALIS, 5*s*.
CANARINA CAMPANULATA, 1*s*. 6*d*.
CANTUA CORYMBIFLORA, 3*s*. 6*d*.
CANTUA DEPENDENS, 3*s*. 6*d*.
CARNATIONS, Tree, of sorts, 30*s*. and 42*s*. per dozen.
CARPENTERIA CALIFORNICA, *vide* page 50.

CAVENDISHIA SPECTABILIS.

A handsome greenhouse plant, with bright green leaves, the young growths being of a bright reddish bronze colour. It blossoms in short compressed racemes, covered when in bud by large concave, rosy carmine bracts. The flowers are white shaded with pink, while the whole head of flower has the appearance of being varnished. 10*s*. 6*d*.

CEPHALOTUS FOLLICULARIS.
CEREUS SPECIOSISSIMUS, 2*s*. 6*d*. and 3*s*. 6*d*.
CESTRUM (HABROTHAMNUS) AURANTIACUM, 2*s*.6*d*. and 3*s*. 6*d*.
see Habrothamnus, page 41.
CHLIDANTHUS FRAGRANS, 6*d*.
CHOROZEMA CORDATUM SPLENDENS, 2*s*.6*d*. & 3*s*.6*d*.
HENCHMANNI, 3*s*. 6*d*. and 5*s*.
LAWRENCEANUM, 2*s*. 6*d*. and 3*s*. 6*d*.
LOWII, 5*s*.
VARIUM CHANDLERI, 2*s*. 6*d*. and 3*s*. 6*d*.
CHRYSANTHEMUM FRUTESCENS, *vide* Index
CISSUS (VITIS) ANTARCTICA, 2*s*. 6*d*. and 3*s*. 6*d*.
(——) CAPENSIS, 3*s*. 6*d*.
RHOMBEA, 3*s*. 6*d*.
CITRUS JAPONICA, 5*s*.
CLEMATIS INDIVISA, 3*s*. 6*d*. and 5*s*.
INDIVISA LOBATA, 5*s*.
CLEYERA JAPONICA TRICOLOR, 10*s*. 6*d*.
CLIANTHUS PUNICEUS MAGNIFICUS, 3*s*. 6*d*.
CLIVIA NOBILIS. 5*s*.
see Imantophyllum, page 41.
COBÆA SCANDENS VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
COLEUS, *vide* Index
COPROSMA BAUERIANA VARIEGATA, 1*s*.6*d*. & 2*s*.6*d*.
CORREAS, of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
CRINUM, MOOREI, 7*s*. 6*d*.
POWELLII, 7*s*. 6*d*.
—— ROSEUM, 10*s*. 6*d*.
vide also pages 18 and 51.
CROWEA STRICTA, 3*s*. 6*d*. and 5*s*.
CYCADS, *vide* Index

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.; fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty 18*s*., 30*s*. and 42*s*. per dozen.

CYCLAMEN PERSICUM ALBUM, 2*s*. 6*d*. and 3*s*. 6*d*.
PERSICUM RUBRUM, 2*s*. 6*d*. and 3*s*. 6*d*.
—— GRANDIFLORUM, 3*s*. 6*d*. and 5*s*.
—— of various choice sorts, 3*s*. 6*d*. & 5*s*.
CYPRIPEDIUM, *vide* Orchids
CYRTANTHUS ANGUSTIFOLIUM, red, 5*s*.
MACKENII, white, 2*s*. 6*d*.
INTERMEDIUM, *vide* page 9.
CYRTANTHUS OBLIQUUM, 5*s*.
CYTISUS FILIPES, 3*s*. 6*d*. and 5*s*.
RACEMOSUS, 1*s*. and 1*s*. 6*d*.
—— EVERESTIANUS, 3*s*. 6*d*.
DAHLIA IMPERIALIS, 3*s*. 6*d*.
IMPERIALIS ROSEA, 3*s*. 6*d*.
of sorts, *vide* Bedding Plants

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 3*s*. 6*d*. and 5*s*.

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. *5s.*

DAPHNE INDICA RUBRA, *2s.* 6*d.* and *3s.* 6*d.*
DASYLIRION LONOIFOLIUM, *5s.*
DESFONTAINEA SPINOSA, *2s.* 6*d.* and *3s.* 6*d.*
DEUTZIA, *vide* page 51.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. *3s.* 6*d.* and *5s.*

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. *5s.*

DIONÆA MUSCIPULA, *2s.* 6*d.* and *3s.* 6*d.*
DORYANTHES PALMERI, *3s.* 6*d.* and *5s.*

DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to Libertia, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. *10s.* 6*d.*

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. *3s.* 6*d.* to *10s.* 6*d.*; fine plants, *15s.*, 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. *10s.* 6*d.*, *15s.* and *21s.*

DRACÆNA AUSTRALIS VEITCHII, *3s.* 6*d.*, *5s.* and *7s.* 6*d.*
ARBOREA, *2s.* 6*d.*
DRACOPHYLLUM GRACILE, *3s.* 6*d.* and *5s.*
DROSERA CAPENSIS, *7s.* 6*d.*
DICHOTOMA, *5s.*
ECHEVERIA, of sorts, *vide* Index
ELÆOCARPUS RETICULATUS (DENTATUS), *5s.* and *7s.* 6*d.*
ENCEPHALARTOS, of sorts, *vide* Index.
EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS, *vide* page 39.
EPACRIS, of sorts, *18s.*, *30s.* and *42s.* per dozen.
EPIPHYLLUM, *vide* page 24.
ERICAS, of sorts, *18s.*, *30s.* and *42s.* per doz.
ERIOSTEMON BUXIFOLIUS, *3s.* 6*d.* and *5s.*
INTERMEDIUS, *3s.* 6*d.* and *5s.*
NERIIFOLIUS, *3s.* 6*d.*
PULCHELLUS, *3s.* 6*d.* and *5s.*
SOABER *3s.* 6*d.* and *5s.*
ERYNGIUM EBRACTEATUM, *10s.* 6*d.*
ERIOBOTRYA JAPONICA (LOQUAT), *5s.*
ERYTHRINA, of sorts, *2s.* 6*d.* and *3s.* 6*d.*
COMPACTA, *5s.*
EUCALYPTUS CITRIODORA, *3s.* 6*d.*
GLOBULUS (Blue Gum), *3s.* 6*d.*
EUGENIA UGNI, *1s.* 6*d.* and *2s.* 6*d.*
vide also page 24.
EUPATORIUM BERLANDIERI (ORACILE ODORATUM), *1s.* 6*d.*
EUPATORIUM RIPARIUM, *2s.* 6*d.* and *3s.* 6*d.*
EURYA LATIFOLIA VARIEGATA, *2s.* 6*d.* and *3s.* 6*d.*
EURYCLES, *vide* page 23.
EUTAXIA FLORIBUNDA, *3s.* 6*d.*
FATSIA (ARALIA) JAPONICA, *2s.* 6*d.* and *3s.* 6*d.*
(ARALIA) JAPONICA VARIEGATA, *3s.* 6*d.* & *5s.*
FERNS, *vide* Index
FICUS AUSTRALIS, *3s.* 6*d.*
ELASTICA, *vide* page 24.
—— VARIEGATA, *vide* page 24.
MACROPHYLLA, *5s.*
MINIMA, *1s.* 6*d.* and *2s.* 6*d.*
RHODODENDRIFOLIA, *3s.* 6*d.*
STIPULATA (REPENS), *1s.* 6*d.* and *2s.* 6*d.*
FOURCRÆA (AGAVE) BEDDINGHAUSEI (*syn.* BESCHORNERIA YUCCOIDES, ROEZLIA REGIA, YUCCA PARMENTIERI, Y. TONELIANA), *5s.*
BULBOSA, *5s.*

FREESIA HYBRIDA, LEICHTLINII, REFRACTA ALBA — These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.

FUCHSIAS, *vide* Index
GELSEMIUM SEMPERVIRENS (NITIDA), *2s.* 6*d.*
GENETYLLIS (HEDAROMA) FUCHSIOIDES, *5s.* and *7s.* 6*d.*
TULIPIFERA, *5s.* and *7s.* 6*d.*
GONOLOBUS CUNDURANGO, *10s.* 6*d.*
GREVILLEA HILLII, *3s.* 6*d.*
PREISSII, *7s.* 6*d.*
ROBUSTA, *2s.* 6*d.* and *3s.* 6*d.*

GREVIA Sutherlandi, 3*s.* 6*d.* and 5*s.*
HABRANTHUS Andersoni, 1*s.* 6*d.*
HABROTHAMNUS (Cestrum) aurantiacus, 2*s.* 6*d.* and 3*s.* 6*d.*
elegans, 2*s.* 6*d.* and 3*s.* 6*d.*
Newelii, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

HÆMANTHUS albiflos, 2*s.* 6*d.* and 3*s.* 6*d.*
puniceum, 2*s.* 6*d.* and 3*s.* 6*d.*
tigrinum, 2*s.* 6*d.*
vide also page 24.
HARDENBERGIA monophylla, 2*s.* 6*d.*
monophylla variegata, 3*s.* 6*d.*
HEDAROMA, *vide* Genetyllis.
HEDYCHIUM Gardnerianum, 2*s.* 6*d.* & 3*s.* 6*d.*

HIBISCUS CALYCINUS (CHRYSANTHUS).

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish subtrilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovato petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5*s.*

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose-coloured, with an involucel of about eight linear segments. It has been imported from Natal. 5*s.*

HYDRANGEA STELLATA FIMBRIATA.

The flowers of this handsome new Hydrangea are borne in immense trusses, sometimes nine inches in diameter; the bracts are of the purest white, most elegantly fringed in a very striking and attractive manner, giving it a most distinct appearance. 5*s.*

HYDRANGEA hortensis fol. marginata, 3*s.* 6*d.*
hortensis cyanoclada, 1*s.* 6*d.* and 2*s.* 6*d.*
—— Thomas Hogg, 1*s.* 6*d.* and 2*s.* 6*d.*
japonica, 1*s.* 6*d.*
—— eleoantissima, 1*s.* 6*d.*
—— foliis tricoloribus, 3*s.* 6*d.* and 5*s.*

HYDRANGEA japonica speciosa, 3*s.* 6*d.* & 5*s.*
Madame von Siebold, 3*s.* 6*d.* and 5*s.*
otaksa, 1*s.* 6*d.* and 2*s.* 6*d.*
bosea, 3*s.* 6*d.*
stellata pbolifera, 1*s.*
volubilis (scandens), *vide* page 51.

IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 1 guinea.

IMANTOPHYLLUM cyrtanthiflorum, 5*s.*
cyrtanthiflorum chloraceum, 10*s.* 6*d.*

IMANTOPHYLLUM cyrtanthiflorum fulgens, 15*s.*
cyrtanthiflorum superbum, 21*s.*

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM miniatum albo-limbatum, 2 and 3 guineas
miniatum Aurora, 1 and 1½ guinea
—— Flambeau, 2 guineas
—— formosum, 15*s.* and 21*s.*
—— fulgens, 15*s.* and 21*s.*
—— grandiflobum, 1½, 2 and 3 guineas
—— hybridum, 15*s.*
—— illustris, 3 guineas
—— imperiale, 3 guineas
—— insione, 1½, 2 and 3 guineas
—— Madame Van Houtte, 1½ guinea
—— Prince of Orange, 1½, 2 and 3 guineas
—— princeps, 1½, 2 and 3 guineas
—— speciosum, 1½ guinea

INDIGOFERA decora, 5*s.*
IRIS Robinsoniana, 1*s.* 6*d.*
ISMENE calathina, 1*s.* 6*d.*
JASMINUM angulare, 5*s.*
grandiflorum, 3*s.* 6*d.*
odoratissimum, 2*s.* 6*d.* and 3*s.* 6*d.*
Poiteau, 3*s.* 6*d.*
See also page 26.
JUNCUS zebbinus, *vide* Scirpus
KENNEDYA Marryattæ, 2*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*
LACHENALIA, of sorts, 1*s.* to 2*s.* 6*d.*
LAGERSTRŒMIA indica, 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10*s.* 6*d.*, 15*s.* and 21*s.*; fine specimens, 2, 3, 4 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine specimens, 1, 1½, 2 and 3 guineas and upwards.

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s.* 6*d.*, 15*s.* and 21*s.*; fine specimens, 2, 3, 4 and 5 guineas and upwards.

LASIANDRA MACRANTHA, 3*s.* 6*d.*
MACRANTHA FLORIBUNDA, 5*s.*
LAURUS CAMPHORA, 5*s.*
LEUCOPOGON CUNNINGHAMII, 3*s.* 6*d.*
LEPTOSPERMUM SCOPARIUM (New Zealand Tea Plant), 3*s.* 6*d.*
LESCHENAULTIA BILOBA SPLENDENS (MAJOR), 3*s.* 6*d.* and 5*s.*
FORMOSA, 2*s.* 6*d.* and 3*s.* 6*d.*

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. 5*s.*

LIBONIA FLORIBUNDA, 1*s.* 6*d.* and 2*s.* 6*d.*
PENRHOSIENSIS, 1*s.* 6*d.* and 2*s.* 6*d.*
LILIUM, of sorts, *vide* pages 52 to 54.
LINUM TRIGYNUM, *vide* REINWARDTIA

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa:* it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3*s.* 6*d.*

LOMATIA FERRUGINEA, 5*s.* and 7*s.* 6*d.*
LUCULIA GRATISSIMA, 5*s.* and 7*s.* 6*d.*

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, Tab. 5797. 3*s.* 6*d.* & 5*s.*

MACADAMIA TERNIFOLIA, 5*s.* and 7*s.* 6*d.*
MACROZAMIA, *vide* Index
MAGNOLIA CAMPBELLII, *vide* page 54.
MAGNOLIA FUSCATA 3*s.* 6*d.* and 5*s.*
PUMILA, *vide* page 26.
MANDEVILLA SUAVEOLENS, 2*s.* 6*d.* and 3*s.* 6*d.*

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7*s.* 6*d.* and 10*s.* 6*d.*

MARSILEA MACROPUS, "NARDOO," 10*s.* 6*d.*
METROSIDEROS FLORIBUNDA, 2*s.* 6*d.*
ROBUSTA, 3*s.* 6*d.* and 5*s.*
MITRARIA COCCINEA, 2*s.* 6*d.* and 3*s.* 6*d.*
MONOCHÆTUM SERICEUM MULTIFLORUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MUSA CAVENNISHII, *vide* page 26.
SUPERBA, *vide* page 26.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

MUSA ENSETE.

MYRSIPHYLLUM ASPARAGOIDES, 2*s.* 6*d.* & 3*s.* 6*d.*
MYRTUS, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
NERINE ATROSANGUINEA, 10*s.* 6*d.*
CORUSCA, 1*s.* 6*d.*
—— MAJOR, 3*s.* 6*d.*
ELEGANS, 7*s.* 6*d.*
—— CÆRULEA, 7*s.* 6*d.*
—— CARMINATA, 7*s.* 6*d.*
FOTHERGILLII, 3*s.* 6*d.*
—— MAJOR, 5*s.*
HUMILIS, 2*s.* 6*d.*
—— CÆRULEA, 7*s.* 6*d.*

NERINE HUMILIS ELEGANS, 7*s.* 6*d.*
JAPONICA, 2*s.* 6*d.* and 3*s.* 6*d.*
PULCHELLA, 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.*
SARNIENSIS (THE GUERNSEY LILY), 9*s.* & 12*s.* per dozen.
VENUSTA, 3*s.* 6*d.*
NERIUM MADONI GRANDIFLORUM, 2*s.* 6*d.*
ALBUM PLENUM (Double White), 2*s.* 6*d.*
LILIAN HENDERSON, 3*s.* 6*d.*
RUBRUM PLENUM (Double Red), 2*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
OLEA FRAGRANS, 3*s.* 6*d.* and 5*s.*
OPHIOPOGON JABURAN AUREO-VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
SPICATUS ARGENTEO-MARGINATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, of sorts, *vide* Index
PALMS, of sorts, *vide* Index
PARDANTHUS CHINENSIS, 6*d.* each ; 5/- per doz.
PASSIFLORA CÆRULEA, *vide* page 54.
GÆRULEA, Eynsford Gem, 2*s.* 6*d.*
—— ORANDIFLORA, 3*s.* 6*d.*
—— RACEMOSA, 2*s.* 6*d.*
PASSIFLORA CAMPBELLII, 3*s.* 6*d.*
CLOWESII, 3*s.* 6*d*
COLVILLII, 2*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
IMPERATRICE EUGENIE, 3*s.* 6*d.*
LAWSONI, 3*s.* 6*d.*
MUNROI, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
see also page 30.
PELARGONIUM, *vide* Index
PHÆDRANASSA CHLORACEA, 6*d.* each ; 5/- doz.
PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s.* 6*d.* and 3*s.* 6*d.*
LINEARE ELEGANS, 5*s.*
PHILESIA BUXIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
PHORMIUM ATROPURPUREUM, 5*s.* and 7*s.* 6*d.*
COLENSOI VARIEGATUM, 5*s.* and 7*s.* 6*d.*
TENAX, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
—— NIGRO-LIMBATUM 10*s.* 6*d.*
—— NIGRO-PICTUM 10*s.* 6*d.* and 15*s.*
—— VARIEGATUM, 1 and 1½ guinea
—— VEITCHII VARIEGATUM, 5*s.* and 7*s.* 6*d.*
PHYLLOCACTUS, of sorts, 3*s.* 6*d.* and 5*s.*

PHYLLOCACTUS PEACOCKII.

Handsome as are the flowers of the well-known common leaf flowering Cactus, they are far surpassed in size and gorgeous colouring by the magnificent blossoms of the variety now offered, the brilliancy and richness of which is beyond description. It will succeed in any greenhouse, and with but little care. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

PHYSIANTHUS ALBENS, 2*s.* 6*d.*
PIMELEA DECUSSATA, 2*s.* 6*d.* and 3*s.* 6*d.*
HENDERSONI, 3*s.* 6*d.* and 5*s.*
NIEPPEROIANA, 3*s.* 6*d.* and 5*s.*
PIMELEA SPECTABILIS, 3*s.* 6*d.* and 5*s.*
PINCINECTITIA TUBERCULATA, 21*s.*
PISTACIA TEREBINTHUS, 7*s.* 6*d.*
PITTOSPORUM RALPHII, 5*s.*

PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface ; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding pedunculed umbels ; it is a native of New Zealand. 5*s.*

PITTOSPORUM EUGENIOIDES VARIEGATUM, 7*s.* 6*d.* and 10*s.* 6*d.*
PLEROMA ELEGANS, 3*s.* 6*d.*
SARMENTOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PLUMBAGO CAPENSIS ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
Also *vide* page 32.
POLYGALA CORDIFOLIA, 3*s.* 6*d.*
DALMAISIANA, 3*s.* 6*d.*
POLYGONUM, *vide* page 55.

PRIMULA IMPERIALIS.

This distinct Primula is found on the summit of one of the loftiest mountains of Java, where it grows at an elevation of eight to nine thousand feet. The flowers, which are golden-yellow and agreeably scented, are borne in four to six superposed whorls on an erect scape, the whole inflorescence having a very imposing and stately appearance. The leaves are of good size and substance, the surface being bullate, the margins denticulate. 10*s.* 6*d.*

PRIMULA FLORIBUNDA, 2*s.* 6*d.*
SINENSIS ALBA PLENA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— FLORE-PLENO, of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus
PUNICA GRANATUM (POMEGRANATE), 3*s.* 6*d.* and 5*s.*
GRANATUM ALBA PLENA, 3*s.* 6*d.* and 5*s.*
—— RUBRA PLENA, 3*s.* 6*d.* and 5*s.*
—— LEGRELLII (Double Buff), 3*s.* 6*d.* & 5*s.*
REINWARDTIA TETRAGYNE (LINUM TRIGYNUM), 2*s.* 6*d.*
RHODEA JAPONICA, 3*s.* 6*d.* and 5*s.*
JAPONICA ARGENTEA, 15*s.*
RHODODENDRONS, *vide* pages 46 to 48.
RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum
RICHARDIA AFRICANA *(Calla æthiopica)*, 1*s.* and 1*s.* 6*d.*
AFRICANA, Little Gem, 3*s.* 6*d.*
—— CANDIDISSIMA
—— COMPACTA
—— GIGANTEA
ALBO-MACULATA, 1*s.* and 1*s.* 6*d.*
AURATA

RICHARDIA (CALLA) ELLIOTTANA.

This magnificent new species in habit of growth and shape of flower, is almost identical with the well-known *R æthiopica*, but it differs from that species in the flowers being of a rich golden yellow colour, while the decorative character of the plant is further enhanced by the leaves being ornamented with a number of creamy white spots. 4 guineas.

RICHARDIA, Pentlandii
ROEZLIA regia, *vide* Fourcræa Beddinghausei
ROGEIRA oratissima, 3*s*. 6*d*. and 5*s*.
RUSCUS androgynus, 3*s*. 6*d*.
SALVIAS, *vide* Bedding Plants
SARRACENIAS, of sorts, 3*s*. 6*d*., 5*s*. to 10*s*. 6*d*.
SCHIZOPHRAGMA hydrangeoides, *vide* Hydrangea volubilis, page 51.
SENECIO macroglossus (The Cape Ivy), 3*s*. 6*d*.
pulcher, *vide* page 55.
SOLANUM jasminoides, 2*s*. 6*d*.
SOLLYA linearis, 3*s*. 6*d*. and 5*s*.
SPARMANNIA africana, 2*s*. 6*d*.
africana flore-pleno, 3*s*. 6*d*. and 5*s*.
SPIGELIA splendens, 2*s*. 6*d*. and 3*s*. 6*d*.
STATICE Holfordii, 3*s*. 6*d*. and 5*s*.
macrophylla, 5*s*.
profusa (Rattrayana), 3*s*. 6*d*. & 5*s*.
STENOCARPUS Cunninghamii, 5*s*. to 10*s*. 6*d*.
STRELITZIA Reginæ, *vide* page 34.
STREPTOSOLEN (Browallia) Jamesoni, 1*s*. 6*d*.
TACSONIA Buchanani, *vide* page 34.
eriantha, 2*s*. 6*d*.
exoniensis, 2*s*. 6*d*.
manicata, 2*s*. 6*d*.
mollissima, 2*s*. 6*d*.
pinnatistipula, 2*s*. 6*d*.
Van Volxemi, 2*s*. 6*d*.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

TECOMA SMITHII.

A very handsome free-flowering hybrid greenhouse climber. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat. It has been introduced from Australia, where it has been awarded Certificates by the Horticultural Societies of South Australia and Victoria. 10*s*. 6*d*.

TECOMA, *vide* Bignonia
THEA assamica, 3*s*. 6*d*.
THEAS of sorts, 3*s*. 6*d*. and 5*s*.
THIBAUDIA acuminata, 3*s*. 6*d*.
THUNBERGIA, *vide* pages 33 and 34.
TRACHELOSPERMUM (Rhynchospermum) jasminoides, 3*s*. 6*d*. and 5*s*.
(Rhynchospermum) jasminoides albo-variegatum, 3*s*. 6*d*. and 5*s*.
(——) jasminoides luteo-variegatum, 3*s*. 6*d*. and 5*s*.
TREMANDRA ericæfolia, 2*s*. 6*d*. and 3*s*. 6*d*.
hirsuta, 2*s*. 6*d*. and 3*s*. 6*d*.
TREMANDRA verticillata, 2*s*. 6*d*. and 3*s*. 6*d*.
TROPÆOLUM azureum grandiflorum, 3*s*. 6*d*. and 5*s*.
brachyceras, 2*s*. 6*d*.
pentaphyllum, 2*s*. 6*d*.
tricolor grandiflorum (Jarrattii), 1*s*. and 1*s*. 6*d*.
tuberosum, *vide* page 57.
of sorts, 1*s*. 6*d*., 2*s*. 6*d* and 3*s*. 6*d*.
TUBEROSES best double
African
American
The Pearl
These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5*s*. and 7*s*. 6*d*.

VALLOTA purpurea, 2*s*. 6*d*.
purpurea major, 3*s*. 6*d*. and 5*s*.
VITIS heterophylla humulifolia, 2*s*. 6*d*.
heterophylla variegata, 2*s*. 6*d*. & 3*s*. 6*d*.
WITSENIA corymbosa, 3*s*. 6*d*.
YUCCA aloifolia variegata, 5*s*.
filamentosa variegata, 5*s*. and 7*s*. 6*d*.
YUCCA Parmentieri, *vide* Fourcræa Beddinghausei
quadricolor, 5*s*. and 7*s*. 6*d*.
Toneliana, *vide* Fourcræa Beddinghausei
ZAMIA, *vide* Index.
ZEPHYRANTHES carinata, 12*s*. per dozen.
tubispatha, 9*s*. per dozen.

STOVE CLIMBERS, WALL AND PILLAR PLANTS.

ALLAMANDAS, of sorts
ANTIGONONS, of sorts
ARISTOLOCHIA ELEGANS
—— RIDICULA
—— of sorts
BIGNONIA CHAMBERLAYNII
—— REGALIS
—— of sorts
BOUGAINVILLEA GLABRA
—— REFULGENS
—— of sorts
CISSUS DISCOLOR
CLERODENDRON BALFOURIANUM
—— of sorts
COMBRETUMS, of sorts
DIOSCOREA ILLUSTRATA
—— SPECIOSA
—— of sorts
DIPLADENIA BOLIVIENSIS
—— BREARLEYANA
—— of sorts
ECHITES, of sorts
FICUS BARBATA
—— RADICANS
—— of sorts
GLORIOSA PLANTII
—— SUPERBA
—— —— GRANDIFLORA
HIBISCUS, of sorts
HOYA CARNOSA
—— GLOBULOSA
—— of sorts
IPOMÆA HORSFALLIÆ
—— TERNATA
—— of sorts
JASMINUM GRACILLIMUM
JASMINUM, of sorts
MARCGRAVIA INDICA
—— PARADOXA
PASSIFLORA KERMESINA
—— MACROCARPA
—— PRINCEPS
—— QUADRANGULARIS VARIEGATA
—— of sorts
POTHOS FLEXUOSUS
—— of sorts
SMILAX DISCOLOR
—— of sorts
SPATHODEA CAMPANULATA
STEPHANOTIS FLORIBUNDA
THUNBERGIAS, of sorts
TECOMA AMBOINENSIS
TACSONIA BUCHANANI
VANILLA AROMATICA

GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

ACACIA DEALBATA
—— of sorts
ASPARAGUS PLUMOSUS NANUS
BIGNONIA CAPREOLATA
—— CHERERE
—— of sorts
BOMAREA CARDERII
CISSUS ANTARCTICA
—— of sorts
COBEA SCANDENS VARIEGATA
CLEMATIS INDIVISA
—— —— LOBATA
CLIANTHUS, of sorts
FICUS, of sorts
GELSEMIUM SEMPERVIRENS
HABROTHAMNUS AUBLETII
—— AURANTIACUS
HABROTHAMNUS ELEGANS
—— NEWELLII
—— of sorts
HARDENBERGIA MONOPHYLLA
—— —— VARIEGATA
—— of sorts
JASMINUMS, of sorts
KENNEDYA MARRYATTÆ
—— of sorts
LAPAGERIA ALBA
—— ROSEA
—— RUBRA SUPERBA
MANDEVILLEA SUAVEOLENS
PASSIFLORA CAMPBELLI
—— IMPERATRICE EUGENIE
—— LAWSONI
—— MONROI
PASSIFLORA, of sorts
PLUMBAGO CAPENSIS
—— —— ALBA
SENECIO MACROGLOSSUS (The Cape Ivy)
SOLLYA LINEARIS
SOLANUM JASMINOIDES
TACSONIA ERIANTHA
—— EXONIENSIS
—— JAMESONI
—— VAN VOLXEMI
—— of sorts
TECOMA CAPENSIS
—— ROSEA
TRACHELOSPERMUM (RHYNCOSPERMUM), of sorts
TROPÆOLUMS, of sorts

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. 1*s.* 6*d.*

CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering; a distinct and pretty variety. 1*s.* 6*d.*

DISPLAY, rosy-crimson, with small white eye; free, and of good habit. 1*s.* 6*d.*

ECLATANTE, dark carmine; very floriferous. 2*s.* 6*d.*

IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. 1*s.* 6*d.*

JARDIN FLEURI, long spikes of dark carmine rod flowers; a free-flowering and very distinct variety. 1*s.* 6*d.*

LA FAVORITE, enormous spikes of violet flowers, 2*s.* 6*d.*

LA FÉE AUX ROSES, very long spikes of bright rose flowers, very floriferous; very striking and attractive. 1*s.* 6*d.*

MÉTÉORE, dark reddish-crimson flowers; very distinct. 2*s.* 6*d.*

THÉOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 1*s.* 6*d.*

RICHESSE, long spikes of rose-carmine flowers. 2*s.* 6*d.*

RUBENS, flowers large and fine, of a beautiful magenta colour. 1*s.* 6*d.*

VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. 1*s.* 6*d.*

GREENHOUSE RHODODENDRONS.

ALBESCENS, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 7*s*. 6*d*.

ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3*s*. 6*d*. and 5*s*.

ARBOREUM, 3*s*. 6*d*.

ARGENTEUM, *vide* grande.

ASSAMICUM, flowers about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. 5*s*.

BARBATUM, bright scarlet flowers, distinct and effective. 5*s*.

BLANDFORDIÆFLORUM. 3*s*. 6*d*. and 5*s*.

CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. 3*s*. 6*d*.

CILIATUM, blush white; very free flowering. 2*s*. 6*d*. and 3*s*. 6*d*.

CINNABARINUM. 3*s*. 6*d*. and 5*s*.

CLARINDA, flowers of a very delicate blush-pink, the petals being prettily crimped. 10*s*. 6*d*.

COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7*s*. 6*d*.

COUNTESS OF HADDINGTON, large blush-white flowers; exceedingly beautiful. 3*s*. 6*d*. & 5*s*.

COUNTESS OF SEFTON, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5*s*. and 7*s*. 6*d*.

DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

DIADEM, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10*s*. 6*d*.

DIANA, an extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10*s*. 6*d*.

DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance. 7*s*. 6*d*. and 10*s*. 6*d*.

DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 7*s*. 6*d*. and 10*s*. 6*d*.

DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 5*s*. and 7*s*. 6*d*.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7*s*. 6*d*., 10*s*. 6*d* & 15*s*.

EXONIENSE, 3*s*. 6*d*.

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 10*s*. 6*d*.

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5*s*. & 7*s*. 6*d*.

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 3*s*. 6*d*.

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. 3*s*. 6*d*. and 5*s*.

GRANDE (ARGENTEUM), immense heads of large ivory-white flowers deeply stained with crimson at the base. 7*s*. 6*d*.

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. 3*s*. 6*d*.

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. 3*s*. 6*d*. & 5*s*.

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. 3*s*. 6*d*. and 5*s*.

RHODODENDRON, PINK BEAUTY.

RHODODENDRON, PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

GREENHOUSE RHODODENDRONS—continued.

JAVANICUM, a beautifully golden-yellow flowering species. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

JENKINSII, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5*s*.

JUNO, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10*s*. 6*d*.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3*s*. 6*d*. and 5*s*.

LADY SKELMERSDALE, pure white trumpet-shaped fragrant flowers; very handsome. 5*s*.

LEPIDOTUM, flowers of medium size, of a rosy purple colour. 7*s*. 6*d*.

MRS. JAMES SHAWE, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5*s*.

MULTIFLORUM, bears a profusion of beautiful white flowers; of dwarf habit, 2*s*. 6*d*. and 3*s*. 6*d*.

MYRA, this chaste and pretty hybrid is a most desirable addition to the handsome and perpetual flowering section of Rhododendrons, and blooming as they do from almost every growth, too much can hardly be said in their favour. The variety now offered produces in the freest manner large trusses of well-shaped pure white flowers, the petals being crisped and undulated. 10*s*. 6*d*.

NILAGIRICUM, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, varying in colour in different plants from blush and rose to the deepest crimson. 3*s*. 6*d*. and 5*s*.

PINK BEAUTY, *vide* page 47.

PLATO, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 10*s*. 6*d*.

PRINCE LEOPOLD, bright carmine, very handsome; a richly coloured variety. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCE OF WALES, a fine variety producing reddish orange flowers. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCESS ALEXANDRA, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasmiuiflorum*, but larger and longer tubed, pure white, with pink stamens. 3*s*. 6*d*. and 5*s*.

PRINCESS ALICE, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3*s*. 6*d*. and 5*s*.

PRINCESS ROYAL, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose-coloured, funnel-shaped flower tubes. 3*s*. 6*d*. and 5*s*.

QUEEN OF DWARFS, bears large well-expanded snow-white flowers of great substance; it is of bushy habit, and very floriferous. 5*s*.

RETUSUM, this distinct species produces clusters of tubular orange-coloured flowers. 5*s*. and 7*s*. 6*d*.

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

ROSY GEM, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

SESTERIANUM, fine large fragrant white flowers. 3*s*. 6*d*. and 5*s*.

SMIRNOWII, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers, of medium size. 10*s*. 6*d*.

TAYLORI, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3*s*. 6*d*. and 5*s*.

THIBAUDIENSE, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the Correas and Thibaudias, and having the same alabaster-like translucent lustre, hence its name. 3*s*. 6*d*. and 5*s*.

THOMSONI, bright scarlet cup-shaped flowers of good form. 5*s*.

UNGERNII, introduced from Armenia; the flowers, which are borne in umbellate corymbs, are pure white and of medium size. 10*s*. 6*d*.

VEITCHIANUM, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5*s*. and 7*s*. 6*d*.

VIRGINALE, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5*s*.

WIGHTII, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-crimson surmounted by pink dots. 7*s*. 6*d*.

ABUTILONS.

ALBERT DÉLAUX, dwarf, large rosy-mauve flowers, with rose nerves. 1*s.* 6*d.*

AMARANTINA, large well-formed flowers, of a brilliant purple-amaranth colour. 2*s.* 6*d.*

ARMAND CAUVY, golden-yellow flowers, veined with violet; dwarf. 2*s.* 6*d.*

AURELIA, bright golden-yellow. 1*s.* 6*d.*

BARON ALPH. DE ROTHSCHILD, soft canary-yellow. 2*s.* 6*d.*

BLANDII, deep yellow, veined crimson. 1*s.* 6*d.*

BOULE DE NEIGE, white. 1*s.*

BOULE D'OR, golden-yellow. 1*s.* 6*d.*

BRILLIANT, fine well-shaped flowers, of a bright red colour. 1*s.*

CLOCHETTE FLEURIE, dark violet-amaranth, with purple centre and veins. 1*s.* 6*d.*

CESARE COSTA, brilliant carmine-rose. 2*s.* 6*d.*

CONQUETE, whitish-rose, throat dark carmine, with bright rose nervations. 1*s.* 6*d.*

COURONNE D'OR, deep sulphur-yellow. 1*s.* 6*d.*

DARWINII SUPERBUM, 1*s.*

DESBOISI, bright rose colour. 1*s.* 6*d.*

EDOUARD LAYEILLON, deep rich golden-yellow, flushed with rose. 1*s.* 6*d.*

EMPEROR, very fine large dark crimson flowers. Received First Class Certificate. 1*s.* 6*d.*

EVELINE, blush, shaded with pink, and beautifully veined with deep rose. 1*s.* 6*d.*

FUTURE FAME, deep rose shaded crimson. 1*s.* 6*d.*

G. DÉLAUX, rich reddish-carmine. 1*s.* 6*d.*

GOLDEN QUEEN, clear golden-primrose flowers; excellent for pot culture, 3*s.* 6*d.*

H. PINEAU, old gold, chocolate veins. 2*s.* 6*d.*

HIBISCUS, canary-yellow flowers. 1*s.* 6*d.*

INSIGNE FOLIIS AUREO-MARGINATIS, 5*s.*

J. A. BECKER, very dark, unique. 2*s.* 6*d.*

JULES PAQUET, brilliant cerise, white throat, dwarf habit. 2*s.* 6*d.*

KING OF ROSES, flowers rich deep rose. 1*s.* 6*d.*

LA CANDEUR, a large well-formed pure white flower of globular shape. 1*s.* 6*d.*

LA LORRAINE, bright red. 1*s.* 6*d.*

LE GRELOT, delicate rose colour. 1*s.* 6*d.*

L. VAN HOUTTE, rich mauve-purple. 1*s.* 6*d.*

LYDIA, light yellow, flushed crimson. 1*s.* 6*d.*

MADAME A. LAGORCE, salmon-rose, yellow throat. 2*s.* 6*d.*

MADAME CHABERT, large canary-yellow flowers. 2*s.* 6*d.*

MADAME DE LESTAPIE, immense rose flowers. 2*s.* 6*d.*

MADAME GABRIELLE DE ROVIRA, silver-white, suffused rose. 2*s.* 6*d.*

MADAME P. JUNG, rosy-salmon, yellow throat. 2*s.* 6*d.*

MADLLE. LAURENCE ARRIBAT, white, rose veins. 2*s.* 6*d.*

M. FORGEOT, brilliant orange, crimson veins. 2*s.* 6*d.*

M. GALABRU, flowers reddish-violet. 2*s.* 6*d.*

M. JULES BARIGNY, reddish-crimson, dwarf. 2*s.* 6*d.*

M. JULES MARTY, salmon shaded gold, rose nerves. 2*s.* 6*d.*

MDLLE. ANNA DÉLAUX, rose, marked with white, and veined dark rose. 1*s.* 6*d.*

MARSHAL, reddish-cinnamon, shaded with orange, and veined with crimson. 1*s.* 6*d.*

MEGAPOTAMICUM VARIEGATUM. 1*s.* 6*d.*

MODIOLA, bright rosy-crimson. 1*s.* 6*d.*

M. B. MODESTE, rich bright crimson-red, veined with dark crimson, very attractive. 1*s.* 6*d.*

M. LOUIS MARIGNAC, rose; reverse of petals of a silvery hue. 1*s.* 6*d.*

M. PETIT, rich reddish-crimson colour, veined crimson. 1*s.* 6*d.*

M. VIVIAND-MOREL, large fine flower of a violet colour, shaded amaranth. 1*s.* 6*d.*

PROGNE, a large well-formed flower of a rich magenta-rose colour. 1*s.* 6*d.*

PURPUREUM, very fine purple-coloured flowers, shaded with magenta. 1*s.*

R. RAGIONIERI, orange-scarlet, crimson veins. 2*s.* 6*d.*

RICHESSE, beautiful bright rose flowers, marked with silvery-white, and veined with dark rose. 1*s.* 6*d.*

ROYAL SCARLET, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1*s.* 6*d.*

SELLOWIANUM MARMORATUM 1*s.* 6*d.*

SERAPH, pure white. 1*s.* 6*d.*

SOUVENIR DE BONN, beautifully variegated foliage, 2*s.* 6*d.* and 3*s.* 6*d.*

STRIATUM SPLENDIDUM, bright orange, striped with rich crimson. 1*s.*

THOMSONI PLENUM, fine double deep rich orange flowers, shaded and streaked with crimson. This handsome variety has also ornamental foliage. 1*s.*

TROPHY, yellow, veined with carmine. 1*s.* 6*d.*

VILLE SOLEIL, a very floriferous dwarf variety; dark carmine-cerise flowers, shaded and darkly veined with rich orange-brown. 2*s.* 6*d.*

VEXILLARIUM GRANDIFLORUM, produces a profusion of dark cerise flowers with crimson throat, very distinct. 2*s.* 6*d.*

ZARA, clear lemon-yellow. 1*s.* 6*d.*

NEW, RARE AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES LEOPOLDII, 1*s.* 6*d.*

ACORUS JAPONIOUS SIEBOLDII STRIATUS, 1*s.* 6*d.*

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9*s.* and 12*s.* per dozen.

AKEBIA QUINATA, 1*s.* 6*d.*
ALSTROMERIA AURANTIACA, 2*s.* 6*d.* per dozen.
BRASILIENSIS, 7*s.* 6*d.* per dozen.
CHILENSIS, 2*s.* 6*d.* per dozen.
PSITTACINA, 2*s.* 6*d.* per dozen.
see also page 35.
ALTHÆA FRUTEX, *vide* Hibiscus syriacus
AMARYLLIS BELLADONNA, 9*d.* and 1*s.* each; 6*s.* and 9*s.* per dozen
AMPELOPSIS SEMPERVIRENS, 5*s.*
TRIOUSPIDATA *(Vitis japonica)*, 1*s.* 6*d.* & 2*s.* 6*d.*
—— PURPUREA, a very handsome purple-leaved variety of this useful wall climber, 3*s.* 6*d.*

ANDROMEDA JAPONICA, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
ARISÆMA CORNUTUM *(Sauromatum guttatum)*, 3*s.* 6*d.*
ARUNDO CONSPICUA, 1*s.* 6*d.* and 2*s.* 6*d.*
ASCLEPIAS TUBEROSA, 1*s.*
ASPIDISTRA LURIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
LURIDA VARIEGATA, 3*s.* 6*d.* and 5*s.*
ASTILBE BARBATA, *vide Spiræa japonica.*
AUCUBA JAPONICA FŒMINA, various sorts, 3*s.* 6*d.* and 5*s.*
JAPONICA LUTEO-PICTA, 7*s.* 6*d.*
—— MASCULA, various sorts, 3*s.* 6*d.* & 5*s.*
AZALEA LINEARIFOLIA, 5*s.*

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*

AZALEAS, hardy varieties, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen
AZARA MICROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
BAMBUSA AUREA, 2*s.* 6*d.*
FALCATA, *vide* page 36.
FORTUNEI VARIEGATA, 2*s.* 6*d.*
MAXIMOWICZII, 3*s.* 6*d.* and 5*s.*
METAKE *(Arundinaria japonica)*, 2*s.* 6*d.* and 3*s.* 6*d.*
NANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SIMONII, 3*s.* 6*d.*

BERBERIS HETEROPODA, 5*s.*
STENOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*
BIGNONIA GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
RADICANS MAJOR, 1*s.* 6*d.* and 2*s.* 6*d.*
vide pages 18 and 36.
BOCCONIA JAPONICA, 3*s.* 6*d.*
CALOCHORTUS, of sorts, 12*s.* per dozen
CALYCANTHUS PRÆCOX, *vide* Chimonanthus fragrans
CAMPANULA TURBINATA, 1*s.*

CARPENTERIA CALIFORNICA.

A handsome Californian shrub, producing large terminal bunches of white flowers, which have similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5*s.*

CEANOTHUS of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CHIMONANTHUS FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
CHOISYA TERNATA, 1*s.* 6*d.* and 2*s.* 6*d.*

CHRYSANTHEMUMS, *vide* Index
CINNAMOMUM SERICEUM, 5*s.*
CITRUS, *vide* page 36.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavendor, rosy-purple, mauve, &c. Price 18*s.* and 30*s.* per dozen. New varieties 42*s.* per dozen.

CLEMATIS COCCINEA, 2*s.* 6*d.*
JACKMANNI ALBA, 2*s.* 6*d.*
CORNUS MASCULA AUREO-ELEGANTISSIMA, 2*s.* 6*d.*
SIBIRICA SPATHII, a very handsome ornamental shrub, with beautifully varicgated foliage, 3*s.* 6*d.*

CRATÆGUS CARRIÈRI, large white flowers, turning to rose, fruit as large as a cherry. 5*s.*
LÆLANDII, 1*s.* and 1*s.* 6*d.*
ORIENTALIS SANGUINEA, THE EASTERN THORN, flowers white, produced in umbels in great profusion; deep purplish red fruits. 2*s.* 6*d.*

CRINUM CAPENSE ALBUM, 1*s.*
CAPENSE ROSEUM, 1*s.*
MOOREI, *vide* page 38.
POWELLII, *vide* page 38.
CROCOSMA AUREA, 1*s.*
AUREA MACULATA, 3*s.* 6*d.*
IMPERIALIS, a very handsome and striking new species, producing spikes of immense fiery orange-scarlet flowers 3½ to 4 inches in diameter. 3*s.* 6*d.* and 5*s.*
DELPHINIUMS, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
DESMODIUM PENDULIFLORUM, 1*s.* 6*d.* and 2*s.* 6*d.*
DEUTZIA CRENATA ROSEO-PLENA, 1*s.* 6*d.*
PRIDE OF ROCHESTER, a handsome flowering new double variety, *vide* illustration. 1*s.* 6*d.* each; 15*s.* per dozen.
DIELYTRA SPECTABILIS, 1*s.* and 1*s.* 6*d.*
SPECTABILIS ALBA, 2*s.* 6*d.*
DIMORPHANTHUS MANDCHURICUS, 1*s.* 6*d.*
ELYMUS GLAUCIFOLIUS, 1*s.* 6*d.* 15*s.* per dozen.
EREMURUS ROBUSTUS, 5*s.*
ERYTHRINA, *vide* pages 24 and 40.
ESCALLONIA MACRANTHA, 2*s.* 6*d.*
EUCRYPHIA PINNATIFOLIA, 10*s.* 6*d.*
EULALIA GRACILLIMA UNIVITTATA, 3*s.* 6*d.*
JAPONICA ALBO-LINEATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ZEBRINA, 2*s.* 6*d.* and 3*s.* 6*d.*
EUONYMUS OCCIDENTALE, this hardy ornamental shrub is a native of the Eastern States of North America, where it forms a bush, with slender upright branches, bearing on short petioles bright green leaves, two to four inches long, in shape ovate to lanceolate, acuminate and serrulate. The flowers, which are produced on slender peduncles, are dark brown. 3*s.* 6*d.*
EXOCHORDA ALBERTI, 3*s.* 6*d.*
FRAXINUS MANDCHURICUS, 3*s.* 6*d.*
FREESIAS, *vide* page 40.
GENISTA ANDREANA, very handsome, 3*s.* 6*d.*
GUNNERA MANICATA, 3*s.* 6*d.*
SCABRA, 3*s.* 6*d.*
HEDERA AMURENSIS, 2*s.* 6*d.*
ATROPURPUREA, 1*s.* 6*d.*
SPECTABILIS AUREA, 2*s.* 6*d.*

CYCLAMEN EUROPÆUM, 5*s.* per dozen.
CYDONIA JAPONICA, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
CYPRIPEDIUM ACAULE, 3*s.* 6*d.* and 5*s.*
ARIETINUM, 2*s.* 6*d.*
MONTANUM, 5*s.*
PARVIFLORUM, 2*s.* 6*d.*
PUBESCENS, 2*s.* 6*d.*
SPECTABILE, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]

DEUTZIA, PRIDE OF ROCHESTER.

HEDERA HELIX AURANTIACA, this is the scarlet-berried Ivy, 2*s.* 6*d.* and 3*s.* 6*d.*
HEMEROCALLIS, of sorts, 9*d.* and 1*s.*

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 6*s.* and 9*s.* per dozen.

HIBISCUS SYRIACUS (ALTHÆA FRUTEX), 1*s.* 6*d.*
SYRIACUS ALBO-PLENUS, 1*s.* 6*d.*
—— AMARANTHE, 1*s.* 6*d.*
—— ANEMONÆFLORUS, 1*s.* 6*d.*
—— ARDENS, 1*s.* 6*d.*
—— BOULE DE FEU, 1*s.* 6*d.*
—— CÆRULEUS PLENUS, 1*s.* 6*d.*
—— CARNEUS PLENUS, 1*s.* 6*d.*
—— COMTE DE FLANDRES, 1*s.* 6*d.*
—— CÆLESTIS, 1*s.* 6*d.*
—— DE LA VEUVE, 1*s.* 6*d.*
—— DUC DE BRABANT, 1*s.* 6*d.*
—— ELEGANTISSIMUS, 1*s.* 6*d.*
—— GRANDIFLORUS SUPERBUS, 1*s.* 6*d.*
—— LADY STANLEY, 1*s.* 6*d.*
—— LEOPOLDII, 1*s.* 6*d.*

HIBISCUS SYRIACUS PURPUREUS PLENUS, 1*s.* 6*d.*
SYRIACUS PURPUREUS VARIEGATUS, 1*s.* 6*d.*
—— RANUNCULÆFLORUS, 1*s.* 6*d.*
—— RUBER PURPUREUS FL. PL., 1*s.* 6*d.*
—— SPECIOSUS, 1*s.* 6*d.*
—— SPECTABILIS FL. PL., 1*s.* 6*d.*
—— VIOLACEUS ATROPURPUREUS FL. PL., 1*s.* 6*d.*
—— —— SEMI-PLENUS, 1*s.* 6*d.*
see also pages 24, 25 and 41.
HOTEIA JAPONICA, *vide* Spiræa japonica
HYACINTHUS ORIENTALIS, 1*s.* 6*d.* per dozen.
HYDRANGEA ASPERA, 2*s.* 6*d.*
PANICULATA GRANDIFLORA, 1*s.* and 1*s.* 6*d.*
PEKINENSIS, 3*s.* 6*d.*
VOLUBILIS (SCANDENS), 1*s.* 6*d.*
see also page 41.

HYPERICUM MOSERIANUM.

A handsome evergreen shrub, attaining a height of 3 to 5 feet, of great floriferousness, being covered from May till late in Autumn with magnificent deep yellow flowers, having a diameter of nearly 3 inches. It has obtained a First-Class Certificate. 2*s.* 6*d.*

IDESIA POLYCARPA (POLYCARPA MAXIMOWICZII), 2*s.* 6*d.* and 3*s.* 6*d.*
IRIS CRISTATA, 1*s.* 6*d.*
IBERICA, 1*s.* and 1*s.* 6*d.*

IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 4*s*., 6*s*. and 9*s*. per dozen; choice mixed varieties, 2*s*. 6*d*. and 3*s*. 6*d*. per doz.

IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 1*s*. 6*d*., 2*s*. 6*d*. & 3*s*. 6*d*.; choice varieties, 5*s*. & 7*s*. 6*d*.

IRIS PUMILA ATROCŒRULEA 2*s*. per dozen.
PUMILA CŒRULEA, 2*s*. per dozen.
—— LUTEA, 3*s*. 6*d*. per dozen.
SIBIRICA, 1*s*.
SUSIANA, 1*s*.
TECTORUM, 3*s*. 6*d*.
JUNCUS LÆTEVIRENS, 3*s*. 6*d*.
ZEBRINUS, *vide* Scirpus Tabernæmontani zebrinus

KNIPHOFIA ALOIDES (Tritoma Uvaria), 9*d*.
ALOIDES (Tritoma Uvaria) GLAUCESCENS, 1*s*. 6*d*.
—— (—— ——) GRANDIFLORA, 1*s*.
—— (—— ——) NOBILIS, 2*s*. 6*d*.
LARDIZABALA BITERNATA, 3*s*. 6*d*.
LIBERTIA FORMOSA, 6*d*.
IXIOIDES, 6*d*.

LILIUMS.

AURANTIACUM, *vide* croceum.
AURATUM, 1*s*., 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
Dormant bulbs at the proper season, 6*d*., 9*d*., 1*s*. and 1*s*. 6*d*. each.
—— **CRUENTUM**, the finest of the *auratum* section, each petal being marked down the centre with a broad band of the richest crimson, 10*s*. 6*d*.

LILIUM AURATUM.

AURATUM ORNATUM, 10*s*. 6*d*.
——**PICTUM**, 7*s*. 6*d*.
——**PLATYPHYLLUM**, a handsome variety, giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety, 3*s*. 6*d*. and 5*s*.
—— **VIRGINALE**, 7*s*. 6*d*.
—— **RUBRO-VITTATUM**, 7*s*. 6*d*. and 10*s*. 6*d*.
—— **VIRGINALE** (Wittei), 7*s*. 6*d*. and 10*s*. 6*d*.
BATEMANÆ, 1*s*. and 1*s*. 6*d*.
BROWNII, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 3*s*. 6*d*. and 5*s*.
BULBIFERUM, 1*s*.
BYZANTINUM, *vide* chalcedonicum.
CALIFORNICUM, 2*s*. 6*d*.
CALLOSUM 2*s*. 6*d*. and 3*s*. 6*d*.
CANADENSE 1*s*. and 1*s*. 6*d*.
—— **RUBRUM**, 2*s*. 6*d*.
CANDIDUM, 4*d*. and 6*d*.
—— **FLORE-PLENO**, 6*d*.
CHALCEDONICUM (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 1*s*. 6*d*.
COLUMBIANUM, 1*s*. 6*d*. and 2*s*. 6*d*.
CONCOLOR 2*s*. 6*d*. and 3*s*. 6*d*.
—— **CORIDION**, 2*s*. 6*d*.
CORDIFOLIUM, a rare Japanese Lily. 3*s*. 6*d*.
CROCEUM (AURANTIACUM), 1*d*. and 6*d*.
DALMATICUM, *vide* Martagon dalmaticum
DAHURICUM ERECTUM, 4*d*.
—— **FULGIDUM** (SAPPHO) 4*d*.
—— **GRANDIFLORUM**, 6*d*.
—— **IMMACULATUM**, 6*d*.
—— **INCOMPARABILE**, 4*d*.
—— **SULPHUREUM**, 2*s*. 6*d*.
ELEGANS (THUNBERGIANUM), 1*s*. 6*d*.
—— (——) **ALICE WILSON**, 5*s*.
—— (——) **ALUTACEUM**, 6*d*.
—— (——) **ATROSANGUINEUM (FULGENS)**, 6*d*.
—— (——) —— **SEMI-PLENUM**, 2*s*. 6*d*.
—— (——) **BICOLOR**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **CRUENTUM**, 3*s*. 6*d*.
—— (——) **FLAVESCENS**, 2*s*. 6*d*.
—— (——) **FORMOSUM**, 1*s*. 6*d*.
—— (——) **GUTTATUM**, 3*s*. 6*d*.
—— (——) **LATERITIUM** (BILIGULATUM), 6*d*.
—— (——) **MACULATUM**, 6*d*.
—— (——) **PICTUM**, 6*d*.
—— (——) **PRINCE OF ORANGE** (CITRINUM), 6*d*.
—— (——) **SANGUINEUM**, 6*d*.
—— (——) **STAMINOSUM** (FLORE-PLENO), 1*s*. 6*d*.
—— (——) **WALLACEI**, 1*s*. 6*d*.

LILIUMS—continued.

LILIUM LONGIFLORUM HARRISII.

EXCELSUM, *vide* testaceum
EXIMIUM, *vide* longiflorum eximium
GIGANTEUM, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
HANSONI, bright golden-yellow, spotted with crimson, 5*s*.
HOOKERI, a new white flowering hybrid from Japan. 7*s*. 6*d*.
HUMBOLDTII, quite hardy, and produces fine spikes of golden-yellow flowers, spotted with purple. 2*s*. 6*d*.
ISABELLINUM, *vide* testaceum
JAPONICUM (ODORUM), a beautiful sweet-scented White Lily, 7*s*. 6*d*.
KAMSCHATICUM (SARANA) The Black Lily, 3*s*. 6*d*.
KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 1*s*. 6*d*. & 2*s*. 6*d*.
LANCIFOLIUM, *vide* speciosum
LEICHTLINI, scarce, 3*s*. 6*d*. and 5*s*.
LONGIFLORUM, 6*d*.
—— Gigantic bulbs, 9*d*.
—— **EXIMIUM** 9*d*. and 1*s*.
—— **FOLIIS ALBO-MARGINATIS**, 2*s*. 6*d*.
—— —— **VARIEGATIS**, 3*s*. 6*d*.
—— **HARRISII**. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide* illustration. 6*d*., 9*d*. and 1*s*.
Extra size, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.

LONGIFLORUM WILSONI, 1*s*. 6*d*. & 2*s*. 6*d*.
MARTAGON (Turk's Cap Lily). 3*d*.
—— **ALBUM**, 3*s*. 6*d*. and 5*s*.
—— **AURANTIACUM**, *vide* pyrenaicum
—— **COCCINEUM**, *vide* chalcedonicum
—— **DALMATICUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish-purple colour. 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— **CATTANIÆ**, purple, 2*s*. 6*d*. & 3*s*. 6*d*.
MONADELPHUM SZOVITZIANUM, rich citron colour, spotted with black; anthers of a rich chocolate-brown; flowers deliciously fragrant; one of the best of the Lilies. 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— gigantic bulbs, 3*s*. 6*d*.
NEILGHERRENSE, a magnificent Lily, one of the finest of its section; blossoms creamy-white, deliciously fragrant and nearly a foot long, admirably adapted for conservatory decoration. 3/6 & 5/
NEPALENSE, very rare and extremely beautiful. 10*s*. 6*d*. and 15*s*.
OCHROLEUCUM. The blossoms, which are deliciously scented, have the lower or basal portion of the segments of a clear ochreous yellow, the remaining portion of the petals, which gracefully recurve, being of a milk-white colour, very distinct and desirable. 5*s*.
PARDALINUM, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden-orange colour, attractively spotted with maroon-purple. 1*s*. & 1*s*. 6*d*.
—— **BOURGÆI**, 3*s*. 6*d*.
PARRYI, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3*s*. 6*d*. and 5*s*.
PARVUM, yellow, slightly spotted, 2*s*. 6*d*. and 3*s*. 6*d*.
PEREGRINUM, *vide* testaceum
POMPONIUM, an elegant species with bright scarlet flowers. 1*s*. and 1*s*. 6*d*.
Extra strong English grown bulbs, 2*s*. 6*d*. and 3*s*. 6*d*.
PUBERULUM, 2*s*. 6*d*.
PURPUREUM (RUBESCENS), 3*s*. 6*d*. and 5*s*.
PYRENAICUM, 6*d*.
ROSEUM, *vide* Thompsonianum.
RUBESCENS, *vide* purpureum.
SPECIOSUM (LANCIFOLIUM) ALBUM, 1/ & 1/6
—— (——) **ALBUM CORYMBIFLORUM**, 9*d*. & 1*s*.
—— (——) —— **NOVUM**, 5*s*.
—— (——) **CRUENTUM**, 2*s*. 6*d*.
—— (——) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 1*s*, 6*d*. and 2*s*. 6*d*.
—— (——) —— **SUPERBUM**, 5*s*.
—— (——) **MELPOMENE**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **PUNCTATUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) **PURPURATUM**, 2*s*. 6*d*. & 3*s*. 6*d*.
—— (——) **ROSEUM**, 6*d*., 9*d*. and 1*s*.
—— (——) **RUBRUM**, 6*d*., 9*d*. and 1*s*.

LILIUMS—continued.

SPECIOSUM (LANCIFOLIUM) RUBRUM CORYMBIFLORUM, 1*s*. 6*d*.
—— (——) —— **SUPERBUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) **SCHRYMAKERSI**, 1*s*. 6*d*.
SUPERBUM, 9*d*. and 1*s*.
—— **PYRAMIDALE**. 2*s*. 6*d*.
SZOVITZIANUM, *vide* monadelphum Szovitzianum
TESTACEUM (EXCELSUM, ISABELLINUM, PEREGRINUM), nankeen-coloured flowers, 1*s*. 6*d*.
THOMPSONIANUM (ROSEUM), 1*s*.
THUNBERGIANUM, *vide* elegans.
TIGRINUM, 3*d*.
TIGRINUM FLORE-PLENO, 4*d*.
—— **FORTUNEI**, 6*d*. and 9*d*.
—— **JUCUNDUM** (Maximowiczii), 1*s*. 6*d*. and 2*s*. 6*d*.
—— **LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive, 6*d*. and 9*d*.
VENUSTUM, 1*s*. 6*d*.
UMBELLATUM, *vide* dahuricum.
WALLICHIANUM, 7*s*. 6*d*.
WASHINGTONIANUM, flowers white, slightly flushed with lilac, very sweet-scented, 2*s*. 6*d*. and 3*s*. 6*d*.

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3*s*. 6*d*.
MAGNOLIA CAMPBELLII, 10*s*. 6*d*. and 15*s*.
CONSPICUA, 3*s*. 6*d*.
LENNEI, 5*s*.
PURPUREA, 2*s*. 6*d*.
SOULANGEANA, 3*s*. 6*d*.
STELLATA (HALLEANA), 5*s*. and 7*s*. 6*d*.
of sorts, 3*s*. 6*d*., 5*s*. to 10*s*. 6*d*.
MALUS FLORIBUNDA, 1*s*. 6*d*.
HALLEANA, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2*s*. 6*d*.
MAXIMOWICZIA CHINENSIS, 1*s*. 6*d*.
MILLA BIFLORA, 6*s*. per dozen.
MONTBRETIA CROCOSMÆFLORA, 6*d*.
CROCOSMÆFLORA AUREA, fine spikes of large golden-yellow flowers. 9*d*.
—— BOUQUET PARFAIT, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermilion. 9*d*.
—— DRAP D'OR, erect habit, fine flowers with chrome-yellow lobes. 1*s*. 6*d*.
—— ELDORADO, very floriferous and of dwarf habit; large golden-yellow flowers. 2*s*. 6*d*.
—— ELEGANS, brilliant yellow, exterior of tubes and buds vermilion. 6*d*.
—— ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow. 6*d*.
—— GERBE D'OR, a dwarf and proliferous variety, producing magnificent golden-yellow flowers. 9*d*.
—— INCENDIE, erect spikes of brilliant red flowers, centre citron, speckled with purple; the finest high-coloured variety. 3*s*. 6*d*.
—— MÉTÉORE, large flowers, lobes large and round, interior dark orange, exterior blood red. 1*s*. 6*d*.
—— PHARE, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson. 9*d*.
—— CROCOSMÆFLORA PLUIE D'OR, handsome spikes of ochreous yellow flowers; a new colour in Montbretias. 1*s*. 6*d*.
MONTBRETIA CROCOSMÆFLORA PYRAMIDALIS, spikes of erect flowers of an apricot-salmon colour. 9*d*.
CROCOSMÆFLORA RAYON D'OR, golden yellow; throat spotted red. 1*s*.
—— SOLFATARE, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 2*s*. 6*d*.
—— SOLEIL COUCHANT, brilliant golden-yellow flowers; dwarf habit. 3*s*. 6*d*.
—— TIGRIDIE, rich orange-yellow flowers, maculated in the centre with brown; very striking. 3*s*. 6*d*.
—— TRANSCENDENT, bright orange-red, very floriferous. 1*s*.
POTTSII, 6*d*.
—— GRANDIFLORA, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 1*s*.
NELLIA TORREYI, a dwarf-growing shrub, furnished with small slightly pubescent leaves, and producing along the branches umbels of pretty white flowers. 3*s*. 6*d*.
NEVIUSIA ALABAMENSIS, 3*s*. 6*d*.
NYMPHÆA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.
OPUNTIA RAFINESQUIANA, 2*s*. 6*d*.
PÆONIA ARBOREA (Tree Pæony), choice sorts, 5*s*. each, 48*s*. per dozen.
HERBACEOUS, 12*s*. and 18*s*. per dozen.
PANCRATIUM ILLYRICUM, 1*s*.
MARITIMUM, 9*d*.
PASSIFLORA CÆRULEA, 1*s*. 6*d*. and 2*s*. 6*d*.
CONSTANCE ELIOTT, 1*s*. 6*d*. and 2*s*. 6*d*.
JOHN SPAULDING, 1*s*. 6*d*.
PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3*s*. 6*d*.
PHILADELPHUS CORONARIUS FOLIIS AUREUS, 1*s*. 6*d*.
GRANDIFLORUS SPECIOSISSIMUS PLENUS, 3*s*. 6*d*.
HYBRIDUS LEMOINEI, 2*s*. 6*d*.
KETELEERI FLORE-PLENO, 2*s*. 6*d*.
MICROPHYLLUS, 2*s*. 6*d*.
PRIMULÆFLORUS, 3*s*. 6*d*.
ROSÆFLORUS PLENUS, 2*s*. 6*d*.

PHILADELPHUS LEMOINEI ERECTUS.

This new variety is a cross between *Philadelphus microphyllus* and one of the beautiful varieties of *P. coronarius*. The plant is of free growth, the flowers being white and very sweet-scented, with yellow anthers, being borne in axillary umbels the whole length of the branches. 3*s*. 6*d*.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s*. and 18*s*. per dozen.

PIERIS OVALIFOLIA DENSIFLORA, 3*s*. 6*d*. and 5*s*.
PIPER FUTOKADSURA, 3*s*. 6*d*. and 5*s*.
POLYCARPA MAXIMOWICZII, *vide* Idesia polycarpa
POLYGONUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
SACHALINENSE, 1*s*. 6*d*. and 2*s*. 6*d*.
POPULUS CANADENSIS AUREA VAN GEERTII, foliage of an attractive golden hue. 2*s*. 6*d*.
POTENTILLA, handsome double-flowered kinds. 1*s*. 6*d*. and 2*s*. 6*d*.
PRIMULA CORTUSOIDES HYBRIDA, 2*s*. 6*d*.
FLORIBUNDA, *vide* page 43.
IMPERIALIS, *vide* page 43.
JAPONICA, 1*s*. and 1*s*. 6*d*.
—— of sorts, 3*s*. 6*d*. each.
PRUNUS SINENSIS ALBO-PLENA, 2*s*. 6*d*.
SINENSIS ROSEO-PLENA, 2*s*. 6*d*.
TRILOBA, 1*s*. 6*d*.
PUNICA, *vide* page 43.

PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration. 1*s*. 6*d*. and 2*s*. 6*d*.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading and closely packed with spike-like greenish flowers. 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.

RHODEA, *vide* page 43.
RHODODENDRONS, choice hybrids of sorts, to name, 3*s*. 6*d*. and 5*s*.
RHUS OLABRA LACINIATA, 1*s*. and 1*s*. 6*d*.
RIBES ALPINUM PUMILUM AUREUM, 5*s*.
RICHARDIA, *vide* pages 43 and 44.
ROSA RUGOSA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.
RUGOSA (REGELIANA), 1*s*. 6*d*. and 2*s*. 6*d*.

RUBUS CRATÆGIFOLIUS.

Introduced from Mandchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1*s*. 6*d*. each. 15*s*. per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliolate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3*s*. 6*d*.

SALVIAS, *vide* Bedding Plants.
SARRACENIAS, *vide* page 44.
SAUROMATUM, *vide* Arisæma.
SAXIFRAGA CILIATA, 1*s*. 6*d*.
PELTATA, 1*s*. 6*d*.
SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis.
SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS, 3*s*. 6*d*. and 5*s*.
SEDUM SPURIUM SPLENDENS, 1*s*. 6*d*.
SENECIO PULCHER, 1*s*. 6*d*.
see also page 44.
SKIMMIA OBLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
SPIRÆA AMURENSIS, 1*s*. 6*d*.

SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which cannot be too highly appreciated as a decorative plant for early forcing. Certificated both by the Royal Horticultural and Royal Botanic Societies. The inflorescence consists of compound feathery branches of elegant white flowers. It is a charming plant for pot culture, its beautiful flowers being produced in the greatest profusion. *Vide* illustration, page 56. 1*s*. 6*d*. & 2*s*. 6*d*. each. 15*s*. & 24*s*. per dozen.



SPIRÆA ASTILBOIDES.

SPIRÆA ASTILBOIDES FLORIBUNDA.

A new variety, differing from the type in producing beautiful thyrsoid spikes of bloom, much more crowded with flowers than is the case with *S. astilboides*. It is also described by the raiser as of more robust and hardier growth, the foliage being of a rich deep green colour. 2*s.* 6*d.* each. 21*s.* per dozen.

SPIRÆA BUMALDA RUBERRIMA.

A dwarf hybrid variety, raised between *S. bumalda* and *S. crispifolia*. The flowers, which are borne in corymbs, are dark carmine-rose, with bright carmine centre, the long tufts of rose stamens giving the flowers a plumose appearance. 5*s.*

SPIRÆA (HOTEIA) JAPONICA.

Strong clumps in the autumn. 5*s.* per dozen.

SPIRÆA JAPONICA AUREO-RETICULATA.

Pretty variegated foliage, added to which it bears a profusion of handsome compact spikes of pure white flowers. 1*s.* and 1*s.* 6*d.*

SPIRÆA JAPONICA COMPACTA MULTIFLORA.

This most desirable variety is a great improvement on the old *S. Japonica*, as it produces a profusion of large and dense spikes of pure white flowers, in telling contrast to the dark green foliage of the plant, the habit of which is dwarf and compact. 1*s.*

SPIRÆA KAMTSCHATIKA (GIGANTEA).

A very remarkable species imported from Asia. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 3*s.* 6*d.*

SPIRÆA PALMATA.

The bright pink Spiræa, one of the most beautiful hardy plants in cultivation, producing lovely broad corymbs of pink flowers. It is a native of Japan. 1*s.*

SPIRÆA PALMATA ALBA.

A counterpart of *S. palmata*, except in the colour of the flowers, which are pure white; a very beautiful and elegant variety. 1*s.* 6*d.*

STAPHYLEA COLCHICA, 2*s.* 6*d.* and 3*s.* 6*d.*
HYBRIDA COULOMBIERI, 3*s.* 6*d.*
STATICE LATIFOLIA, 1*s.*
STAUNTONIA LATIFOLIA, 2*s.* 6*d.*
STYRAX JAPONICA, 3*s.* 6*d.*

SYRINGA JAPONICA, 3*s.* 6*d.*
VULGARIS FL.-PL. ALPHONSE LAVALLEE, 2*s.* 6*d.*
—— —— COMTE HORACE DE CHOISEUL. 2*s.* 6*d.*
—— HYACINTHIFLORA PLENA, 1*s.* 6*d.*

SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2*s.* 6*d.* each; 24*s.* per dozen.

SYRINGA VULGARIS FL.-PL. EMILE LEMOINE.

A very fine variety, producing immense compound bunches of large well-shaped globular flowers, the colour being a very soft shade of rosy-lilac. 5*s.*

SYRINGA VULGARIS FL.-PL. JEAN BART.

A very floriferous variety, the inflorescence being composed of very long thyrses grouped together, the flowers being very double, irregular in form, of a vinous rose colour; the buds carmine. 3*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. LA TOUR D'AUVERONE, 3*s.* 6*d.*
VULGARIS FL.-PL. LEON SIMON, 3*s.* 6*d.*
—— —— LE GAULOIS, 1*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. MADAME JULES FINGER, 2*s.* 6*d.*
VULGARIS FL.-PL. MATHIEU DE DOMBASLE, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. M. MAXIME CORNU.

A vigorous variety, producing fine thyrses of beautiful rosy-lilac double flowers, formed by corollas superposed one in the other; forces well. 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER, 2*s.* 6*d.* | **SYRINGA** VULGARIS FL.-PL. PYRAMIDAL, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. PRÉSIDENT GRÉVY.

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three-quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt-blue colour, shading off to rose at the margins. Deliciously fragrant. 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. RENONCULE, 2*s.* 6*d.* | **SYRINGA** VULGARIS FL.-PL. RUBELLA, 2*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. SENATEUR VOLLAND.

A very dwarf brilliant coloured double lilac, a new shade of colour, buds Fuchsia-red, the flowers when open being rosy-pink. 3*s.* 6*d.*

SYRINGA VULGARIS FL.-PL. VIRGINITE.

Flowers very double, petals long, of a most pleasing shade of soft rose; the colour of the Rose, *Souvenir de la Malmaison*. Quite a new tint in double lilacs. 3*s.* 6*d.*

TIGRIDIA CONCHIFLORA, 2*s.* 6*d.* per dozen.
GRANDIFLORA, 2*s.* 6*d.* per dozen.
—— ALBA, 2*s.* 6*d.* per dozen.
—— AURANTIACA, 2*s.* 6*d.* per dozen.

These can be supplied, when dormant, by the dozen or hundred at the proper season.

TRITOMA *vide* Kniphofia.
TRITONIA AUREA, *vide* CROCOSMA AUREA.
MINIATA bright crimson, 2*s.* 6*d.*
TROPÆOLUM SPECIOSUM, handsome crimson flowers, 1*s.*

TROPÆOLUM TUBEROSUM, flowers scarlet and yellow, a very attractive and decorative species, 6*d.* and 9*d.*
see also page 44.

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 45.

VITIS JAPONICA, *vide* Ampelopsis tricuspidata | **VITIS** VINIFERA PURPUREA, 5*s.*

WEIGELA AMABILIS LOOYMANSII AUREA, 1*s.* 6*d.*
LONGIFOLIA ARGENTEO-MARGINATA, 3*s.* 6*d.*
SIEBOLDII FOLIIS ARGENTEO-MARGINATIS, 2*s.* 6*d.*

WEIGELA ABEL CARRIERE, 1*s.* 6*d.*
AUG. WILHELM, 2*s.* 6*d.*
CONGO, 1*s.* 6*d.*

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1*s.* 6*d.* each; 15*s.* per dozen.

WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 1*s.* 6*d.*

WEIGELA MONTESQUIEU.

Fine reddish-crimson flowers of perfect shape; a very handsome and distinct variety. 1*s.* 6*d.*

WEIGELA DIDEROT, 1*s.* 6*d.*
EMILE GALLÈ, 1*s.* 6*d.*
WISTARIA (GLYCINE) MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, exceedingly handsome. 2*s.* 6*d.* and 3*s.* 6*d.*
MULTIJUGA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
SINENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*

WISTARIA SINENSIS ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
SINENSIS FLORE-PLENO, 3*s.* 6*d.*
XANTHOCERAS SORBIFOLIA, a handsome flowering shrub, 3*s.* 6*d.*
YUCCA RECURVA, 3*s.* 6*d.* and 5*s.*
—— VARIEGATA, 7*s.* 6*d.*
see also page 44.
ZEPHYRANTHES, *vide* page 44.

OFFICINAL AND MEDICINAL PLANTS TROPICAL FRUITS, &c.

Mr. William Bull's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

Abyssinian Banana	Músa Enséte	*Abyssinia*
African Baobab Tree	Adansónia digitáta	*Africa*
African Mangosteen	Garcinia Livingstóni	*Africa*
African Rubber	Landolphia Watsoniana	*Africa*
Allspice	Eugenia Pimenta	*W. Indies*
Arrowroot	Maránta arundinácea	*S. America*
Annatto Dye Plant	Bixa Orellána	*Tropical America*
Australian Banyan	Ficus macrophylla	*Australia*
Balsam of Peru	Myróxylon Pereira	*Peru*
Banyan Tree	Ficus indica	*E. Indies*
Bark of Commerce	Cinchóna officinális	*Tropical America*
Bengal Quince	Ægle Marmelos	*E. Indies*
Betle Pepper	Piper Bétle	*E. Indies*
Black Pepper	Piper nigrum	*E. Indies*
Brazil Nut	Bertholléția excélsa	*Brazil*
Cabbage Palm	Eutérpe edúlis	*Brazil*
Camphor	Cámphora officinális	*Japan*
Cape Chestnut	Calodendron capense	*Cape Colony*
Captain Cook's Tea Plant	Leptospérmum scopárium	*New Zealand*
Cardamon	Amómum Cardamómum	*E. Indies*
Cascarilla Bark	Croton Elutéria	*Bahama Islands*
Cashew Nut	Anacardium occidentale	*India*
Cassia	Cinnamomum Cassia	*East Indies*
Cherimoyer	Anona Cherimolia	*Peru*
Chinese Plantain Tree	Músa Cavendishii	*China*
Cinnamon	Cinnamómum zeylanicum	*Ceylon*
Clove	Caryophyllus aromaticus	*Moluccas*
Coca	Erythróxylon Cóca	*Peru*
Cocoa	Theobróma Cacáo	*Tropical America*
Coffee, Arabian	Cofféa arábica	*Yemen*
Coffee, Liberian	Cofféa liberica	*Liberia*
Contrayerva Root	Dorsténia Contrayérva	*S. America*
Croton Oil	Croton Tiglium	*India*
Cuba Bast	Paritium elátum	*W. Indies*
Cubeb Pepper	Piper Cubéba	*Java*
Cundurango	Gonólobus Cundurángo	*S. America*
Date	Phœnix dactylifera	*Levant*
Durian	Durio zibethinus	*India*
Edible Eugenia	Eugenia edulis	*Brazil*
Edible-fruited Passion Flower	Passiflóra edúlis	*Brazil*
Edible Vanguéria	Vanguéria edúlis	*Madagascar*
Fiddle Wood	Citharéxylon quadranguláre	*Jamaica*
Fustick Wood	Chlorophora (Maclúra) tinctória	*W. Indies*
Gamboge	Zanthóchymus pictórius	*E. Indies*
Gigantic Granadilla	Passiflóra macrocárpa	*Rio Negro*

OFFICINAL AND MEDICINAL PLANTS—continued.

Ginger	Zingiber officinále	*E. Indies*
Granadilla	Passiflóra quadrangulàris	*W. Indies*
Guarana Tea Plant	Paullinia sórbilis	*Brazil*
Guava	Psídium Cattleyanum	*Brazil*
Indian Cedar	Cedrela odorata	*West Indies*
Ipecacuanha	Cephaëlis Ipecacuànha	*Brazil*
Jack Fruit	Artocarpus integrifolius	*W. Indies*
Jalap	Exogónium púrga	*Mexican Andes*
Jamaica Quassia	Picrœna excelsa	*Jamaica*
Japan Cinnamon	Cinnamómum sericeum	*Japan*
Japanese Pepper	Piper Futokadsura	*Japan*
Kola Nut	Cola acuminata	*Niger*
Latanier Palm	Latánia borbónica	*Bourbon*
Ledger's Bark	Cinchóna Ledgeriana	*S. America*
Lemon Grass	Andropogon citratus	*India*
Litchi	Nephélium Litchi	*China*
Loquat	Eriobótrya japónica	*Japan*
Mahogany Tree	Swietenia Mahágoni	*W. Indies*
Malabar Silk Cotton Tree	Bombax malabaricum	*Malabar*
Manilla Hemp	Músa textilis	*Philippine Isles*
Matico	Artánthe elongáta	*Peru*
Milk Tree	Galactodendron utile	*S. America*
Mustard Tree of Scripture	Salvadóra pérsica	*Persia*
Nardoo	Marsilea macrópus	*Australia*
Natal Plum	Arduina grandiflora	*Natal*
Notted-leaved Custard Apple	Anona reticulata	*S. America*
Nutmeg	Myristica moschàta	*E. Indies*
Palissander Wood	Machærium firmum	*S. America*
Para Rubber	Hévea brasiliénsis	*Brazil*
Patchouli Scent Plant	Pogostémon Pátchouli	*E. Indies*
Poison Bulb	Buphane toxicaria	*Natal*
Poison Nut	Thevetia neriifolia	*W. Indies*
Queensland Nut	Macadámia ternifólia	*Queensland*
Rhubarb	Rhéum officinále	*China*
Rose Apple	Eugenia Jambos	*India*
Sacred Indian Fig	Ficus religiosa	*India*
Sandal Wood	Santalum album	*India*
Sand Box Tree	Hura crepitans	*S. America*
Sarsaparilla	Smilax Sarsaparilla	*N. America*
Satin Wood	Chloróxylon Swiethénia	*E. Indies*
Snake Wood	Cecrópia palmàta	*S. America*
Soap Berry	Sapindus Saponaria	*W. Indies*
Sour Sop	Anóna muricáta	*W. Indies*
Star Apple	Chrysophyllum Cainito	*W. Indies*
Strychnine	Strychnos núx-vómica	*East Indies*
Sugar Cane	Sáccharum officinárum	*India*
Sweet Sop	Anona squamosa	*S. America.*
Sycamore Tree of Scripture	Ficus Sycomórus	*Egypt*
Tamarind Tree	Tamarindus indica	*E. Indies*
Tea	Théa Bohéa	*China*
Tea, Assam	Théa assamica	*Assam*
Tonga	Epipremnum mirábile	*South Sea Islands*
Tonquin Bean	Dipterix odorata	*Guiana*
Traveller's Tree	Ravenála madagascariénsis	*Madagascar*
Turpentine Tree	Pistácia Terebinthus	*S. Europe*
Upas Tree	Antiaris toxicaria	*Java*
Vanilla	Vanilla aromática	*S. America*
Violet Sugar Cane	Saccharum violaceum	*India*
Zerumbet Ginger	Zingiber Zerumbet	*E. Indies*

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to any-one interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 2, 3, 5, 7 and 10 guineas each, and upwards.

S, distinguishes the stove kinds; **I**, intermediate house; **C**, cool house.
Those marked thus (*) are winter-blooming kinds.

S	**ACANTHEPHIPPIUM** bicolor	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	javanicum	Java	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACINETA** Barkeri	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	chrysantha	South America	10*s.* 6*d.* and 15*s.*
I	densa	South America	21*s.* and 31*s.* 6*d.*
I	Humboldtii (superba)	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACROPERA** Loddigesii	Mexico	5*s.* and 7*s.* 6*d.*
I	luteola	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	**ADA** aurantiaca	Pamplona	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Fine plants, 21*s.* and 31*s.* 6*d.*
**C*	aurantiaca punctata	Pamplona	
S	**AËRANTHUS** Leonis, *vide* Angræcum Leonis		
I	**AERIDES** affine	Sylhet	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	affine roseum	Sylhet	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— superbum	Sylhet	21*s.* and 31*s.* 6*d.*
S	Ballantinianum	East Indies	42*s.* and 63*s.*
I	crassifolium	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	crispum (Brookei)	Bombay	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	cylindricum (Vandarum)	East Indies	31*s.* 6*d.* and 42*s.*
S	Emericii	Andaman Islands	21*s.* and 31*s.* 6*d.*
S	expansum Leoniæ, *vide* falcatum Leoniæ		
S	falcatum (Larpentæ)	East Indies	42*s.* and 63*s.*
S	—— Leoniæ (expansum)	East Indies	7*s.* 6*d.* to 21*s.*
I	Fieldingii (Fox Brush)	East Indies	10*s.* 6*d.* and 15*s.* Fine plants, 21*s.* to 84*s.*
I	—— rubrum	East Indies	84*s.* and 105*s.*
S	Godefroyanum	Cochin China	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Houlletianum	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
C	japonicum	Japan	7*s.* 6*d.* and 10*s.* 6*d.*
S	Larpentæ, *vide* falcatum		
S	Lawrenceæ	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Lindleyanum	Coonoor	10*s.* 6*d.* and 15*s.*
S	Lobbii	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— magnificum	Moulmein	42*s.* and 63*s.*
S	—— rubrum	Moulmein	42*s.* and 63*s.*
S	maculosum	Bombay	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— superbum	Bombay	
S	mitratum	East Indies	10*s.* 6*d.* and 15*s.*
S	nobile	India	21*s.* and 31*s.* 6*d.*
S	odoratum (cornutum)	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*

S	**AERIDES** odoratum purpurascens	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Picotianum	Cochin China	63*s.* and 84*s.*
S	quinquevulnerum	Philippine Islands	10*s.* 6*d.*, 15*s.* & 21*s.*
S	Rohanianum	East Indies	15*s.* and 21*s.*
S	rubrum (radicosum)	Bombay	63*s.* and 84*s.*
S	Sanderianum	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Savageanum	East Indies	21*s.* and 31*s.* 6*d.*
S	Schroederi	Bombay	
S	suavissimum	East Indies	15*s.* and 21*s.*
S	Vandarum, *vide* cylindricum		
S	Veitchii	East Indies	105*s.*
S	virens	Java	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— Dayanum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— superbum	East Indies	15*s.* and 21*s.*
I	Warneri	Bombay	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**AMBLOSTOMA** cernuum	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
S	**ANGRÆCUM** arcuatum	Africa	15*s.* and 21*s.*
S	articulatum	Madagascar	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	bilobum	West Coast of Africa..	10*s.* 6*d.*
S	calceolus	Madagascar	10*s.* 6*d.*
S	Chailluanum	West Coast of Africa..	21*s.*, 31*s.* 6*d.* and 42*s.*
S	citratum	Madagascar	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
S	—— majus	Madagascar	15*s.* and 21*s.*
S	distichum	West Coast of Africa..	7*s.* 6*d.* and 10*s.* 6*d.*
S	Du Buyssoni	Madagascar	31*s.* 6*d.*
**S*	eburneum (superbum)	Madagascar	21*s.* and 31*s.* 6*d.*
S	Ellisii	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*
I	falcatum	Japan	10*s.* 6*d.* and 15*s.*
S	fastuosum	Madagascar	31*s.* 6*d.* and 42*s.*
S	hyaloides	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Leonis (Aeranthus Leonis)	Comoro Island	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	modestum (Sanderianum)	West Coast of Africa..	10*s.* 6*d.*, 15*s.* & 21*s.*
S	pertusum	West Coast of Africa..	
S	polystachys	West Coast of Africa..	21*s.* and 31*s.* 6*d.*
S	Scottianum	Comoro Island	10*s.* 6*d.*, 15*s.* & 21*s.*
**S*	sesquipedale	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.* Fine plants, 3 to 5 guineas.
**S*	—— majus	Madagascar	84*s.* and 105*s.*
S	vesicatum	West Coast of Africa .	15*s.*
**S*	virens (Brongniartianum)	Madagascar	21*s.* and 31*s.* 6*d.*
I	**ANGULOA** Clowesii	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	eburnea	Peru	63*s.* and 84*s.*
I	Ruckerii	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— acuta	South America	
I	—— punctata	South America	42*s.* and 63*s.*
I	—— retusa	South America	
I	—— sanguinea	South America	63*s.* and 84*s.*
I	uniflora	Colombia	10*s.* 6*d.* and 15*s.*
I	— alba	Colombia	42*s.* and 63*s.*
I	—— superba	Colombia	42*s.*
I	**ANIA** latifolia, *vide* Tainia latifolia		
S	**ANŒCTOCHILUS** Dawsonianus, *vide* Goodyera		
S	Petola	Borneo	10*s.* 6*d.*, 15*s.* & 21*s.*
**S*	**ANSELLIA** africana	Sierra Leone	21*s.*, 31*s.* 6*d.* and 42*s.*
S	humilis	Zambesi	42*s.* and 63*s.*
S	—— pallida	Zambesi	42*s.* and 63*s.*
I	lutea	Africa	21*s.* and 31*s.* 6*d.*

I	**ARPOPHYLLUM giganteum**	Mexico	15*s.* and 21*s.*
I	spicatum	Mexico	10*s.* 6*d.* and 15*s.*
I	**ARUNDINA bambusæfolia**	Assam	31*s.* 6*d.* and 42*s.*
C	**BARKERIA elegans**	Mexico	10*s.* 6*d.* and 15*s.*
C	melanocaulon	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	spectabilis	Mexico	15*s.*
I	**BIFRENARIA atropurpurea**	Brazil	21*s.* and 31*s.* 6*d.*
I	aurantiaca	South America	15*s.* and 21*s.*
I	Harrisoniæ, *vide* **Lycaste Harrisonæ**		
I	vitellina	South America	15*s.*
C	**BLETIA hyacinthina**	China	5*s.* and 7*s.* 6*d.*
I	Sherrattiana	Colombia	10*s.* 6*d.* and 15*s.*
**I*	Tankervillæ, *vide* **Phaius grandifolius**		
I	verecunda	Florida	15*s.*
I	—— alba	Florida	15*s.*
I	**BRASSAVOLA cucullata**	Mexico	10*s.* 6*d.* and 15*s.*
S	Digbyana	Honduras	10*s.* 6*d.* and 15*s.*
I	glauca	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— oculata	Mexico	15*s.*
I	nodosa	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	**BRASSIA antherotes**	South America	42*s.* and 63*s.*
I	brachiata, *vide* **Wrayæ**		
I	caudata	South America	21*s.* and 31*s.* 6*d.*
I	Keiliana	South America	42*s.* and 63*s.*
S	Lawrenceana	Demerara	42*s.* and 63*s.*
S	maculata	West Indies	10*s.* 6*d.* and 15*s.*
I	signata	South America	31*s.* 6*d.*
C	verrucosa	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Wrayæ (brachiata)	South America	31*s.* 6*d.* and 42*s.*
S	**BROUGHTONIA sanguinea**	Jamaica	7*s.* 6*d.* and 10*s.* 6*d.*
S	**BULBOPHYLLUM Henshalli**	East Indies	31*s.* 6*d.* and 42*s.*
S	Lobbii, *vide* **Sarcopodium Lobbii**		
S	reticulatum	East Indies	
S	umbellatum	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**BURLINGTONIA bahiensis**	Brazil	
I	candida	Demerara	7*s.* 6*d.* and 10*s.* 6*d.*
I	decora	Brazil	15*s.* and 21*s.*
I	—— imperialis	Brazil	21*s.* and 31*s.* 6*d.*
I	fragrans	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	venusta	Brazil	15*s.* and 21*s.*
I	**CALANTHE curculigoides**	Indian Archipelago	
S	furcata	New Caledonia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Masuca	Nepal, Sikkim	21*s.* and 31*s.* 6*d.*
C	pleiochroma	Japan	21*s.*
C	—— brevior	Japan	21*s.*
**I*	Regnieri	Cochin China	10*s.* 6*d.* and 15*s.*
**I*	—— amethystina	Cochin China	42*s.*
**I*	—— fulgens	Cochin China	42*s.*
**I*	—— purpurea	Cochin China	42*s.*
**I*	—— striata	Cochin China	42*s.*
**I*	Sedenii	Hybrid	21*s.*
C	Sieboldii, *vide* **Phaius Sieboldii**		
**I*	Stevensiana	Cochin China	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Textori	Japan	21*s.*
**I*	Turneri	India	10*s.* 6*d.* and 15*s.*
**I*	—— nivalis	India	10*s.* 6*d.* and 15*s.*
**I*	Veitchii	Hybrid	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**I*	—— alba	Hybrid	

*I	**CALANTHE Veitchii superba**	Hybrid	10*s.* 6*d.*
S	veratrifolia	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
*I	vestita luteo-oculata	Tavoy, Java	5*s.* and 7*s.* 6*d.*
*I	—— oculata gigantea	Tavoy, Java	21*s.*
*I	—— rubro-oculata	Tavoy, Java	3*s.* 6*d.* and 5*s.*
I	**CATASETUM Bungerothii**	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Darwinianum	British Guiana	21*s.* and 31*s.* 6*d.*
I	decipiens	South America	
I	macrocarpum	Brazil	10*s.* 6*d.*
I	purum	South America	
I	Russellianum	South America	
I	saccatum	South America	
I	sanguineum	Brazil	10*s.* 6*d.* and 15*s.*
I	—— integrale	South America	15*s.*
I	tabulare	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	tridentatum	South America	
I	**CATTLEYA Aclandiæ**	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Alexandræ	Northern Brazil	
I	amethystina, *vide* intermedia		
I	amethystoglossa	Brazil	10*s.* 6*d.* 15*s.* and 21*s.*
I	aurea, *vide* C. Dowiana aurea		
I	Bassettii, *vide* speciosissima		
I	bicolor Measuresiana	Brazil	31*s.* 6*d.* and 42*s.*
I	Boothiana, *vide* lobata		
I	Bowringiana	Central America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— splendens	Central America	42*s.* and 63*s.*
I	—— violacea	Central America	42*s.* and 63*s.*
I	bulbosa, *vide* Walkeriana		
I	chocoensis	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	citrina	Oaxaca	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	crispa	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superba	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Crossiana	Hybrid	
I	dolosa	Brazil	10*s.* 6*d.* and 15*s.*
I	Dormaniana	Brazil	31*s* 6*d.* and 42*s.*
S	Dowiana	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— aurea	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— —— magnifica	Colombia	
S	—— punctata	Costa Rica	
I	Eldorado	Rio Negro	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— aurea	Rio Negro	42*s.* and 63*s.*
I	—— carnea	Rio Negro	31*s.* 6*d.* and 42*s.*
I	—— conspicua	Rio Negro	63*s.* and 84*s.*
I	—— picta	Rio Negro	84*s.*
I	—— rosea	Rio Negro	31*s.* 6*d.* and 42*s.*
I	—— rubella	Rio Negro	84*s.*
I	—— splendens	Rio Negro	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— superba	Rio Negro	42*s.* and 63*s.*
I	—— Wallisii (alba)	Rio Negro	105*s.*
I	elegans, *vide* Lælia elegans		
I	Forbesii	Brazil	10*s.* 6*d.*
I	Gaskelliana	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— Alexandræ	Venezuela	
I	—— aurea	Venezuela	
I	—— carnea	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— delicata	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— grandiflora	Venezuela	42*s.*

I	**CATTLEYA** Gaskelliana picta	Venezuela	21*s.* and 31*s.* 6*d.*
I	Gaskelliana pulchra	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— rosea	Venezuela	31*s.* 6*d.*
I	—— superba	Venezuela	21*s.* and 31*s.* 6*d.*
I	gigas	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
I	—— atropurpurea	Colombia	
I	—— Chelsoni	Colombia	
I	—— formosa	Colombia	
I	—— fulgens	Colombia	
I	—— imperialis	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— magnifica	Colombia	
I	—— marginata	Colombia	
I	—— Normaniana	Colombia	
I	—— picturata	Colombia	
I	—— regalis	Colombia	
I	—— Reginæ	Colombia	
I	—— rosea	Colombia	
I	—— Sanderiana	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— —— mirabile	Colombia	
I	—— splendens	Colombia	
I	—— tyrianthina	Colombia	
I	grandis, *vide* Lælia grandis		
I	guttata	Brazil	15*s.* and 21*s.*
I	Harrisoniæ	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superba	Brazil	31*s.* 6*d.* and 42*s.*
I	—— violacea	Brazil	
I	Holfordi, *vide* C. luteola		
I	intermedia (amethystina)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	labiata (Warocqueana)	South America	15*s.*, 21*s.* & 31*s.* 6*d.*
I	Lawrenceana	British Guiana	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— oculata	British Guiana	
I	—— splendens	British Guiana	
I	Lemoniana, *vide* C. speciosissima		
I	Leopoldii	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	lobata (Lælia Boothiana)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Loddigesii	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Luddemanniana, *vide* C. speciosissima		
I	luteola (Holfordii)	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s*
**I*	marginata, *vide* Lælia marginata		
I	maxima (Quindos)	Ecuador, Popayan	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— albo-marginata	Ecuador	
I	—— peruviensis	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— superba	Ecuador	42*s.* and 63*s.*
I	Mendelii	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— Alexandræ	South America	
I	—— ampliata	South America	
I	—— conspicua	South America	
I	—— delicata	South America	
I	—— excellens	South America	
I	—— gigantea	South America	
I	—— grandiflora	South America	
I	—— grandis	South America	
I	—— insignis	South America	
I	—— magnifica	South America	
I	—— majestica	South America	
I	—— miniata	South America	
I	—— ornata	South America	
I	—— picta	South America	

I	**CATTLEYA Mendelii princeps**	South America	
I	Mendelii Rex	South America	
I	—— speciosa	South America	
I	—— superba	South America	
I	—— superbissima	South America	
I	—— tincta	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— triumphans	South America	
I	—— Venus	South America	
I	—— Victoriæ	South America	
I	Mossiæ	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* Fine plants, 21*s.*, 31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— albo-marginata	Venezuela	63*s.* and 84*s.*
I	—— Alexandræ	Venezuela	
I	—— amœna	Venezuela	
I	—— aurantiaca	Venezuela	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— aurea grandiflora	Venezuela	
I	—— Chelsoni	Venezuela	
I	—— Cleopatra	Venezuela	
I	—— conspicua	Venezuela	
I	—— delicata	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— —— aurantiaca	Venezuela	
I	—— flammea	Venezuela	
I	—— formosa	Venezuela	
I	—— grandiflora	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— grandis	Venezuela	
I	—— imperialis	Venezuela	
I	—— insignis	Venezuela	
I	—— Lawrenceana	Venezuela	63*s.* and 84*s.*
I	—— magnifica	Venezuela	
I	—— marginata	Venezuela	
I	—— maxima	Venezuela	
I	—— mirabilis	Venezuela	
I	—— picta	Venozuela	
I	—— picturata	Venezuela	63*s.* and 84*s.*
I	—— pulcherrima	Venezuela	63*s.* and 84*s.*
I	—— rosea	Venezuela	63*s.* and 84*s.*
I	—— —— elegans	Venezuela	
I	—— rubra	Venezuela	105*s.* and 147*s.*
I	—— speciosa	Venezuela	
I	—— splendens	Venezuela	42*s.* and 63*s.*
I	—— superba	Venezuela	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— venosa	Venezuela	
I	nobilior	Brazil	31*s.* 6*d.* and 42*s.*
I	Patinii, *see* Lælia Patinii		
I	Percivaliana	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— magnifica	Venezuela	
I	—— marginata	Venezuela	31*s.* 6*d.* and 42*s.*
I	—— ornata	Venezuela	
I	—— picta	Venezuela	
I	—— rubra superba	Venezuela	
I	—— rubro-nigra	Venezuela	
I	—— splendens	Venezuela	
I	Perrinii, *vide* Lælia Perrinii		
**I*	Pinelii, *vide* Lælia præstans		
**I*	Rex	Andes of Peru	
I	Schilleriana (Regnellii)	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Schofieldiana	Brazil	
I	Schrœderæ	Colombia	10*s.* 6*d.*, 15*s.* to 42*s.*

I	**CATTLEYA** Schrœderæ albescens	Colombia	
I	Schrœderæ aurantiaca	Colombia	
I	—— delicata	Colombia	
I	—— luteo-picta	Colombia	
I	—— superba	Colombia	42*s.* and 63*s.*
I	—— virginalis	Colombia	
S	signata	Hybrid	
I	Skinneri	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— alba	Mexico	
I	—— oculata	Mexico	42*s.* and 63*s.*
I	speciosissima (Bassettii, Lemoniana, Luddemanniana)	Caracas	5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*, 21*s.* and 31*s.* 6*d.*
S	Stelzneriana, *vide* **Lælia** elegans		
S	superba	Essequibo	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— splendens	Essequibo	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	Trianæi	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— alba	Colombia	
**I*	—— ampliata	Colombia	42*s.* and 63*s.*
**I*	—— bella	Colombia	105*s.*
**I*	—— bogotensis	Colombia	21*s.*, 31*s.* 6*d.* and 42*s*
**I*	—— carnea	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— conspicua	Colombia	
**I*	—— delicata	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— elegans	Colombia	63*s.* and 84*s.*
**I*	—— excellens	Colombia	105*s.*
**I*	—— fimbriata	Colombia	
**I*	—— flammea	Colombia	
**I*	—— gemma	Colombia	
**I*	—— grandis	Colombia	42*s.* and 63*s.*
**I*	—— illustris	Colombia	105*s.*
**I*	—— insignis	Colombia	84*s.*
**I*	—— macrantha	Colombia	84*s.*
**I*	—— magnifica	Colombia	84*s.* and 105*s.*
**I*	—— marginata	Colombia	42*s.* and 63*s.*
**I*	—— miniata	Colombia	
**I*	—— ornata	Colombia	
**I*	—— perfecta	Colombia	
**I*	—— picta	Colombia	63*s.* and 84*s.*
**I*	—— princeps	Colombia	
**I*	—— quadricolor	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— Rosalind	Colombia	
**I*	—— rosea	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— rubescens	Colombia	63*s.*
**I*	—— speciosa	Colombia	63*s.* and 84*s.*
**I*	—— splendens	Colombia	42*s.* and 63*s.*
**I*	—— superba	Colombia	31*s.* 6*d.* and 42*s.*
**I*	—— tricolor	Colombia	
**I*	—— Venus	Colombia	63*s.* and 84*s.*
**I*	—— Vesta	Colombia	63*s.* to 105*s.*
**I*	—— Victoria	Colombia	
**I*	—— virginalis	Colombia	63*s.* and 84*s.*
I	velutina	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Walkeriana (bulbosa)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Warnerii	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— magnifica	Brazil	
I	—— picta	Brazil	
I	—— splendens	Brazil	
I	Warocqueana, *vide* labiata		
I	xanthina, *vide* **Lælia** xanthina		

I	**CHYSIS aurea**	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	bractescens	Peru	10*s.* 6*d.* and 15*s.*
I	chelsoniensis	Hybrid	21*s.* and 31*s.* 6*d.*
I	lævis	Mexico	21*s.*
I	**CIRRHOPETALUM imbricatum**	Sierra Leone	63*s.*
I	ornatissimum	East Indies	42*s.*
I	picturatum	East Indies	31*s.* 6*d.* and 42*s.*
S	pulchrum	Borneo	63*s.*
S	Thouarsii	Manilla	42*s.* and 63*s.*
S	umbellatum, *vide* **Bulbophyllum**		
C	**COCHLIODA Noezliana**, *vide* **Odontoglossum Noezlianum**		
S	**CŒLIA bella**	Mexico	21*s.* and 31*s.* 6*d.*
S	macrostachya	Guatemala	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**CŒLOGYNE asperata (Lowii)**	Borneo	15*s.*, 21*s.* and 31*s.* 6*d.*
I	assamica	Assam	21*s.*
**I*	barbata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	corrugata	Khasya	10*s.* 6*d.* and 15*s.*
**C*	cristata	Nepal, Sylhet	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— Chatsworth variety	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— hololeuca (alba)	East Indies	84*s.*, 105*s.* and 147*s.*
**C*	—— Lemoniana	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**C*	—— maxima	East Indies	
S	Dayana	Borneo	42*s.* and 63*s.*
I	elata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	fimbriata	East Indies	15*s.* and 21*s.*
**I*	flaccida	Assam	10*s.* 6*d.* and 15*s.*
I	Gardneriana	East Indies	21*s.*, 31*s* 6*d.* and 42*s.*
I	lentiginosa	Moulmain	7*s.* 6*d.* and 10*s.* 6*d.*
I	Massangeana	Assam	10*s.* 6*d.*, 15*s.* and 21*s.* Remarkably fine specimens, from 5 to 20 guineas
I	ocellata	Assam	5*s.* and 7*s.* 6*d.*
I	ovalis	East Indies	
I	Ruckerii	East Indies	
I	speciosa	Java	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— major	Java	21*s.* and 31*s.* 6*d.*
I	tomentosa	East Indies	10*s.* 6*d.*
C	**COLAX jugosus**	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**COMPARETTIA macroplectron**	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**CORYANTHES macrantha**	Caracas	42*s.*
C	**CRYPTOCHILUS sanguineus**	Assam	21*s.*
C	**CRYPTOPHORANTHUS Dayanum**, *vide* **Masdevallia Dayana**		
S	**CYCNOCHES chlorochilon**	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**CYMBIDIUM affine**, *vide* **C. Mastersii affine**		
I	albucæflorum, *vide* **C. madidum**		
I	aloifolium, of gardens, *see* **pendulum**		
I	Devonianum	Assam	
**C*	eburneum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— Dayanum	East Indies	
**C*	—— maculatum	East Indies	
S	elegans, *vide* **Cyperorchis elegans**		
S	**Finlaysonianum atropurpureum** (pendulum atropurpureum of gardens)	Java	
**C*	giganteum	Assam	21*s.* and 31*s.* 6*d.*
C	grandiflorum (Hookerianum)	Sikkim, Himalaya	63*s.*, 84*s.* and 105*s.*
C	Lowianum	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* Very fine specimens, from 3 to 40 guineas each
C	—— atropurpureum	Burmah	
C	—— eximium	Burmah	
C	—— Victoriæ	Burmah	

I	**CYMBIDIUM** madidum (albucæflorum)	Queensland	
**C*	Mastersii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— affine	East Indies.....	15*s.*, 21*s.* to 42*s.*
I	pendulum (aloifolium of gardens) ..	East Indies	5*s.* and 7*s.* 6*d.*
S	—— atropurpureum, of gardens, *vide* Finlaysonianum atropurpureum		
I	tigrinum.....	East Indies	21*s.* and 31*s.* 6*d.*
S	**CYPERORCHIS** elegans (Cymbidium)	East Indies	
**C*	Mastersii, *vide* Cymbidium Mastersii		
I	**CYPRIPEDIUM** Ainsworthii	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
I	albo-purpureum.....	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
**I*	amandum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Amesianum	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
I	apiculatum.....	Hybrid	
**I*	Argus	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— superbum	East Indies	42*s.* and 63*s.*
I	Arthurianum	Hybrid.....	42*s.*, 63*s.* and 84*s.*
I	Ashburtoniæ	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	auroreum	Hybrid	
I	barbatum	Mount Ophir	3*s.* 6*d.* and 5*s.*
I	—— biflorum.....	Mount Ophir	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— grandiflorum.....	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— —— nanum	Java	42*s.*
I	—— majus	Mount Ophir	10*s.* 6*d.*
I	—— nigrum	Mount Ophir	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— pictum	Mount Ophir	15*s.*
I	—— plumosum	Mount Ophir	21*s.* and 31*s.* 6*d.*
I	—— pulcherrimum	Mount Ophir	15*s.* and 21*s.*
I	—— purpureum	Mount Ophir	10*s.* 6*d.* and 15*s.*
I	—— superbum	Mount Ophir	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— violaceum	Mount Ophir	21*s.* and 31*s.* 6*d.*
**I*	—— Warnerianum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Bartetii	Hybrid	42*s.*, 63*s.* and 84*s.*
S	bellatulum	Siam.....	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Boxallii	Burmah	5*s.*, 7*s.* 6*d.* to 15*s.*
C	—— atratum.....	Burmah	21*s.*, 31*s.* 6*d.* and 42*s.*
**I*	Bullenianum	Bornoo	3*s.* 6*d.* and 5*s.*
I	callosum	Siam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— coloratum	Siam.....	42*s.*
I	—— pictum	Siam.....	42*s.*
I	—— sublæve	Siam	63*s.*
I	calophyllum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	calurum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Calypso	Hybrid.....	42*s.* and 63*s.*
I	cardinale	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Carnusianum.....	Hybrid.....	63*s.*, 84*s.* and 105*s.*
I	caudatum	Central America	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
I	—— major	Central America	
I	—— nigrum	Central America	
I	—— roseum	Central America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— Wallisii.....	Ecuador	63*s.*
S	Chamberlainianum	New Guinea	21*s.*, 31*s.* 6*d.* and 42*s.*
I	chloroneurum.....	Hybrid.....	10*s.* 6*d.*, 15*s.* and 21*s.*
I	ciliolare	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	conchiferum	Hybrid.....	10*s.* 6*d.*, 15*s.* and 21*s.*
I	concolor	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— Regnierii	Moulmein	10*s.* 6*d.* and 15*s.*
**I*	Crossianum.....	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superbum	Hybrid	31*s.* 6*d.* and 42*s.*

S	**CYPRIPEDIUM** Curtisii	Sumatra	10*s.* 6*d.*, 15*s.* to 42*s.*
C	Dauthierii	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Dayanum	Borneo	21*s.* and 31*s.* 6*d.*
I	Dominii	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Druryi	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Elliotianum	Hybrid	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Euryale	Hybrid	63*s.*
S	euryandrum	Hybrid	21*s.*, 31*s.* 6*d.*, and 42*s.*
S	exul	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Fitchianum	Hybrid	42*s.* and 63*s.*
S	gemmiferum	Hybrid	63*s.* and 84*s.*
S	Godefroyæ	Siam	10*s.* 6*d.* and 15*s.*
S	grande	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Harrisianum	Hybrid	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— nigrum	Hybrid	42*s.* and 63*s.*
C	—— superbum	Hybrid	84*s.* and 105*s.*
I	Hartwegii	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Haynaldianum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	hirsutissimum	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Hookeræ	Borneo	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	hybridum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— marginatum	Hybrid	21*s.* and 31*s.* 6*d.*
**C*	insigne	Nepal	3*s.* 6*d.* and 5*s.*
**C*	—— albo-marginatum	Nepal	10*s.* 6*d.* and 15*s.*
**C*	—— —— —— majus	Nepal	42*s.*
**C*	—— Chantinii (punctatum violaceum)	Nepal	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— Freemanii	Nepal	
**C*	—— maculatum	Nepal	15*s.* and 21*s.*
**C*	—— Maulei	Nepal	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— maximum	Nepal	10*s.* 6*d.*
**C*	—— pictum	Nepal	21*s.*
**C*	—— picturatum	Nepal	31*s.* 6*d.*
**C*	—— punctatum	Nepal	15*s.*
**C*	—— —— violaceum, *vide* Chantinii		
I	Io	Hybrid	42*s.* and 63*s.*
I	—— grande	Hybrid	
S	javanico-superbiens	Hybrid	63*s.*, 84*s.* and 105*s.*
I	javanicum	Java	7*s.* 6*d.* and 10*s.* 6*d.*
S	lævigatum (philippinense)	Philippine Islands	7*s.* 6*d.* and 10*s.* 6*d.*
I	Laforcadei	Hybrid	42*s.* & 63*s.*
I	Lathamianum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Lawrenceanum	Borneo	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— coloratum	Borneo	63*s.*
I	—— expansum	Borneo	42*s.*
I	—— majus	Borneo	
I	—— marmoratum	Borneo	
I	—— superbum	Borneo	21*s.* and 31*s.* 6*d.*
**I*	Leeanum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	—— superbum	Hybrid	21*s.*, 31*s.* 6*d.*, and 42*s.*
S	Lindleyanum	British Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	longifolium	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
S	Lowii	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*
S	marmorophyllum	Hybrid	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Mastersianum	East Indies	
I	Measuresianum	Hybrid	
**S*	Meirax	Hybrid	42*s.*, 63*s.* and 84*s.*
**S*	melanopthalmum	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*

S	**CYPRIPEDIUM Morganiæ**	Hybrid	105*s.* and 147*s.*
**S*	nitens	Hybrid	10*s.* 6*d.*,15*s.* and 21*s.*
**S*	—— superbum	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	nitidissimum	Hybrid	42*s.*, 63*s.* and 84*s.*
**S*	niveum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	œnanthum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superbum	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Parishii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
I	pavoninum	Hybrid	
S	philippinense, *vide* lævigatum		
I	politum	Hybrid	31*s.* 6*d.* and 42*s.*
I	porphyreum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
S	præstans	New Guinea	42*s.* and 63*s.*
I	purpuratum	Hong Kong	15*s.*, 21*s.* and 31*s.* 6*d.*
I	regale	Hybrid	105*s.*
S	Robelenii	Malay Archipelago	7*s.* 6*d.* and 10*s.* 6*d.*
I	Roezlii	South America	10*s.* 6*d.* and 15*s.*
S	Rothschildianum	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Sallierii	Hybrid	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Sanderianum	Malay Archipelago	15*s.* and 21*s.*
S	Saundersianum	Hybrid	
C	Schlimii	Colombia	10*s* 6*d.*, 15*s.* and 21*s.*
C	—— album	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Schroderæ	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Sedeni	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
C	—— candidulum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— superbum	Hybrid	15*s.* and 21*s.*
I	Seegerianum	Hybrid	63*s.*
I	selligerum	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	—— majus	Hybrid	42*s.*, 63*s.* and 84*s.*
**I*	Spicerianum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	—— grandiflorum	East Indies	63*s.*
**I*	—— magnificum	East Indies	
**I*	—— prasinum	East Indies	63*s.*
**I*	—— virescens	East Indies	63*s.*
**I*	—— viride	East Indies	
I	stenophyllum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Stonei	Borneo	10*s.* 6*d.* and 15*s.*
I	superbiens (Veitchii)	Java	10*s.* 6*d.*, 15*s.* and 21*s.*
I	superciliare	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— ornatum	Hybrid	21*s.* and 31*s.* 6*d.*
I	Swanianum	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
S	tonsum	Sumatra	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	venustum	Nepal	5*s.* and 7*s.* 6*d.*
**C*	—— pardinum	Nepal	21*s.*
I	vernixium	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	vexillarium	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
C	villosum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— aureum	Moulmein	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Volonteanum	East Indies	
I	Williamsianum	Hybrid	42*s.* and 63*s.*
I	**CYRTOPODIUM Andersoni**	Brazil	15*s.* and 21*s.*
I	punctatum	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	St. Legerianum	Paraguay	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**CYRTOPTERA Regnieri**	Cochin China	21*s.* and 31*s.* 6*d.*
I	**DENDROBIUM aggregatum**	East Indies	5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
I	aggregatum majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	Ainsworthii	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*

I	**DENDROBIUM Ainsworthii roseum** ..	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	albo-sanguineum	Moulmein	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	amœnum	East Indies	15*s.* and 21*s.*
S	anosmum (Dayanum)	Manilla	21*s.* and 31*s.* 6*d.*
S	aurantiacum	East Indies	10*s.* 6*d.* and 15*s.*
I	aureum (heterocarpum)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	barbatulum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Bensoniæ	Arracan Hills	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— nigrum	Arracan Hills	42*s.*
S	bicameratum	Burmah	10*s.* 6*d.*
S	bigibbum	Torres Straits	10*s.* 6*d.* and 15*s.*
I	binoculare	Burmah	21*s.* and 31*s.* 6*d.*
S	Brymerianum.....	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Calceolaria.....	East Indies	10*s.* 6*d.* and 15*s.*
I	Cambridgeanum, *vide* D. ochreatum		
I	canaliculatum (Tattonianum).....	Queensland	10*s.* 6*d.* and 15*s.*
I	cariniferum	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	chlorops	India.....	
I	chrysanthum	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
I	chrysotoxum	Moulmein.....	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— superbum	Moulmein.....	10*s.* 6*d.* and 15*s.*
S	ciliatum	Moulmein	7*s.* 6*d.* and 10*s.* 6*d.*
I	clavatum.....	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	crassinode	Arracan & Siam Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**S*	—— album	Arracan & Siam Mountains	
**S*	—— Barberianum	Arracan & Siam Mountains	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	crepidatum.....	East Indies	5*s.* and 7*s.* 6*d.*
S	cretaceum	Burmah	5*s.* and 7*s.* 6*d.*
S	crystallinum	Arracan Mountains ..	7*s.* 6*d.* and 10*s.* 6*d.*
S	cucullatum, *vide* D. Pierardii		
I	cupreum	East Indies	21*s.* and 31*s.* 6*d.*
S	Dalhousianum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Dayanum, *vide* D. anosmum		
S	Dearei.....	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	densiflorum.....	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Devonianum	Khasya.....	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	dixanthum	East Indies	10*s.* 6*d.* and 15*s.*
I	Dominianum	Hybrid.....	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Draconis (eburneum)	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Endocharis	Hybrid.....	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Falconeri	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	Farmeri	India.....	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— album.....	India.....	
S	—— aureum	India.....	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	fimbriatum.....	Nepal	10*s.* 6*d.* and 15*s.*
I	—— oculatum	Nepal	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Findlayanum.....	Moulmein	10*s.* 6*d.* and 15*s.*
S	formosum giganteum	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Freemanii	Assam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Gibsonii	Tenasserim	21*s.* and 31*s.* 6*d.*
I	Griffithianum.....	East Indies	42*s.* and 63*s.*
I	Guibertii.....	East Indies	
S	Harveyanum	Burmah	15*s.*
I	heterocarpum, *vide* aureum		
**C*	Hillii, *vide* speciosum Hillii		
C	infundibulum.....	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Jamesianum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	japonicum, *vide* moniliforme		
S	Jenkinsii	Gualpara	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

I	**DENDROBIUM Kingianum**	Australia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Kingianum album	Australia	31*s.* 6*d.* and 42*s.*
S	Leechianum	Hybrid	63*s.* and 84*s.*
I	Linawianum (moniliforme, Hort.)	China and Japan	10*s.* 6*d.*, 15*s.* and 21*s.*
I	lituiflorum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	longicorne	Khasya Hills	15*s.* and 21*s.*
I	luteolum	Moulmein	10*s.* 6*d.* and 15*s.*
S	macrophyllum (superbum)	Manilla	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— giganteum	Manilla	21*s.* and 31*s.* 6*d.*
S	MacCarthiæ	Ceylon	21*s.* and 31*s.* 6*d.*
I	marmoratum	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
C	moniliforme (japonicum)	Japan	7*s.* 6*d.*
I	moniliforme, Hort., *vide* Linawianum		
S	monophyllum	Queensland	
I	moschatum	East Indies	10*s.* 6*d.* and 15*s.*
S	mutabile (triadenium)	Java	
**I*	nobile	Assam	5*s.* and 7*s.* 6*d.*
**I*	—— albescens	Assam	
**I*	—— cærulesoens	Assam	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— Cooksoni	Assam	
**I*	—— elegans	Assam	21*s.*
**I*	—— excellens	Assam	
**I*	—— grandiflorum	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— insignis	Assam	
**I*	—— nobilius	Assam	63*s.*, 84*s.* and 105*s.*
**I*	—— pendulum	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— pulcherrimum	Assam	21*s.* and 31*s.* 6*d.*
**I*	—— roseum	Assam	42*s.* and 63*s.*
**I*	—— rubellum	Assam	31*s.* 6*d.* and 42*s.*
**I*	—— splendens	Assam	
**I*	—— Wallichianum	Assam	15*s.* and 21*s.*
I	nodatum (Aphrodite)	Moulmein	7*s.* 6*d.* and 10*s.* 6*d.*
I	ochreatum (Cambridgeanum)	Chittagong	7*s.* 6*d.* and 10*s.* 6*d.*
I	Parishii	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Parthenium	Borneo	31*s.* 6*d.* and 42*s.*
I	Paxtonii	Khasya	10*s.* 6*d.* and 15*s.*
S	Phalænopsis	North Australia	31*s.* 6*d.* and 42*s.*
S	—— Schroderianum	New Guinea	15*s.*, 21*s.* and 31*s.* 6*d.*
I	philippinense	East Indies	10*s.* 6*d.* and 15*s.*
**I*	Pierardi	Delta of Ganges	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	primulinum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— giganteum	East Indies	10*s.* 6*d.* and 15*s.*
I	pulchellum	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
S	purpureum candidulum	New Guinea	42*s.*
I	secundum	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	senile	Moulmein	15*s.* and 21*s.*
**C*	speciosum	Australia	10*s.* 6*d.* and 15*s.*
**C*	—— Hillii	Australia	21*s.* and 31*s.* 6*d.*
S	splendidissimum grandiflorum	Hybrid	105*s.*
S	suavissimum	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	superbiens	Torres Straits	
S	superbum, *vide* macrophyllum		
I	Tattonianum, *vide* canaliculatum		
S	tetragonum	North Australia	21*s.*
I	thyrsiflorum	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— carneum	Burmah	21*s.*
I	—— superbum	Burmah	63*s.*, 84*s.* and 105*s.*
I	—— Walkerianum	Burmah	

S	**DENDROBIUM** tortile	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	transparens	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
S	Treacherianum	Borneo	42*s.* and 63*s.*
S	triadenium, *vide* mutabile		
S	undulatum	Queensland	
I	Veitchianum	Java	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— stenopterum	Java	42*s.*
**I*	Wardianum	Burmah	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**I*	—— grandiflorum	Burmah	15*s.* and 21*s.*
I	**DENDROCHILUM**, *vide* Platyclinis		
S	**DIACRIUM** bicornutum	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**DICHÆA** vaginata	Mexico	10*s.* 6*d.*
C	**DISA** grandiflora	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
C	racemosa	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**EPIDENDRUM** aromaticum	Guatemala	10*s.* 6*d.*
C	atropurpureum, *vide* macrochilum		
S	bicornutum, *vide* Diacrium bicornutum		
I	Brasavolæ	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Christii	South America	21*s.*
I	ciliare	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	cochleatum	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	criniferum	Costa Rica	15*s.* and 21*s.*
I	cuspidatum	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
I	dichromum	Bahia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	evectum	South America	10*s.* 6*d.* and 15*s.*
I	falcatum (Parkinsonianum)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Frederici Guilielmi	Peru	10*s.* 6*d.*, 15*s.* and 21*s.*
I	glumaceum	South America	31*s.* 6*d.* and 42*s.*
I	insidiosum	South America	15*s.*
I	inversum	Brazil	
I	leucochilum	South America	
C	macrochilum (atropurpurem)	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
C	myrianthum	Guatemala	63*s.* and 84*s.*
I	nemorale	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superbum	Mexico	21*s.* and 31*s.* 6*d.*
I	nutans	South America	10*s.* 6*d.*
I	paniculatum	South America	15*s.* and 21*s.*
I	prismatocarpum	Chiriqui	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superbum	Chiriqui	42*s.* and 63*s.*
I	radiatum roseum	South America	15*s.*
I	raniferum	Mexico	31*s.* 6*d.* and 42*s.*
I	rhizophorum (radicans)	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	selligerum	South America	10*s.* 6*d.*
I	syringothyrsus	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	tovarense	Venezuela	10*s.* 6*d.* and 15*s.*
I	varicosum	South America	31*s.* 6*d.* and 42*s.*
C	vitellinum majus	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**ERIA** acervata	East Indies	15*s.*
I	convallarioides	Nepal	15*s.* and 21*s.*
I	stellata	East Indies	10*s.* 6*d.*, 15*s.* & 21*s.*
S	**GALEANDRA** Devoniana	Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**GEODORUM** dilitatum	East Indies	
I	**GONGORA** portentosa	South America	15*s.* and 21*s.*
I	punctata	South America	15*s.* and 21*s.*
S	**GOODYERA** (Anœctochilus) Dawsoniana	East Indies	10*s.* 6*d.* and 15*s.*
I	discolor	South America	5*s.* and 7*s.* 6*d.*

S	**GOODYERA Rollissonii**		
S	**GRAMMANGIS Ellisii**.....	Madagascar.....	21*s*., 31*s*. 6*d*. and 42*s*.
S	**GRAMMATOPHYLLUM Measuresianum**	Phillipine Islands	
S	**GROBYA Amherstiæ**.....	Brazil	10*s*. 6*d*.
S	**HABENARIA militaris**.....	Cochin China	
I	**HOULLETIA Brocklehurstiana**	Brazil	21*s*.
C	odoratissima	Colombia	10*s*. 6*d*., 15*s*. and 21*s*.
I	—— antioquiensis	Colombia	
I	**HUNTLEYA cerina**, *vide* Pescatoria cerina		
S	**IPSEA speciosa**	Ceylon	7*s*. 6*d*. and 10*s*. 6*d*.
S	**KERFERSTEINIA graminea**	Colombia	10*s*. 6*d*., 15*s*. and 21*s*.
C	**LÆLIA acuminata**.....	Mexico.....	10*s*. 6*d*. and 15*s*.
C	acuminata rosea	Mexico.....	10*s*. 6*d*. and 15*s*.
C	albida	Guatemala	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	—— bella	Guatemala	10*s*. 6*d*. and 15*s*.
C	—— grandiflora	Guatemala	15*s*. and 21*s*.
C	—— Marianæ	Guatemala	10*s*. 6*d*. and 15*s*.
I	amanda	Brazil	63*s*. and 84*s*.
C	anceps.....	Mexico.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	—— alba	Mexico.....	
C	—— Barkeriana	Mexico.....	7*s*. 6*d*.,10*s*. 6*d*. and 15*s*.
C	—— conspicua.....	Mexico.....	105*s*.
C	—— Dawsonii	Mexico.....	
C	—— delicata.....	Mexico.....	21*s*. and 31*s*. 6*d*.
C	—— grandiflora	Mexico.....	
C	—— Hillii.....	Mexico.....	42*s*. and 63*s*.
C	—— insignis.....	Mexico.....	84*s*.
C	—— major.....	Mexico.....	21*s*. and 31*s*. 6*d*.
C	—— oculata	Mexico.....	21*s*. and 31*s*. 6*d*.
C	—— Percivaliana.....	Mexico.....	42*s*. and 63*s*.
C	—— pulcherrima	Mexico.....	42*s*.
C	—— Sanderiana	Mexico.....	63*s*. and 84*s*.
C	—— Schroderiana	Mexico.....	
C	—— splendens	Mexico.....	42*s*. and 63*s*.
C	—— Stella.....	Mexico.....	42*s*., 63*s*. and 84*s*.
C	—— rosea	Mexico.....	21*s*. and 31*s*. 6*d*.
C	—— rubra.....	Mexico.....	42*s*. and 63*s*.
C	—— Williamsiana, *vide* Stella		
C	autumnalis.....	Mexico.....	10*s*. 6*d*., 15*s*. and 21*s*.
C	—— atrorubens.....	Mexico.....	15*s*., 21*s*. and 31*s*. 6*d*.
C	—— insignis.....	Mexico.....	
C	—— superba.....	Mexico.....	42*s*.
I	Boothiana, *vide* Cattleya lobata		
I	cinnabarina	Brazil	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	crispa, *vide* Cattleya crispa		
I	crispilabia (Lawrenceana)	Brazil	31*s*. 6*d*. and 42*s*.
I	Dayana	Brazil	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	—— superba.....	Brazil	21*s*.
I	elegans	Brazil	21*s*., 31*s*. 6*d*. and 42*s*.
I	—— alba	Brazil	31*s*. 6*d*., 42*s*. and 63*s*.
I	—— carnea	Brazil	63*s*. and 84*s*.
I	—— Dayana.....	Brazil	
I	—— irrorata.....	Brazil	
I	—— macroloba.....	Brazil	
I	—— Mastersiana	Brazil	
I	—— miranda.....	Brazil	147*s*.
I	—— prasiata.....	Brazil	

I	**LÆLIA elegans Schilleriana**	Brazil	63*s.* and 84*s.*
I	elegans Stelzneriana	Brazil	84*s.* and 105*s.*
I	—— Wolstenholmiæ	Brazil	
**I*	Eyermanniana	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
I	flava	Brazil	10*s.* 6*d.* 15*s.* and 21*s.*
C	furfuracea	Mexico	21*s.* and 31*s.* 6*d.*
**C*	Gouldiana	Mexico	
I	grandis	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— tenebrosa	Brazil	31*s.* 6*d.*, 42*s.* and 63*s.*
I	harpophylla	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Lindleyana	Brazil	42*s.*
I	lobata, *vide* Cattleya lobata		
C	majalis (Flor de Maio)	Oaxaca	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— rubra	Oaxaca	21*s.* and 31*s.* 6*d.*
**I*	marginata	Oaxaca	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— rubra	Oaxaca	63*s.*
I	Patinii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Perrinii	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— superba	Brazil	31*s.* 6*d.* and 42*s.*
**I*	præstans (Pinelii, pumila)	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	purpurata	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— alba	Brazil	31*s.* 6*d.* and 42*s.*
I	—— —— gloriosa	Brazil	
I	—— atropurpurea	Brazil	
I	—— atrorubens	Brazil	
I	—— atrosanguinea	Brazil	
I	—— bella	Brazil	
I	—— Brysiana	Brazil	
I	—— Chelsoni	Brazil	
I	—— erubescens	Brazil	
I	—— formosa	Brazil	
I	—— fulgens	Brazil	
I	—— grandis	Brazil	
I	—— Imperialis	Brazil	
I	—— magnifica	Brazil	
I	—— marginata	Brazil	
I	—— maxima	Brazil	
I	—— Nelisii	Brazil	
I	—— nigra	Brazil	
I	—— nobilior	Brazil	
I	—— picturata	Brazil	
I	—— Princess	Brazil	
I	—— refulgens	Brazil	
I	—— rosea	Brazil	
I	—— rubicunda	Brazil	
I	—— Russelliana	Brazil	
I	—— Schrœderiana	Brazil	
I	—— speciosa	Brazil	
I	—— splendens	Brazil	
I	—— superba	Brazil	
I	—— versicolor	Brazil	
I	—— Victoriæ	Brazil	
I	—— Wyattiana	Brazil	
I	Schilleriana, *vide* L. elegans		
I	superbiens	Malacatan	10*s.* 6*d.*, 15*s.* and 21*s.*
I	xanthina (Cattleya xanthina)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**LEPTOTES bicolor**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
**I*	**LIMATODIS rosea**	Moulmein	5*s.* and 7*s.* 6*d.*

I	**LIPARIS Rheedii**	South America	10*s.* 6*d.*
S	longipes	India	
S	—— pendula	India	
I	**LISSOCHILUS Krebsii**	Natal	15*s.* and 21*s.*
C	**LYCASTE aromatica**	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Barringtoniæ	West Indies	15*s.* and 21*s.*
I	Cobbiana	South America	
C	costata	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	cruenta	Guatemala	10*s.* 6*d.* and 15*s.*
C	—— major	Guatemala	
C	Deppei	Mexico	7*s.* 6*d.* and 10*s.* 6*d.*
C	fulvescens	Colombia	
C	gigantea	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
C	(Maxillaria) Harrisoniæ	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	(——) —— eburnea	South America	15*s.* and 21*s.*
C	(——) —— pubigera	South America	31*s.* 6*d.*
C	(——) —— purpurea	South America	31*s.* 6*d.*
C	lanipes	Guayaquil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Lawrenceana	South America	21*s.* and 31*s.* 6*d.*
I	leucantha	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	plana Measuresiana	Bolivia	31*s.* 6*d.* and 42*s.*
**C*	Skinneri	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**C*	—— alba	Guatemala	63*s.*, 84*s.* and 105*s.*
**C*	—— albo-marginata	Guatemala	
**C*	—— amœna	Guatemala	
**C*	—— ampliata	Guatemala	
**C*	—— aureola	Guatemala	
**C*	—— delicata	Guatemala	21*s.* and 31*s.* 6*d.*
**C*	—— fulgens	Guatemala	
**C*	—— grandis	Guatemala	42*s.* and 63*s.*
**C*	—— maculata	Guatemala	31*s.* 6*d.*
**C*	—— magnifica	Guatemala	
**C*	—— marginata	Guatemala	
**C*	—— marmorata	Guatemala	
**C*	—— maxima	Guatemala	
**C*	—— picta	Guatemala	42*s.* and 63*s.*
**C*	—— princeps	Guatemala	
**C*	—— radiata	Guatemala	
**C*	—— rosea	Guatemala	15*s.* and 21*s.*
**C*	—— —— superba	Guatemala	
**C*	—— rubella	Guatemala	21*s.* and 31*s.* 6*d.*
**C*	—— —— picta	Guatemala	
**C*	—— rubescens	Guatemala	
**C*	—— splendens	Guatemala	42*s.* and 63*s.*
**C*	—— superba	Guatemala	15*s.* and 21*s.*
**C*	—— tincta	Guatemala	42*s.* and 63*s.*
**C*	—— tricolor	Guatemala	31*s.* 6*d.*
**C*	—— venusta	Guatemala	
**C*	—— Vesta	Guatemala	
**C*	—— vivicans	Guatemala	
I	tetragona (Maxillaria)	Brazil	
S	**MACODES Petola**, *vide* **Anæctochilus Petola**		
C	**MASDEVALLIA abbreviata**	Colombia	5*s.* and 7*s.* 6*d.*
C	amabilis	Colombia	3*s.* 6*d.* and 5*s.*
C	—— lineata	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	anchorifera	Colombia	42*s.*
C	Backhousiana, *vide* **Chimæra Backhousiana**		

C	**MASDEVALLIA Barlæana**	Peru	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	bella	Colombia	7*s*. 6*d*., 10*s*. 6*d*. to 21*s*.
C	Benedictii, *vide* psittacina		
C	Bonplandii	Colombia	5*s*. and 7*s*. 6*d*.
C	calura	Colombia	
I	candida, *vide* tovarensis		
C	Carderi	Colombia	63*s*.
C	chelsoni	Hybrid	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
C	Chimæra	Colombia	7*s*. 6*d*., 10*s*. 6*d*. to 21*s*.
C	—— Backhousiana	Colombia	10*s*. 6*d*., 15*s*. and 21*s*.
C	—— gigantea	Colombia	42*s*. and 63*s*.
C	—— Roezlii	Colombia	21*s*. and 31*s*. 6*d*.
C	—— Wallisii	Colombia	10*s*. 6*d*., 15*s*. and 21*s*.
C	—— Winniana	Colombia	15*s*. and 21*s*.
C	Colibri, *vide* Trochilus		
C	corniculata	Colombia	10*s*. 6*d*., 15*s*. and 21*s*.
C	Crossii, *vide* racemosa		
C	cucullata	Colombia	63*s*. and 84*s*.
C	Davisii	South America	7*s*. 6*d*., 10*s*. 6*d*. to 21*s*.
C	Dayana (Cryptophoranthus)	Colombia	15*s*. and 21*s*.
C	demissa	South America	21*s*. and 31*s*. 6*d*.
C	elephanticeps	Colombia	
C	Ephippium, *vide* Trochilus		
C	erythrochæte	Colombia	10*s*. 6*d*., 15*s*. and 21*s*.
C	Estradæ	South America	10*s*. 6*d*., 15*s*. and 21*s*.
C	Gorgona, *vide* nycterina		
C	Harryana	Colombia	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	—— acanthifolia.—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rose colour; remarkably attractive	Colombia	42*s*. and 63*s*.
C	—— acuminata	Colombia	42*s*. and 63*s*.
C	—— atropurpurea	Colombia	42*s*. and 63*s*.
C	—— atrosanguinea	Colombia	31*s*. 6*d*., 42*s*. and 63*s*.
C	—— aurantiaca	Colombia	31*s*. 6*d*. and 42*s*.
C	—— cærulescens	Colombia	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	—— —— atroviolacea	Colombia	63*s*. and 84*s*.
C	—— —— concolor	Colombia	42*s*. and 63*s*.
C	—— —— gigantea	Colombia	84*s*. and 105*s*.
C	—— —— grandiflora	Colombia	63*s*. and 84*s*.
C	—— —— magnifica	Colombia	42*s*. and 63*s*.
C	—— —— maxima	Colombia	63*s*. and 84*s*.
C	—— —— superba	Colombia	42*s*. and 63*s*.
C	—— coccinea	Colombia	21*s*. and 31*s*. 6*d*.
C	—— Comet	Colombia	84*s*. and 105*s*.
C	—— conchiflora.—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance		7*s*. 6*d*. and 10*s*. 6*d*.
C	—— conspicua	Colombia	
C	—— decora	Colombia	42*s*. and 63*s*.
C	—— delicata	Colombia	42*s*. and 63*s*.
C	—— Denisoniana	Colombia	21*s*., 31*s*. 6*d*. and 42*s*.
C	—— elegans	Colombia	42*s*. and 63*s*.
C	—— Flambeau	Colombia	
C	—— flammea	Colombia	
C	—— formosa	Colombia	42*s*. and 63*s*.
C	—— gemma	Colombia	
C	—— gloriosa	Colombia	
C	—— illustris	Colombia	
C	—— insignis	Colombia	

C	**MASDEVALLIA Harryana lilacina** ..	Colombia	10*s.* 6*d.* and 15*s.*
C	**Harryana luteo-oculata**	Colombia	42*s.* and 63*s.*
C	—— **magnifica**	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— **Mars**	Colombia	
C	—— **Meteor**	Colombia	
C	—— **miniata**	Colombia	
C	—— **mirabilis**	Colombia	
C	—— **oculata**	Colombia	15*s.* and 21*s.*
C	—— **ornata**	Colombia	42*s.* and 63*s.*
C	—— **patens**	Colombia	
C	—— **princeps**	Colombia	
C	—— **purpurea**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— **magnifica**	Colombia	
C	—— **regalis.**—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson	Colombia	31*s.* 6*d.* and 42*s.*
C	—— **Reginæ**	Colombia	
C	—— **rosacea**	Colombia	10*s.* 6*d.* and 15*s.*
C	—— **rosea**	Colombia	21*s.* and 31*s.* 6*d.*
C	—— **rotundiflora**	Colombia	
C	—— **salmonea**	Colombia	
C	—— **sanguinea**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— **aurantiaca**	Colombia	63*s.* and 84*s.*
C	—— **splendens**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— **superba**	Colombia	42*s.* and 63*s.*
C	—— **triumphans**	Colombia	63*s.* and 84*s.*
C	—— **venusta**	Colombia	
C	—— **versicolor.**—A distinct variety, the rich magenta ground-colour being margined, or irregularly marked with intense maroon crimson	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	—— **violacea**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— **magnifica**	Colombia	63*s.* and 84*s.*
C	—— —— **oculata**	Colombia	42*s.* and 63*s.*
C	—— —— **superba**	Colombia	42*s.* and 63*s.*
C	—— **vivicans**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— **Walkeriana.**—A very handsome variety, with gigantic flowers 2½ inches across	Colombia	31*s.* 6*d.* and 42*s.*
C	**Houtteana**, *vide* **psittacina**		
C	**ignea**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— **aurantiaca**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— **citrina**	Colombia	
C	—— **Massangeana**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— **militaris**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— **purpurea**	Colombia	42*s.* and 63*s.*
C	—— —— **splendens**	Colombia	63*s.* and 84*s.*
C	—— **penanthe**	Colombia	15*s.* and 21*s.*
C	—— **speciosa**	Colombia	
C	—— **Stobartiana**	Colombia	21*s.* and 31*s.* 6*d.*
C	**inflata**	Colombia	42*s.* and 63*s.*
C	**infracta**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— **purpurea**	Colombia	21*s.* and 31*s.* 6*d.*
C	**ionocharis**	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**leontoglossa**	Colombia	21*s.*
C	**Lindeni**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	**macrura**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**maculata**	South America	3*s.* 6*d.* and 5*s.*
C	—— **flava**	South America	7*s.* 6*d.* and 10*s.* 6*d.*

C	**MASDEVALLIA maculata superba**	South America	
C	**muscosa**	South America	
C	**nycterina (Gorgona)**	Colombia	10*s.* 6*d.* and 15*s.*
C	**octhodes (Scaphosepalum)**	Colombia	5*s.*
C	**Peristeria**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**polysticta**	Colombia	5*s.* and 7*s.* 6*d.*
C	**—— brevior**	Colombia	10*s.* 6*d.* and 15*s.*
C	**—— caudata**	Colombia	10*s.* 6*d.* and 15*s.*
C	**porcelliceps**	Colombia	31*s.* 6*d.* and 42*s.*
C	**psittacina (Benedictii, Houtteana)**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	**racemosa (Crossii)**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**radiosa**	Colombia	21*s.* and 31*s.* 6*d.*
C	**—— major**	Colombia	
C	**Reichenbachiana**	South America	10*s.* 6*d.* and 15*s.*
C	**rosea**	Ecuador	10*s.* 6*d.* and 15*s.*
C	**Schlimii**	Colombia	15*s.* and 21*s.*
C	**severa**	Colombia	42*s.* and 63*s.*
C	**Shuttleworthii**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**—— xanthocorys**	Colombia	15*s.* and 21*s.*
C	**simula**	South America	15*s.* and 21*s.*
C	**spectrum**	South America	
C	**swerticifolia**	Colombia	10*s.* 6*d.* and 15*s.*
C	**torta**	Colombia	42*s.* and 63*s.*
*I	**tovarensis (candida)**	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	**triadactylites**	South America	21*s.* and 31*s.* 6*d.*
I	**triangularis**	Venezuela	7*s.* 6*d.* and 10*s.* 6*d.*
C	**trichæte**	Colombia	21*s.* and 31*s.* 6*d.*
C	**Trochilus (Colibri, Ephippium)**	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**Veitchiana**	Peru	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**—— grandiflora**	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**—— magnifica**	Peru	
C	**Vespertilio**	Colombia	21*s.* and 31*s.* 6*d.*
I	**Wagneriana**	Venezuela	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	**Wallisii**, *vide* **M. Chimæra Wallisii**		
C	**xanthina**	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**MAXILLARIA grandiflora**	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**Harrisoniæ**, *vide* **Lycaste Harrisoniæ**		
I	**leontoglossa**, *vide* **Xylobium**		
I	**lepidota**	South America	10*s.* 6*d.* and 15*s.*
*C	**luteo-alba**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**—— grandiflora**	Colombia	21*s.*
C	**—— purpurea**	Colombia	21*s.*
C	**nigrescens**	Merida	7*s.* 6*d.* and 10*s.* 6*d.*
C	**picta**	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**Sanderiana**	South America	
I	**squalens**	South America	5*s.* and 7*s.* 6*d.*
I	**tenuifolia**	Mexico	10*s.* 6*d.* and 15*s.*
I	**tetragona**, *see* **Lycaste tetragona**		
C	**Turneri**	Mexico	10*s.* 6*d.* and 15*s.*
C	**venusta**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**MESOSPINIDIUM roseum**	Mexico	10*s.* 6*d.*
*C	**sanguineum**	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	**vulcanicum**	Ecuador	15*s.* and 21*s.*
C	**—— grandiflorum**	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**MICROSTYLIS calophylla**	East Indies	10*s.* 6*d.* and 15*s.*
S	**metallica**	Borneo	10*s.* 6*d.* and 15*s.*
I	**MILTONIA candida**	Brazil	15*s.* and 21*s.*
I	**candida punctata**	Brazil	
I	**Clowesii**	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

I	**MILTONIA** Clowesii major	Brazil	15*s.* and 21*s.*
I	Clowesii pauciguttata	Brazil	42*s.* and 63*s.*
I	cuneata	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— platyglossa	Brazil	
I	festiva	Brazil	21*s.*
I	flavescens (stellata)	Brazil	10*s.* 6*d.* and 15*s.*
I	Moreliana	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— atropurpurea	Brazil	
I	—— atrorubens	Brazil	
I	Phalænopsis, *vide* Odontoglossum Phalænopsis		
I	Regnellii (cereola)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— purpurea	Brazil	42*s.* and 63*s.*
I	Roezlii, *vide* Odontoglossum Roezlii		
I	Russelliana	Brazil	
I	spectabilis	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— aspirata	Brazil	
I	—— bicolor	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— intermedia	Brazil	31*s.* 6*d.*
I	—— marginata	Brazil	
I	—— virginalis	St. Catherine's	21*s.* and 31*s.* 6*d.*
I	vexillaria, *vide* Odontoglossum vexillarium		
I	**MORMODES** buccinator	Mexico	15*s.* and 21*s.*
I	luxatum	Mexico	21*s.* and 31*s.* 6*d.*
I	—— eburneum	Mexico	21*s.* and 31*s.* 6*d.*
I	pardinum	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— unicolor	Mexico	21*s.* and 31*s.* 6*d.*
I	**NANODES** Medusæ	South America	21*s.* and 31*s.* 6*d.*
S	**NEPHELAPHYLLUM** pulchrum	Java	15*s.* and 21*s.*
**C*	**ODONTOGLOSSUM** Alexandræ, *vide* O. crispum		
C	amabile (*hybrid*)	Colombia	
C	Andersonianum	Bogota	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— lobatum	Bogota	
C	angustatum	Colombia	42*s.*
C	Arnoldianum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	aspersum (*hybrid*)	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
C	astranthum	Colombia	
C	baphicanthum (*hybrid*)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	bellinum (*hybrid*)	Colombia	
**C*	bictonense	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	—— album	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	blandum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	blepharicanthum	Venezuela	42*s.* and 63*s.*
**C*	Bluntii, *vide* O. crispum		
C	cariniferum	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	Cervantesii	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— decorum	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— roseum	Mexico	
C	Chestertoni (*hybrid*)	Colombia	42*s.* and 63*s.*
C	cirrosum	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— gemmatum	Ecuador	63*s.*
C	—— Hrubyanum	Ecuador	
C	—— Klabochorum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	citrosmum (pendulum)	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— album	Mexico	
C	—— carneum	Mexico	
C	—— grandiflorum	Mexico	
C	—— punctatum	Mexico	
C	—— maximum	Mexico	
C	—— roseum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

C	**ODONTOGLOSSUM citrosmum rubrum**	Mexico	
C	**citrosmum rubrum grandiflorum** ..	Mexico	
C	**constrictum**	South America	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	**Coradinei**	Colombia	15*s*. and 21*s*.
C	**—— hemileucum**	Colombia	
C	**—— maculatum**	Colombia	
C	**—— stenoglossum**	Colombia	31*s*. 6*d*.
*C	**cordatum**	Mexico	10*s*. 6*d*., 15*s*. and 21*s*.
*C	**—— Kienastianum**	Mexico	84*s*. and 105*s*.
*C	**—— nigrum**	Mexico	84*s*.
*C	**—— pictum**	Mexico	63*s*.
*C	**—— superbum**	Mexico	42*s*. and 63*s*.
C	**coronarium**	Colombia	42*s*. and 63*s*.
C	**—— Dayanum**	Colombia	
C	**—— miniatum**	Colombia	63*s*.
*C	**crispum (Alexandræ, Bluntii)**	Colombia	3*s*. 6*d*., 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*., and various sizes from 21*s*. upwards.
*C	**—— album**	Colombia	
*C	**—— aureo-purpureum**	Colombia	
*C	**—— amœnum**	Colombia	42*s*. and 63*s*.
*C	**—— concinnum**	Colombia	
*C	**—— flaveolum**	Colombia	
*C	**—— giganteum**	Colombia	
*C	**—— grandiflorum**	Colombia	63*s*. and 84*s*.
*C	**—— grandis**	Colombia	
*C	**—— guttatum**	Colombia	63*s*. and 84*s*.
*C	**—— intermedium**	Colombia	
*C	**—— Lehmanni**	Colombia	
*C	**—— nivalis**	Colombia	
*C	**—— pictum**	Colombia	
*C	**—— princeps**	Colombia	
*C	**—— punctatum**	Colombia	
*C	**—— purpureum**	Colombia	
*C	**—— roseum**	Colombia	42*s*., 63*s*. and 84*s*.
*C	**—— signatum**	Colombia	
*C	**—— speciosum**	Colombia	63*s*. and 84*s*.
*C	**—— splendens**	Colombia	63*s*., 84*s*. and 105*s*.
*C	**—— stupendum**	Colombia	
*C	**—— superbum**	Colombia	63*s*. and 84*s*.
*C	**—— Trianæ**	Colombia	63*s*. and 84*s*.
C	**cristatellum**	Colombia	21*s*., 31*s*. 6*d*. and 42*s*.
C	**cristatum**	Peru	15*s*., 21*s*. and 31*s*. 6*d*.
C	**crocatum**	Colombia	
C	**crocidipterum**	South America	10*s*. 6*d*. and 15*s*.
C	**cuspidatum**	Colombia	
C	**decorum (*hybrid*)**	Colombia	
C	**deltoglossum (*hybrid*)**	Colombia	
C	**Diadema (*hybrid*)**	Colombia	
C	**Edouardii**	Ecuador	15*s*., 21*s*. and 31*s*. 6*d*. Fine strong specimens, 42*s*. to 105*s*.
*C	**Ehrenbergii**	Mexico	
C	**eximium (*hybrid*)**	Colombia	
C	**facetum**	Colombia	15*s*., 21*s*. and 31*s*. 6*d*
C	**flaveolum (*hybrid*)**	Colombia	
C	**gloriosum**	Ocaña	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	**—— album (nævium majus)**	Ocaña	10*s*. 6*d*., 15*s*. and 21*s*.
C	**—— aureum**	Ocaña	
C	**—— hybridum**	Ocaña	

C	**ODONTOGLOSSUM** gloriosum nigrum	Ocaña	42*s.* and 63*s.*
C	gloriosum pictum	Ocaña	42*s.* and 63*s.*
C	—— superbum	Ocaña	21*s.* and 31*s.* 6*d.*
C	grande	Guatemala	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— ampliatum	Guatemala	
C	—— macrolobum	Guatemala	42*s.*
C	—— nigrum	Guatemala	
C	—— obtusum	Guatemala	
C	—— pictum	Guatemala	
C	—— superbum	Guatemala	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Hallii	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— leucoglossum	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— marginatum	Ecuador	
C	—— nigrum	Ecuador	
C	—— xanthoglossum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Harryanum	South America	5*s.*, 7*s.* 6*d.* to 21*s.*
I	—— superbum	South America	
I	—— tigrinum	South America	
I	hastilabium	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superbum	Colombia	
C	hebraicum (*hybrid*)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— albens (*hybrid*)	Colombia	
C	hieroglyphicum (*hybrid*)	Colombia	
C	Holfordianum	Colombia	
C	Hunnewellianum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	hystrix (radiatum)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	illustris (*hybrid*)	Colombia	
C	ioplocon	Colombia	
**C*	insigne (*hybrid*)	Colombia	
I	Insleayi leopardinum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— splendens	Mexico	42*s.*, 63*s.* and 84*s.*
I	Karwinskii	South America	15*s.* and 21*s.*
I	Krameri	Costa Rica	42*s.* and 63*s.*
C	lanceans (*hybrid*)	South America	
C	lacteum (*hybrid*)	South America	
C	lepidum (*hybrid*)	South America	
C	ligulare	South America	
C	Lindeni	Colombia	10*s.* 6*d.*
C	Lindleyanum	Colombia	3*s.* 6*d.* and 5*s.*
C	—— speciosum	Colombia	15*s.* and 21*s.*
**C*	Londesboroughianum	Mexico	
C	luteo-purpureum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— —— conspicuum	Colombia	
C	—— —— dentatum	Colombia	
C	—— —— nobilis	Colombia	
**C*	maculatum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— anceps	Mexico	63*s.* and 84*s.*
**C*	—— aureum	Mexico	84*s.* and 105*s.*
**C*	—— erosum	Mexico	84*s.* and 105*s.*
**C*	—— stenanthum	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— superbum	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— triumphans	Mexico	
C	madrense (maxillare)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— majus	Mexico	42*s.* and 63*s.*
C	membranaceum	Mexico	10*s.* 6*d.* and 15*s.*
C	mirabile (*hybrid*)	Colombia	

C	**ODONTOGLOSSUM mirandum**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	mulus	Colombia	
C	—— crocatum	Colombia	
C	—— cuspidatum	Colombia	
C	nævium	Ocaña	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— majus, *vide* O. gloriosum album		
C	nebulosum	Mexico	7*s.* 6*d*, 10*s.* 6*d.* and 15*s.*
C	—— candidum	Mexico	15*s.* and 21*s.*
C	—— grandiflorum	Mexico	
C	—— pardinum	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— punctatum	Mexico	31*s.* 6*d.* and 42*s.*
C	nevadense	Colombia	
C	Noezlianum	Peru	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
C	odoratum	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— giganteum	Colombia	
C	Œrstedii	Costa Rica	5*s.* and 7*s.* 6*d.*
C	—— majus	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
C	pendulum *vide* O. citrosmum		
C	Pescatorei	Colombia	3*s.* 6*d.*, 5*s.* to 21*s.*
C	—— aurantiacum	Colombia	
C	—— formosum	Colombia	
C	—— grandiflorum	Colombia	42*s.* and 63*s.*
C	—— insigne	Colombia	
C	—— limbosum	Colombia	
C	—— nivale	Colombia	42*s.* and 63*s.*
C	—— oculatum	Colombia	63*s.* and 84*s.*
C	—— speciosum	Colombia	
C	—— splendens	Colombia	42*s.* and 63*s.*
C	—— stupendum	Colombia	
C	—— tinctum	Colombia	
I	Phalænopsis (Miltonia Phalænopsis)	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— splendens	Ocaña	
C	picturatum (*hybrid*)	Colombia	
C	polyxanthum	Ecuador	10*s.* 6*d.*, 15*s.* & 21*s.*
C	pretiosum, *vide* O. Schleiperianum		
C	princeps (*hybrid*)	Colombia	
*C	pulchellum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— Egertoni (tenue)	Mexico	3*s.* 6*d.* and 5*s.*
*C	—— majus	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	radiatum, *vide* O. hystrix		
C	ramosissimum	Colombia	31*s.* 6*d.* and 42*s.*
C	—— album	Colombia	42*s.* and 63*s.*
C	ramulosum	Ocaña	15*s.* and 21*s.*
C	Reichenheimii	Mexico	21*s.* and 31*s.* 6*d.*
S	Roezlii (Miltonia Roezlii)	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
S	—— album	Colombia	10*s.* 6*d.*, 15*s.* & 21*s.*
S	—— delicatum	Colombia	10*s.* 6*d.* and 15*s.*
S	—— roseum	Colombia	21*s.* and 31*s.* 6*d.*
S	—— splendens	Colombia	63*s.* and 84*s.*
C	roseum *vide* Mesospinidium roseum		
*C	Rossii majus	Mexico	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
*C	—— —— musaicum	Mexico	
*C	—— —— nivosum	Mexico	
*C	—— —— pictum	Mexico	
*C	—— —— splendens	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— —— virginale	Mexico	
C	Ruckerianum (*hybrid*)	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— giganteum (*hybrid*)	Colombia	84*s.* and 105*s.*

C	**ODONTOGLOSSUM Sanderianum**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	sceptrum.....	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— crenatum	Colombia	
C	Schillerianum	Venezuela	63*s.*
C	Schleiperianum (pretiosum)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— flavidum	Costa Rica	84*s.* and 105*s.*
C	spectabile (*hybrid*)	South America	
**C*	tripudians	Peru	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— grandiflorum	Peru	15*s.* and 21*s.*
C	triumphans	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Uroskinneri	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	venustum (*hybrid*).....	Colombia	
I	vexillarium (Miltonia vexillaria) ..	Colombia	5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and various sizes from 21*s.* upwards.
I	—— albescens	Colombia	
I	—— amabile	Colombia	
I	—— amœnum	Colombia	
I	—— bicolor	Colombia	42*s.* and 63*s.*
I	—— chelsoniense	Colombia	
I	—— Cobbianum	Colombia	84*s.* and 105*s.*
I	—— conspicuum	Colombia	
I	—— erubescens	Colombia	
I	—— giganteum.....	Colombia	84*s.* and 105*s.*
I	—— illustris	Colombia	
I	—— insigne	Colombia	84*s.* and 105*s.*
I	—— maculatum	Colombia	
I	—— marginatum	Colombia	
I	—— marmoratum.....	Colombia	
I	—— pictum	Colombia	
I	—— picturatum	Colombia	
I	—— pulcherrimum	Colombia	42*s.* and 63*s.*
I	—— purpurascens.....	Colombia	
I	—— radiatum	Colombia	
I	—— roseum	Colombia	42*s.*, 63*s.* and 84*s.*
I	—— rubellum (Autumn-flowering)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— rubrum	Colombia	
I	—— splendens	Colombia	
I	—— superbum	Colombia	
I	—— venosum	Colombia	
C	Victor (*hybrid*)	Colombia	
C	Wallisii	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Wilckeanum (*hybrid*)	Colombia	42*s.*, 63*s.* and 84*s.*
C	—— albens (*hybrid*).....	Colombia	
C	—— pallens (*hybrid*)	Colombia	
C	Williamsianum	Costa Rica	
C	**ONCIDIUM** æmulum, *vide* **O.** superbiens		
S	altissimum	West Indies.....	7*s.* 6*d.* and 10*s.* 6*d.*
S	ampliatum	Panama	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus.....	Panama	10*s.* 6*d.* and 15*s.*
I	anciferum	South America	15*s.* and 21*s.*
I	auriferum	South America	
C	aurosum (excavatum)	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Balderramæ	Colombia	
I	barbatum	Brazil	10*s.* 6*d.* and 15*s.*
**C*	Barkeri, *vide* **O.** tigrinum		
I	bicallosum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	bicolor	Brazil	10*s.* 6*d.* and 15*s.*
I	bifolium	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*

S	**ONCIDIUM bifrons**	Trinidad	
C	cæsium	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	carthaginense	Mexico	10*s.* 6*d.*, 15*s.* & 21*s.*
*I	Cavendishianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	cheirophorum	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	chrysomorphum	South America	21*s.* and 31*s.* 6*d.*
C	concolor	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*
I	cornigerum	Brazil	15*s.* and 21*s.*
I	—— longiracemosum	Brazil	42*s.*
C	crispum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflorum	Brazil	15*s.* and 21*s.*
C	—— nigrum	Brazil	42*s.*
C	—— punctatissimum	Brazil	63*s.*
I	cristatum	South America	
I	cruciatum	Brazil	
I	—— marginatum	Brazil	
C	cucullatum	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— grandiflorum	South America	21*s.* and 31*s.* 6*d.*
C	—— maculosum	South America	21*s.* and 31*s.* 6*d.*
C	—— panduratum	South America	31*s.* 6*d.* and 42*s.*
C	—— purpureum	South America	42*s.* and 63*s.*
C	curtum	Brazil	21*s.* and 31*s.* 6*d.*
C	dasytyle	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Diadema, *vide* serratum		
I	divaricatum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Enoi	Colombia	
C	excavatum, *vide* aurosum		
C	falcipetalum	Venezuela	
C	flexuosum	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Forbesii	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— grandiflorum	Brazil	31*s.* 6*d.* and 42*s.*
I	Forstermannii	South America	21*s.* and 31*s.* 6*d.*
I	fuscatum	Colombia	7*s.* 6*d.* to 21*s.*
C	Gardnerianum	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
C	grandiflorum	Colombia	
C	Harrisonianum	Mexico	15*s.* and 21*s.*
C	hastatum, *vide* stelligerum		
C	incurvum	Oaxaca	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	insculptum	South America	63*s.*
I	janeirense, *vide* longipes		
S	Kramerianum	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	lamelligerum	Ecuador	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Lanceanum	Suriuam	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— superbum	Surinam	21*s.* and 31*s.* 6*d.*
I	leucochilum	Mexico	21*s.* and 31*s.* 6*d.*
C	—— splendens	Mexico	63*s.* and 84*s.*
C	Limminghii	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	longipes (janeirense)	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	luridum (guttatum)	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
C	macranthum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.* Fine large plants 31*s.* 6*d.* to 10 guineas each
C	—— aurosum	Ecuador	
C	—— grandiflorum	Ecuador	
C	—— hastiferum	Ecuador	42*s.*, 63*s.* and 84*s.*
C	Marshallianum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
S	microchilum	Brazil	21*s.* and 31*s.* 6*d.*
I	micropogon	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
C	monachicum	South America	21*s.* and 31*s.* 6*d.*

I	**ONCIDIUM nigratum**	British Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
C	nubigenum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— splendens	Ecuador	21*s.* and 31*s.* 6*d.*
I	oblongatum	Brazil	42*s.*
I	obryzatum	Brazil	21*s.* and 31*s.* 6*d.*
**C*	ornithorrhynchum	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
S	Papilio	Panama	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Phalænopsis	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	phylloglossum	Colombia	
I	phymatochilum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	pictum	South America	
C	plagianthum	Colombia	
C	prætextum	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— aureum	Brazil	
C	—— superbum	Brazil	15*s.* and 21*s.*
I	pubes	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— elatum	Brazil	21*s.*
C	pulchellum	Colombia	
I	pulvinatum	Brazil	10*s.* 6*d.* and 15*s.*
I	pumilum	Brazil	21*s.* and 31*s.* 6*d.*
I	pyramense	South America	15*s.* and 21*s.*
I	reflexum	Mexico	10*s.* 6*d.* and 15*s.*
I	roseum, *vide* carthaginense		
I	rotundatum	South America	
I	sarcodes	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— decorum	Brazil	42*s.*
I	—— splendens	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— superbum	Brazil	31*s.* 6*d.* and 42*s.*
I	Schillerianum	South America	15*s.* and 21*s.*
I	Schlimii	South America	10*s.* 6*d.* and 15*s.*
C	serratum (Diadema)	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
I	sessile	Santa Martha	15*s.*, 21*s.* and 31*s.* 6*d.*
I	sphacelatum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	sphegiferum	South America	15*s.* and 21*s.*
I	splendidum	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	stelligerum (hastatum)	Mexico	15*s.* and 21*s.*
I	—— amœnum	Mexico	42*s.* and 63*s.*
I	—— Ernstii	Mexico	63*s.*
I	—— ornatum	Mexico	42*s.* and 63*s.*
I	—— pictum	Mexico	42*s.* and 63*s.*
C	superbiens (æmulum)	Colombia	42*s.* and 63*s.*
C	tetracopis	Colombia	
**C*	tigrinum (Barkeri)	Mechoacan	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	undulatum	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
**I*	unguiculatum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	unicorne	Brazil	5*s.* and 7*s.* 6*d.*
C	varicosum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	—— pictum	Brazil	31*s.* 6*d.* and 42*s.*
C	—— Rogersii	Brazil	
C	Wallisii	Colombia	
I	Weltoni	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Wentworthianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	zebrinum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**ORNITHOCEPHALUS grandiflorus**	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**ORNITHIDIUM coccineum**	Brazil	15*s.* and 21*s.*
I	**PALUMBINA candida**	Mexico	10*s.* 6*d.* and 15*s.*

S	**PAPHINIA** cristata	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	cristata grandis	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**PERISTERIA** elata (The Dove Flower)	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*

El Espiritu Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.

S	Lindeni	South America	
I	**PESCATORIA** (Huntleya) cerina	South America	15*s.* and 21*s.*
I	**PHAIUS** albus, *vide* Thunia alba		
S	Bensoniæ, *vide* Thunia Bensoniæ		
S	bicolor	Ceylon	42*s.*, 63*s.* and 84*s.*
I	Blumei	Assam	
**I*	grandifolius (Bletia Tankervilliæ)	Hong Kong	7*s.* 6*d.* and 10*s.* 6*d.*
S	Henryii	Madagascar	31*s.* 6*d.* and 42*s.*
S	Humblotii	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*
S	luridus	Ceylon	21*s.* and 31*s.* 6*d.*
S	Marshallianus, *vide* Thunia Marshalliana		
C	Sieboldii	Japan	10*s.* 6*d.* and 15*s.*
C	—— maculatus	Japan	10*s.* 6*d.*, 15*s.* and 21*s.*
S	tuberculosus	Madagascar	31*s.* 6*d.* and 42*s.*
I	Wallichii	Sylhet	21*s.* and 31*s.* 6*d.*
I	Woodfordii	East Indies	10*s.* 6*d.* and 15*s.*
I	—— maculatus	East Indies	15*s.* and 21*s.*
S	**PHALÆNOPSIS** amabilis (Aphrodite)	Sunda Islands	10*s.* 6*d.* and 15*s.*
S	Esmeralda	Cochin China	10*s.* 6*d.* and 15*s.*
S	—— Regnieri	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
S	grandiflora	Borneo	10*s.* 6*d.* and 15*s.*
S	Lowii	East Indies	21*s.*
S	Lüddemanniana	Philippine Islands	10*s.* 6*d.* and 15*s.*
S	rosea	East Indies	15*s.* and 21*s.*
S	Sanderiana	East Indies	15*s.* and 21*s.*
**S*	Schilleriana	Manilla	15*s.* and 21*s.*
S	speciosa	Andaman Islands	
S	Stuartiana	East Indies	
S	—— nobilis	East Indies	
S	tetraspis	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	violacea	East Indies	21*s.* and 31*s.* 6*d.*
S	**PHOLIDOTA** imbricata	East Indies	5*s.* and 7*s.* 6*d.*
**C*	**PILUMNA** (Trichopilia) fragrans	Merida	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	laxa, *vide* Trichopilia laxa		
**I*	nobilis	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**PLATYCLINIS** (Dendrochilum) arachnites	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Cobbiana	East Indies	10*s.* 6*d.* and 15*s.*
I	—— gigantea	East Indies	63*s.* and 84*s.*
I	cucumerina	East Indies	15*s.* and 21*s.*
S	filiformis	Manilla	21*s.* and 31*s.* 6*d.*
**S*	glumacea	Philippine Islands	10*s.* 6*d* , 15*s.* and 21*s.*
S	uncata	East Indies	10*s.* 6*d.* and 15*s.*
**C*	**PLEIONE** Hookeri	East Indies	21*s.*
**C*	humilis	East Indies	10*s.* 6*d.*
**C*	—— tricolor	Assam	21*s.*
**C*	lagenaria	Khasya	5*s.* and 7*s.* 6*d.*
**C*	maculata	Assam, Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	Reichenbachiana	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	Wallichiana	Arracan Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**PLEUROTHALLIS** Barberiana	South America	21*s.*
I	plumosa	South America	
I	scapha	South America	105*s.*

I	**PLEUROTHALLIS** tridentata	South America	10*s.* 6*d.*
I	velatocaulis	South America	
S	**PROMENÆA** citrina	Brazil	10*s.* 6*d.* and 15*s.*
S	Rollissonii	Brazil	31*s.* 6*d.* and 42*s.*
S	stapelioides	Brazil	10*s.* 6*d.* and 15*s.*
S	**RENANTHERA** coccinea	Cochin China	21*s.* and 31*s.* 6*d.*
S	Storiei	Philippine Islands	
C	**RESTREPIA** antennifera	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	antennifera major	Colombia	
C	elegans	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	leopardina	Colombia	10*s.* 6*d.* and 15*s.*
I	ophiocephala	Mexico	21*s.*
S	**RHYNCOSTYLIS** (Saccolabium) cælestis	Cochin China	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**RODRIGUEZIA** planifolia	South America	7*s.* 6*d.* and 10*s.* 6*d.*
S	secunda	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	**SACCOLABIUM** ampullaceum	Rangoon	7*s.* 6*d.* and 10*s.* 6*d.*
S	ampullaceum moulmeinense	Moulmein	63*s.* and 84*s.*
S	bellinum	Burmah	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Blumei	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— Dayanum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— javanense	Java	21*s.* and 31*s.* 6*d.*
S	—— lilacinum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— longiracemosum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— pulchrum	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— rubrum	East Indies	31*s.* 6*d.* and 42*s.*
S	—— splendens	East Indies	42*s.* and 63*s.*
S	calceolare	Khasi Hills	42*s.* and 63*s.*
S	cæleste, *vide* Rhyncostylis cælestis		
S	curvifolium	Nepal, Ceylon	10*s.* 6*d.*, 15*s.* & 21*s.*
**S*	giganteum (Vanda densiflora)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**S*	—— illustre	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	guttatum	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
S	—— giganteum	East Indies	
S	—— Holfordianum	East Indies	63*s.*
S	—— superbum	Ceylon	63*s.* and 84*s.*
S	Harrisonianum	Pulo, Copang	21*s.*, 31*s.* 6*d.* and 42*s.*
S	miniatum citrinum	Cochin China	
S	præmorsum	Java	42*s.* and 63*s.*
S	retusum	Java	42*s.* and 63*s.*
S	violaceum	Manilla	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**SARCOCHILUS** Hartmanni	North Australia	
S	**SARCOPODIUM** Lobbii	East Indies	10*s.* 6*d.*, 15*s.* & 21*s.*
I	**SCHOMBURGKIA** tibicinis	Mexico	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**SCUTICARIA** Dodgsonii	West Indies	42*s.* and 63*s.*
I	Hadwenii	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
	SELENIPEDIUM, *vide* Cypripedium		
I	**SOBRALIA** macrantha	Guatemala	21*s.* and 31*s.* 6*d.*
I	macrantha nana	Guatemala	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— splendens	Guatemala	42*s.* and 63*s.*
C	**SOPHRONITIS** cernua	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	grandiflora	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
**C*	—— coccinea	Brazil	
**C*	—— marginata	Brazil	
**C*	—— militaris	Brazil	
**S*	—— rosea	Brazil	31*s.* 6*d.* and 42*s.*
**C*	—— superba	Brazil	

C	**SOPHRONITIS** violacea	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**SPATHOGLOTTIS** Fortunei	Hong Kong	21*s.* and 31*s.* 6*d.*
S	pacifica	Pacific Islands	
S	Regnieri	Cochin China	10*s.* 6*d.*, 15*s.* & 21*s.*
I	**STANHOPEA** Bucephalus	South America	10*s.* 6*d.* and 15*s.*
I	chrysops	South America	
I	decora	South America	
I	ecornuta	South America	42*s.*
I	grandiflora (eburnea)	South America	10*s.* 6*d.*
I	graveolens	South America	10*s.* 6*d.*
I	guttulata	South America	10*s.* 6*d.* and 15*s.*
I	insignis	Brazil	10*s.* 6*d.* and 15*s.*
I	maculata	South America	15*s.*
C	oculata	Xalapa	10*s.* 6*d.* and 15*s.*
I	Ruckeriana	South America	15*s.*
I	saccata	Guatemala	15*s.* and 21*s.*
C	tigrina	Xalapa	10*s.* 6*d.* and 15*s.*
C	—— superba	Xalapa	10*s.* 6*d.* and 15*s.*
I	Wardiana	La Guayra	10*s.* 6*d.* and 15*s.*
S	**TAINIA** latifolia (Ania)	Assam	
S	**THRIXSPERMUM** Berkeleyii	Andaman Islands	42*s.*
I	**THUNIA** (Phaius) alba	India	7*s.* 6*d.* and 10*s.* 6*d.*
I	alba striata	India	5*s.* and 7*s.* 6*d.*
S	Bensoniæ	Moulmein	15*s.* and 21*s.*
S	—— acuminata	Moulmein	
S	—— splendens	Moulmein	21*s.* and 31*s.* 6*d.*
S	—— variegata	Moulmein	63*s.*
S	—— Winniana	Moulmein	31*s.* 6*d.* and 42*s.*
S	intermedia	India	
S	Marshalliana	India	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— ionophlebia	India	42*s.* and 63*s.*
S	—— sulphurea	India	
S	—— tricolor	India	63*s.* and 84*s.*
S	pulchra	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Veitchiana	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**TRICHOPILIA** coccinea	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	coccinea marginata (very rare)	Costa Rica	
I	crispa (gloxiniæflora)	Costa Rica	31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— marginata	Costa Rica	
C	fragrans, *vide* Pilumna fragrans		
I	Galeottiana (picta)	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— luteola	Costa Rica	
I	(Pilumna) laxa	South America	5*s.* and 7*s.* 6*d.*
I	lepida	South America	
I	suavis	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superba	Costa Rica	15*s.*, 21*s.* and 31*s.* 6*d.*
C	tortilis	Mexico	10*s.* 6*d.* and 15*s.*
**C*	**TRICHOSMA** suavis	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**TRIGONIDIUM** ringens	Assam	15*s.* and 21*s.*
I	**UROPEDIUM** Lindeni	Colombia	31*s.* 6*d.* and 42*s.*
S	**VANDA** Amesiana	Eastern Archipelago	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	Batemanii	Moluccas	15*s.* and 21*s.*
S	Bensonii	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Boxallii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Cathcartii	Sikkim	42*s.* and 63*s.*
I	cærulea	Khasya	15*s.*, 21*s.* and 31*s.* 6*d.*
I	cærulescens	Burmah	21*s.* and 31*s.* 6*d.*

S	**VANDA concolor**	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Denisoniana	India	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	densiflora, *vide* Saccolabium giganteum		
S	gigantea	Moulmein & Rangoon	15*s.* and 21*s.*
S	Hookeriana	Borneo	21*s.*, 31*s.* 6*d.* and 42*s.*
S	insignis	Timor	21*s.* and 31*s.* 6*d.*
S	Kimballiana	Eastern Archipelago	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	Massaiana	East Indies	42*s.* and 63*s.*
S	Parishii	Burmah	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— Marriottiana	Burmah	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Roxburghii	Bengal	21*s.* and 31*s.* 6*d.*
S	—— tessellata	Bengal	21*s.* and 31*s.* 6*d.*
S	Sanderiana	Eastern Archipelago	
S	suavis	Java	21*s.*, 31*s.* 6*d.* and 42*s.*
S	—— (Chatsworth variety)	Java	31*s.* 6*d.* and 42*s.*
S	—— maxima	Java	
S	teres	Sylhet	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— Andersoni	Sylhet	10*s.* 6*d.*, 15*s.* and 21*s.*
I	tricolor	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— aurea	Java	
I	—— chelsoniensis	Java	
I	—— formosa	Java	31*s.* 6*d.* and 42*s.*
I	—— insignis	Java	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— limbata	Java	
I	—— meleagris	Java	
I	—— multiflora	Java	31*s.* 6*d.* and 42*s.*
I	—— nebulosa	Java	42*s.* and 63*s.*
I	—— ochracea	Java	
I	—— splendens	Java	
I	—— superba	Java	31*s.* 6*d.* and 42*s.*
I	undulata	Assam	42*s.* and 63*s.*
S	**VANILLA aromatica**	Brazil	3*s.* 6*d.* and 5*s.*
S	planifolia	South America	5*s.* and 7*s.* 6*d.*
I	**WARREA tricolor**	Brazil	10*s.* 6*d.* and 15*s.*
I	**WARSCEWICZELLA discolor**	Colombia	15*s.* and 21*s.*
I	**XYLOBIUM (Maxillaria) leontoglossum**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ZYGOPETALUM Clayii**	Hybrid	63*s.*
**I*	crinitum cœruleum	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
**I*	—— roseum	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
**I*	—— superbum	Brazil	21*s.* and 31*s.* 6*d.*
I	Gautieri	Brazil	15*s.* and 21*s.*
I	intermedium	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	Mackayi	Brazil	10*s.* 6*d.* and 15*s.*
**C*	—— majus	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	maxillare	Brazil	10*s.* 6*d.* and 15*s.*
I	rostratum	South America	21*s.* and 31*s.* 6*d.*
I	Sedenii	Hybrid	63*s.* and 84*s.*
I	Wendlandi	Costa Rica	

CHOICE ORCHIDS.

EAST INDIAN | MEXICAN | WEST INDIAN | PERUVIAN | COLOMBIAN | BRAZILIAN

Collections made at 3, 4, 6, 9, and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at **3, 4, 6, 9 and 12 guineas per dozen.**

SPHAGNUM MOSS FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.
BEST FIBROUS PEAT FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.

NEW AND CHOICE ACHIMENES.

BRILLIANT, flowers reddish-scarlet, throat punctulated orange. 3*s.* 6*d.*
COQUETTE, flowers violet-purple, a fiery purple ring at mouth of throat. 3*s.* 6*d.*
VIOLETTA, rich violet-purple, the lobes and throat darkly veined. 2*s.* 6*d.*

Good selections made at 6*s.*, 9*s. and* 12*s. per dozen, according to sorts.*
New and choice sorts, 18*s. and* 30*s. per dozen, according to sorts.*

ADMIRATION
ALEXANDRA
AMBROISE VERSCHAFFELT
ARGUS
AURORA
AUTUMNALIS
CARL WOLFARTH
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
DIADEM
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FIREFLY
FRANCOIS CARDINAUX
FRAU BRUNOW
GEORGIANA
GIBSONII
HARRY WILLIAMS
HENDERSONI
JAREQUIA MAXIMA
LABYRINTHICUM
LADY LYTTLETON
LEOPARD
LONGIFLORA

LONGIFLORA MACRANTHA
—— MAJOR
—— ROSEA

LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MAONET
MARGARITÆ
MARVEL
MAUVE PERFECTION
—— QUEEN
MASTERPIECE
METEOR
MINIATA
NESIDA
OBERON
ONDINE
PARSONSII
PURPUREA MULTIFLORA
RIVAL
ROSEA ELEGANS
—— MAGNIFICA
ROSE QUEEN
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS
WILLIAMSII

EUCODONIAS.

A free-flowering and dwarf-growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1*s.* and 1*s.* 6*d.* each.

EHRENBERGII
NÆGELIOIDES
NÆGELIOIDES DIAMANTINA
—— LILACINELLA
NÆGELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

HYBRID GESNERAS.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose-coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3*s.* 6*d.*
SOUVNIER DE MADAME JOIGNOT; this variety has handsome bronze-green leaves, the Archimene-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 3*s.* 6*d.*

NEW AND CHOICE GLOXINIAS.

WITH ERECT FLOWERS.

Alpha	Melas
Amethyst	Mentor
Baron de Rothschild	Modiola
	Mogul
Calypso	Neptune
Casilda	Odin
Casino	Oscar
Chaucer	Parthenia
Cygnet	Phasis
Dryden	Prince de Galles
Ethel	Rubis
Fantome	Tampico
Flore	Templar
Hecla	Tennyson
Hydra	Terano
La France	Velindra
Lydia	Viroinalis
Malabar	

GLOXINIA.

Choice selections made by Mr. W. B. at 18s., 30s and 42s. per dozen, according to sorts.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 6s. 9s. and 12s. per dozen; 40s., 50s., and 75s. per 100.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18*s*., 30*s*. and 42*s*. per dozen, according to sorts.

Ailsa	Lorenzo
Alarm	Mancinus
Amarante et Cannelle	Marquis de Guiadiaro
	Minerve
Amazon	M. Richard Larios
Apollon	Ophyr
Cecilia	Parepa
Clovis	Pluton
Coquette	Portia
Daphne	Robert le Diable
Elaine	Thalie
Gigantea	Ukara
Hotspur	

TYDÆA.

NEW AND CHOICE
REGAL PELARGONIUMS.

ALBERT VICTOR, flowers very attractive, rich rosy-carmine, margined with white, light centre. 1*s.* 6*d.*

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; petals margined white. 1*s.*

CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmine; lower petals clear bright fiery crimson. 1*s.*

CHAMPION, fine trusses of beautifully crimped flowers, blush rose, lower petals spotted crimson lake; upper petals blotched maroon, surrounded fiery crimson. 1*s.*

DR. MASTERS, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson. 1*s.*

DOROTHY, fine large flower, full and round, of a soft shade of carmine-rose, white centre surrounded with a lilac shade, all the petals margined white and elegantly fringed; upper petals blotched maroon. 1*s.* 6*d.*

DUCHESS OF BEDFORD, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1*s.*

DUCHESS OF FIFE, well-filled flowers of a clear lake shade, pure white margins and centre. 2*s.* 6*d.*

EMPEROR OF RUSSIA, petals dark maroon, surrounded with crimson-purple, margined with blush white. 1*s.*

EMPRESS FREDERICK, a most chaste variety, with pure snow-white, semi-double flowers, the petals being elegantly crisped. The individual blossoms are round and full, having much the appearance of the flowers of the well-known Azalea, *Deutsche Perle*. As a cut-flower variety it cannot be excelled, the blooms being so full and regular. 3*s.* 6*d.*

EMPRESS OF INDIA, a magnificent variety, producing splendid trusses of very large flowers, of a brilliant shade of salmon-scarlet, the two upper petals blotched with dark crimson, light centre. It is of excellent habit, and most desirable. 2*s.* 6*d.*

FIMBRIATUM ALBUM, pure white flowers, beautifully crimped, free-flowering and of good habit. 2*s.* 6*d.*

H. M. STANLEY, bright rosy-crimson, upper petals shaded scarlet, and beautifully blotched. Very free flowering. 2*s.* 6*d.*

JUBILEE, fine full flowers, petals blush pink; upper petals blotched with maroon, surrounded with fiery crimson. 1*s.*

MADAME THIBAUT, white blotched and marbled with rose; upper petals marked with crimson-maroon; large white centre. 1*s.*

MAID OF KENT, pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 1*s.*

PRINCE GEORGE, large trusses of finely fringed white flowers, faintly suffused with blush, all the petals spotted with purplish lake, the two upper petals more heavily marked than the others. 2*s.* 6*d.*

PRINCE OF PELARGONIUMS, large flowers with elegantly fringed margins; vermilion-scarlet relieved by a blush-white centre, upper petals flushed crimson. 2*s.* 6*d.*

PRINCE OF TECK, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1*s.* 6*d.*

PRINCE OF WALES, bright vermilion with light centre and edge to the petals, the superior ones marked with light crimson and darkly blotched. 1*s.*

PRINCESS ALEXANDRA, the beautiful snow-white flowers of this desirable variety differ from the variety *Empress Frederick* in the shape and build of the flowers, which are of irregular form, the petals being prettily crisped and undulated. It is of dwarf robust habit, throwing its spotless white flowers just above the foliage. 3*s.* 6*d.*

PRINCESS OF WALES, flowers of a rosy-lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon. 1*s.* 6*d.*

PRINCESS MAUD, full orange carmine flowers, margined with white, white centre surrounded with violet; upper petals blotched and feathered with maroon. 1*s.* 6*d.*

PRINCESS MAY, flowers delicate salmon-rose, upper petals blotched maroon. A beautiful variety. 5*s.*

PRINCESS VICTORIA, one of the most charming varieties of the Regal Section, bearing in the utmost profusion large trusses of semi-double crispy flowers, of a delicate shade of blush pink. The plant is very floriferous, and distinct in colour. 3*s.* 6*d.*

QUEEN VICTORIA, crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 1*s.* 6*d.*

STARLIGHT, a charming smooth-petalled flower of a pretty shade of rosy pink, the lower petals spotted with fiery crimson veined with maroon; upper petals blotched with maroon surrounded with fiery crimson. 3*s.* 6*d.*

VOLONTE NATIONALE ALBUM, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. 1*s.* 6*d.*

NEW AND CHOICE SHOW PELARGONIUMS.

ACHIEVEMENT, bright orange-scarlet lower petals, dark top, narrow scarlet edge, pure white centre; good shape. 1*s.* 6*d.*

AMPHION, upper petals blackish-maroon, surrounded crimson and margined magenta-rose; lower potals rose; light centre. An attractive variety. 2*s.* 6*d.*

ATALANTA, upper petals maroon, edged bright rose; under petals deep rose. 1*s.* 6*d.*

BANQUET, upper petals crimson-maroon, edgod with rose; under petals bright rose. 1*s.* 6*d.*

BLUE BEARD, very largo light purple flowers with white eyo; upper petals dark. 1*s.* 6*d.*

CARMINE, lower petals crimson-scarlet, upper petals darker; good habit. 2*s.* 6*d.*

CECILIA, upper petals dark velvety maroon, surrounded with bright crimson and edged rose; under petals rosy-pink. 1*s.* 6*d.*

CHARTER, rich maroon upper petals margined with violet-roso; under petals violet-rose; shaded crimson; large white centre. 1*s.* 6*d.*

CLAUDIA, upper petals dark maroon, surrounded with crimson and edged bright pink; lower petals bright pink; light centre. 3*s.* 6*d.*

CONSPIRATOR, upper petals dark maroon, lower petals rosy salmon; light edges and centro; free and fine. 1*s.* 6*d.*

COSSACK, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1*s.* 6*d.*

CREUSA, light rose; the upper petals blotched with dark crimson; light centre. 1*s.* 6*d.*

CRUSADER, lower petals bright crimson; dark upper petals, light eyo; very dwarf. 2*s.* 6*d.*

DIANA, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose. 3*s.* 6*d.*

DUKE OF CLARENCE, scarlet with white eye; upper petals maroon; flowers very round and smooth. 2*s.* 6*d.*

EDIE, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. 2*s.* 6*d.*

EMBASSY, pure white, the two upper petals blotched with deep violet-maroon. 1*s.* 6*d.*

ENTERPRISE, deep rose, dark blotch, purple edge, light eyo. 2*s.* 6*d.*

EXPRESS, lower petals purplish-rose, upper petals black, with wire edge of rose. 2*s.* 6*d.*

EXQUISITE, deep orange scarlet, dark top, white eye, fine shape and quality. 2*s.* 6*d.*

FIREBALL, rich crimson flowers, very dark upper petals; light centre. 5*s.*

FRANCES, rosy-purple, white eye, largo dark blotch on top petals; a fine flower. 2*s.* 6*d.*

HUMPHREY, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centro. 1*s.* 6*d.*

INDIAN YELLOW, light orange-salmon, darker top petals; light centre. 2*s.* 6*d.*

JOSEPHINE, warm rose, shaded orange; dark-top petals, light centre. 2*s.* 6*d.*

LEANDER, upper petals dark maroon, surrounded with rosy-purple, margined with pale rose; under petals pale blush. 2*s.* 6*d.*

LORA, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1*s.* 6*d.*

MADELINA, upper potals blotched with maroon, surrounded with fiery crimson; under petals rosy-lake; white centre. 1*s.* 6*d.*

MATHON, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1*s.* 6*d.*

MIRANA, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 2*s.* 6*d.*

MURILLO, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 1*s.* 6*d.*

ORIENT, rose shaded orange, dark top petals, light edges and white centres; large bold flower; good habit. 2*s.* 6*d.*

PAREPA, upper petals bright crimson shading off to a margin of rose, blotched with maroon; lower petals blush-pink. 2*s.* 6*d.*

PAULINE, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 1*s.* 6*d.*

PELICAN, lower petals deep, lilac rose, very dark upper petals, rose edges large, white centre; a distinct variety. 1*s.* 6*d.*

PERIM, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1*s.* 6*d.*

PLATO, soft rose, white eye, dark blotch on upper petals. 2*s.* 6*d.*

RUSTIC, a fine flower; upper petals rich crimson, blotched and shaded maroon; under petals rich crimson; light centre, shaded with violet. 1*s.* 6*d.*

RUTULIA, upper petals crimson-maroon, bordered with rosy-crimson; under petals scarlet-crimson; light centre, shaded violet. 1*s.* 6*d.*

SYMMETRY, lilac rose lower petals; upper petals maroon; pale edges, light centre. 2*s.* 6*d.*

TEMPLAR, upper petals white blotched with maroon and feathered with crimson-lake; lower petals blush-white. 2*s.* 6*d.*

TRIUMPH, deep rich scarlet, dark top, a bright shining flower of good quality. 1*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

ALFONSO, pure white free-blooming variety, upper petals marked with rich rosy-crimson, under petals faintly feathered with rose; a large finely formed flower. 2*s.* 6*d.*

ANGUS, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 1*s.*

ARDENS, upper petals fiery crimson, heavily blotched maroon; lower petals soft crimson; spotted maroon; light centre. 2*s.* 6*d.*

ARGUS, blush ground suffused with pink, a maroon blotch on all the petals, surrounded by fiery crimson, feathered base. 2*s.* 6*d.*

ARVON, upper petals bright crimson, blotched with blackish-maroon and edged with rose; under petals soft rose, spotted crimson. 1*s.*

CHARGER, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1*s.* 6*d.*

CYPRIA, a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1*s.* 6*d.*

DACIA, upper petals dark maroon shaded with bright crimson, margined rose; under petals rosy-pink, spotted with crimson. 1*s.* 6*d.*

DAMON, upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; petals edged white. 1*s.* 6*d.*

DAURUS, flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1*s.* 6*d.*

DOLPHIN, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 2*s.* 6*d.*

EBOR, upper petals maroon margined with white; lower petals white veined violet-purple, spotted crimson; light centre. 2*s.* 6*d.*

ELLA, upper petals fiery crimson margined with white, blotched with maroon; lower petals veined crimson-lake, white margin. 2*s.* 6*d.*

ELVINA, upper petals rich bright crimson, blotched maroon and margined white; under petals blush, spotted crimson. 1*s.* 6*d.*

FORWARD, upper petals maroon edged with soft rose; under petals rosy-crimson, heavily spotted with maroon. 1*s.* 6*d.*

HECLA, light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and rose. 1*s.* 6*d.*

IO, upper petals rich purplish-crimson, blotched with maroon and margined with blush-white; lower petals white, suffused and veined with rosy-purple. 2*s.* 6*d.*

JESSICA, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy-pink, spotted dark crimson. 1*s.* 6*d.*

KENNETH, upper petals purplish-crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy-lavender; white centre. 1*s.* 6*d.*

LEONIS, soft rosy-purple with pale rose, the upper petals blotched maroon. 1*s.* 6*d.*

MAGPIE, white, with distinct dark purple spots on each petal. 1*s.*

MALCOLM, upper petals rosy pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1*s.* 6*d.*

MARSUS, upper petals white, blotched with rosy-crimson; under petals blush-white, spotted with crimson. 1*s.* 6*d.*

MINARET, upper petals crimson, with maroon blotch; under petals rosy-crimson marked and spotted with maroon. 1*s.* 6*d.*

Mrs. STANLEY, an attractive variety, with heliotrope-coloured flowers, upper petals blotched rich purple. 2*s.* 6*d.*

MYRA, upper petals dark maroon surrounded with bright crimson and edged with rose; lower petals soft pink, spotted with crimson; light centre. 2*s.* 6*d.*

PERA, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson. 2*s.* 6*d.*

PHŒNIX, deep rosy-purple, upper petals blotched and feathered with dark crimson: under petals edged with white, light centre. 1*s.* 6*d.*

PINNACE, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. 1*s.* 6*d.*

PIONEER, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1*s.* 6*d.*

PLATEAU, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 1*s.* 6*d.*

ROSY MORN, very bright rosy pink, large trusses and dwarf habit. 3*s.* 6*d.*

RUMOUR, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. 1*s.* 6*d.*

SCOTS GUARD, deep orange-scarlet, dark spots, white eye; very bright. 1*s.*

SPORTSMAN, a deep rosy-purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 2*s.* 6*d.*

SPOTTED BEAUTY, soft rose, bottom petals with small rosy-crimson spots. 1*s.*

TREASURE, upper petals violet-purple, blotched maroon and edged lavender; under petals light rosy-purple, spotted maroon. 2*s.* 6*d.*

TYRANT, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. 1*s.* 6*d.*

VINCENT, upper petals maroon, edged with rosy-crimson; under petals rich rosy-crimson; the centre shaded with violet. 1*s.* 6*d.*

ZENOBIA, upper petals blackish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-crimson spotted with maroon, rose centre. 2*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE FANCY PELARGONIUMS.

Selections made by Mr. W. B. from general collection at 18s., 24s., and 30s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

ALICE CROUSSE, petals of great size, violet-purple and amaranth, very florifcrous; extra. 1*s.*
ALMA, bright salmon-scarlet, the centre lit up with vermilion in a most pleasing manner. 1*s.* 6*d.*
ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. 1*s.*
ANDRÉ THEURIET, reddish-violet flowers, of fine shape; good habit. 1*s.*
AUGUSTE VITU, large double rose flowers; a great improvement on *Galilée*. 2*s.* 6*d.*
BASTIEN-LEPAGE, very large semi-double flowers, rosy-manve, top petals marked with purple. 1*s.*
BERTHELOT, large full violet-magenta flowers, of good form, very floriferous. 1*s.*
CALYPSO, large trusses of carmine, salmon flowers. 5*s.*
CENTENAIRE, enormous dark rosy violet flowers; good habit. 5*s.*
CHATRIAN, very large bright carmine-scarlet flowers. 1*s.* 6*d.*
CHIMÈNE, large double flowers, of a clear amaranth colour, shaded with crimson. 2*s.* 6*d.*
COMUS, soft rosy-purple flower, upper petals feathered with dark maroon. 1*s.*
CRAMOISI, large trusses of rose amaranth flowers; very floriferous. 1*s.* 6*d.*
CRÉPUSCULE, bright rosy-salmon flowers, very large and double. 1*s.*
CUVIER, large and full dark violet flowers; a vigorous grower. 9*d.*
DE BRAZZA, large double flowers of a reddish-crimson colour, maculated scarlet. 2*s.* 6*d.*
DE MIRIBEL, very large double flowers of good form, clear violet, very floriferous. 2*s.* 6*d.*
DE QUATREFAGES, very floriferous, large violet purple flowers; extra. 9*d.*
DIAMANT, large lilac-mauve double flowers; dwarf habit. 1*s.* 6*d.*
EDOUARD CHARTON, porcelain-lilac flowers, very double and of fine form; dwarf habit. 1*s.* 6*d.*
EMILE LEMOINE, fine trusses of bright scarlet flowers. 1*s.*
ERNEST BERGMAN, fine trusses of extra large flowers, large regular crimson-lake petals, extra. 1*s.*
ERNEST COUTANT, brilliant orange-red double flowers; large imbricated petals. 1*s.* 6*d.*
FLOURENS, large irregular flowers, salmon shaded with rose; large petals. 1*s.* 6*d.*
FORMOSISSIMA, bright purplish-rose flowers, of perfect form. 2*s.* 6*d.*
FÜRSTIN JOSEPHINE VON HOHENZOLLERN, finely shaped reddish-magenta flowers. 9*d.*
GALILÉE, deep rose feathered in the top petals with crimson. 9*d.*
GAY-LUSSAC, clear crimson-lake, flowers very double and of good shape; dwarf vigorous habit. 1*s.* 6*d.*
GENERAL CHAMPIONNET, very large Camellia-shaped flowers, of an orange-red colour. 5*s.*
GIROFLÉE, flowers compact and very double, of fine rosette shape; purple amaranth. 1*s.*
GLADIATEUR, flowers full and round, of a violet purple colour. 2*s.* 6*d.*
GLOIRE DE LORRAINE, bright cerise, brightened with scarlet, large and double; extra. 1*s.* 6*d.*
HENRI LITOLFF, enormous double satiny-rose flowers, with undulated petals 2*s.* 6*d.*
INCOMPARABLE, large trusses of rosy red flowers; very striking. 5*s.*
KELUNG, bright rosy-purple flowers maculated with crimson. 2*s.* 6*d.*

NEW & CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.—continued.

LA FOUDRE, fine trusses of bright orange scarlet flowers. 5*s*.
LA MAUVE, flowers bluish mauve, long petals, veined with violet. 1*s*. 6*d*.
LAPLACE, flowers cup-shaped crimson-lake ; of vigorous habit and extremely floriferous. 1*s*.
LAVOISIER, very large full flowers of perfect form ; fine trusses of orange-salmon flowers. 9*d*.
MADAME AGAR, large trusses of rosy-lilac flowers, full and double, very floriferous. 2*s*. 6*d*.
MADAME BOUCHARLAT, large full flower of a bright rosy-cerise shade ; very floriferous. 1*s*.
MARINER, rich rosy-magenta, upper petals feathered with dark crimson ; fine flower. 1*s*.
META, bright cerise flowers, upper petals faintly feathered with maroon. 1*s*. 6*d*.
MICHELET, cerise-scarlet, suffused with magenta, a pleasing colour. 1*s*.
RAPHAËL, large flowers of perfect shape, rosy-salmon, bright centres ; very floriferous. 1*s*.
SABINE, bright rosy-carmine, a large well-formed round flower of a most pleasing colour. 1*s*.
SATELLITE, rosy-pink, upper petals feathered with purplish-crimson. 1*s*.
SIR RICHARD WALLACE, very double Ranunculus-shaped flowers of a vinous rose-carmine; very floriferous and of great beauty. 2*s*. 6*d*.
TROPHEE, trusses of bright reddish vermilion flowers. 5*s*.
WRANGLER, soft pink, faintly marked in upper petals with crimson. 1*s*.

CHOICE SINGLE FLOWERING IVY-LEAVED PELARGONIUMS.

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

Selections, 12s. and 18s. per dozen.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE ZONAL PELARGONIUMS.

A. DE LA DEVANSAYE, flowers brilliant salmon-orange, margined with white, white eye. 1*s*.
ADMIRATION, large trusses of clear salmon-rose flowers ; centre salmon. 1*s*.
ALEXANDRE DUMAS, good round flowers, reddish-scarlet, brighter upper petals ; white centre. 1*s*.6*d*.
ALFRED CAPUS, large trusses of rosy-magenta flowers, upper petals bright orange ; light centre. 3*s*.6*d*.
ALFRED MAURY, large trusses of orange-yellow flowers. 3*s*. 6*d*.
ANDRÉ THEURIET, brilliant orange-salmon flowers of perfect shape ; light centre. 3*s*. 6*d*.
ARMAND DE PONTMARTIN, immense trusses of large and round pure white flowers. 2*s*. 6*d*.
AURELIEN SCHOLL, roso, centre shaded violet, maculated with white on the upper petals. 1*s*. 6*d*.
BARBEY D'AUZEVILLY, enormous trusses of vinous rose flowers, bright centre. 3*s*. 6*d*.
BENJAMIN CONSTANT, flowers bright scarlet, of immense size. 2*s*. 6*d*.
BRUTUS, large trusses of scarlet amaranth flowers, very floriferous. 1*s*.
CARBONARO, large trusses of round flowers, of a reddish shade. 1*s*.
CARMEN SYLVA, enormous trusses of pure white flowers ; extra. 3*s*. 6*d*.
CH. YIARTE, enormous trusses of orange-red flowers, shading to minium. 5*s*.
CLEMENT MAROT, compact trusses of fiery scarlet flowers ; white centre. 3*s*. 6*d*.
COPERNIC, large trusses of orange-rose flowers, shaded carmine, white centre. 1*s*.
DETAILLE, fiery-scarlet flowers, immense trusses. 5*s*.
EDMOND BLOUIN, dark salmon, edged red, dwarf habit. 2*s*. 6*d*.
EMILE GEBHART, immense trusses of orange-scarlet flowers, violet centre. 2*s*. 6*d*.

NEW AND CHOICE ZONAL PELARGONIUMS—continued.

ETOILE DE LYON, large round flowers, crimson shaded with purple; base and centre of lower petals white, marbled with violet; upper petals rayed with white; extra. 2*s.* 6*d.*

FOURNAISE, brilliant orange-scarlet; enormous trusses. 1*s.* 6*d.*

GENERAL DE MARBOT, bright amaranth, shot with violet; large trusses. 2*s.* 6*d.*

GUSTAVE MOREAUX, extra large trusses of silvery-lilac rose flowers, lighter in the centre, a new shade. 5*s.*

GUY DE MAUPASSANT, flowers round, of perfect form, orange-salmon, rose centre. 1*s.* 6*d.*

GYP, large trusses of pure white flowers, of perfect shape. 5*s.*

HENNER, large globular trusses, flowers salmon-red, with orange-scarlet centre. 5*s.*

HENRI DE PARVILLE, large trusses of rosy-purple flowers. 1*s.* 6*d.*

JACQUES BERTILLON, brilliant orange-red flowers, bordered salmon. 3*s.* 6*d.*

JACQUES CALLOT, very bright salmon, netted with white; large trusses; extra. 1*s.*

JANUS, dark salmon, striped and spotted with rosy-white. 2*s.* 6*d.*

JEAN RICHEPIN, soft salmon flowers, bright centre, the upper petals marked rose. 1*s.* 6*d.*

JEANNE D'ARC, fiery-orange, maculated with white on top petals; white centre. 1*s.*

JULES BRETON, enormous trusses of salmon-rose flowers, centre bright pink. 5*s.*

JULES POURBAIX, very large trusses, rosy-magenta flowers, upper petals maculated orange. 5*s.*

LA LORRAINE, enormous trusses of soft rose flowers; good habit. 1*s.* 6*d.*

LA VESTALE, large pure white flowers, of perfect shape. 1*s.* 6*d.*

LOUIS CHANTRIER, large clear rose flowers, of good shape. 2*s.* 6*d.*

MADAME A. PAILLET, creamy-white, shaded with rosy-violet. 2*s.* 6*d.*

MADAME A. RIVOIRE, large truss and flowers of grand shape: the petals being round, regular and large, of a brilliant satiny white; the best of all the white-flowered varieties. 5*s.*

MDLLE. ANNA KAPFF, porcelain white, shaded lilac on the margins. 1*s.* 6*d.*

M. EIFFEL, rosy lake, upper petals maculated with red, a beautiful colour. 1*s.*

M. POIRIER, enormous trusses of round flowers, rich carmine, shaded violet, a new colour. 1*s.*

M. V. NOULENS, orange-salmon flower, shaded rose-vermilion, maculated blush-violet. 1*s.*

PAUL CRAMPEL, enormous flowers of a brilliant minium red. 2*s.* 6*d.*

PAUL GINISTY, large clear magenta flowers, upper petals shaded with orange. 2*s.* 6*d.*

PUVIS DE CHAVANNES, fine trusses of orange-carmine flowers, rose centre. 5*s.*

REINE BLANCHE, immense trusses of pure white flowers. 3*s.* 6*d.*

RENAISSANCE, rosy red, white centre, upper petals shaded reddish-orange; very free. 1*s.* 6*d.*

SOLEIL COUCHANT, bright orange-scarlet, flowers large and round; dwarf and floriferous. 1*s.*

SOUVENIR DE MIRANDE, very distinct, whitish-salmon, margined rose-cerise. 1*s.*

TROPHEE, large trusses of rose flowers, shaded lilac in centre. 1*s.* 6*d.*

VULCAIN, immense trusses of carmine scarlet flowers. 1*s.* 6*d.*

WHITE PERFECTION, a free-flowering white variety of good habit. 1*s.* 6*d.*

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

AEROLITHE, irregular orange-scarlet semi-double flowers. 1*s.*

ARMAND SILVESTRE, plant of good habit, large trusses of rosy-lilac flowers, shading to carmine. 5*s.*

BELLE NANCEIENNE, large trusses of soft rose flowers, centre salmon-carmine. 1*s.*

BÉRANGER, globular trusses of magenta-red flowers; dwarf habit. 5*s.*

BONNAT, large spherical trusses of brilliant carmine flowers. 1*s.* 6*d.*

BOUGEREAU, large trusses of beautiful rose flowers, the upper petals maculated with white. 1*s.* 6*d.*

BOULE DE NEIGE, enormous trusses of pure white flowers; the finest double white. 5*s.*

CATULLE MENDES, rosy-purple, upper petals marked with white, very floriferous. 1*s.* 6*d.*

CENTAURE, very large round trusses of brigbt rose flowers, vigorous habit. 1*s.* 6*d.*

CHARLES JOLY, of good habit and very floriferous; very bright orango-red. 2*s.* 6*d.*

CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. 1*s.* 9*s.* per dozen.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

COMTE D'HAINAULT, an exceedingly dwarf variety, with rosy-purple flowers. 1*s.*
DAUBRAY, large semi-double ochreous-red flowers. 5*s.*
DE LACÉPÈDE, light lilac-rose flowers. 1*s.* 6*d.*
DIRECTOR W. SCHÜLE, large reddish-madder flowers. 1*s.*
ERNEST BAHLSEN, blush tinted violet. 1*s.* 6*d.*
FRANCISQUE SARCEY, fine trusses of rosy-mauve flowers, maculated orange. 2*s.* 6*d.*
GENERAL BRIERE DE L'ISLE, well-shaped rosy-salmon flowers. 1*s.*
GÉNERAL DE COURCY, brick-red in centre shading to salmon, marbled with white. 1*s.*
GEROME, large trusses of double rosy-violet flowers. 1*s.*
GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 1*s.*
GLOIRE DE FRANCE, dark salmon, shading to whitish-rose; extra large trusses. 1*s.*
GRINGOIRE, fine round trusses of clear salmon flowers, bright centre. 2*s.* 6*d.*
HENRI DE BORNIER, large trusses of blush white flowers; dwarf habit and very floriferous. 2*s.* 6*d.*
HENRI MEILHAC, flowers salmon tinted with apricot, centre orange, very floriferous. 1*s.* 6*d.*
JEAN BOUCHET, globular trusses of dark rosy-violet flowers. 1*s.* 6*d.*
JEAN MORÉAS, reddish-salmon, flowers round and full. 3*s.* 6*d.*
KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. 1*s.*
L'ANDALOUSE, largo trusses of creamy white flowers, very free. 1*s.*
LA FAVORITE, large trusses of well-made pure white flowers. 1*s.* 6*d.*
LA FONTAINE, fine trusses of rosy-red flowers. 2*s.* 6*d.*
LE CID, fine trusses of very bright crimson flowers; vigorous habit. 1*s.* 6*d.*
LE POITEVIN, fine trusses of brilliant cerise flowers, shaded with magenta. 1*s.*
LE PROPHÈTE, plant very vigorous; fine trusses of bright madder flowers. 1*s.* 6*d.*
LEON ZANROF, large trusses of silver-rose flowers. 1*s.* 6*d.*
LOUIS FIGUIER, large compact trusses, dark red bordered with rose. 1*s.*
LUCIFER, large trusses of a peculiar shade of red, very floriferous. 1*s.* 6*d.*
MADAME DUPONT, trusses of rosette-like flowers, fiery scarlet. 1*s.* 6*d.*
MADAME DE NAUROIS, rosy-carmine flowers, maculated with white, light centre. 1*s.*
MADAME MENOREAU, pure white, centre bright rose. 1*s.*
MADAME ROZAIN, very large pure white double flowers, exterior petals of excellent shape. The best of all the double-flowered white varieties. 5*s.*
MADEMOISELLE DEA-DIEUDONNÉ, white shaded with rose, fine trusses. 5*s.*
MAURICE BOUCHOR, large trusses of blush flowers, of perfect shape. 3*s.* 6*d.*
MELCHIOR DE VOGUÉ, large trusses soft rose flowers, shaded lilac. 2*s.* 6*d.*
M. DE LEYBARDIE, rosy-violet, the upper petals marked with white. 1*s.*
M. FABRE, orange-cerise, shaded violet. 1*s.*
M. J. DELAUX, rosy-purple, shaded with carmine, upper petals marked with white. 1*s.*
M. JEAN LIABAUD, large trusses of purplish-violet flowers. 1*s.*
M. JOVIS, centre bright salmon, margins yellowish-white. 1*s.* 6*d.*
M. M. MATHIEU, magenta-cerise flower, centre orange. 1*s.* 6*d.*
MONTESQUIEU, largo flowers of a rose-mauve colour, light centre. 1*s.* 6*d.*
PAUL ARENE, very dwarf and floriferous; well-formed milk-white flowers. 1*s.* 6*d.*
PETIT JEAN, enormous trusses of Solferino-coloured flowers, the upper petals fiery red. 1*s.*
PH. GEDULDIG, reddish-carmine, shaded in the centre with violet. 1*s.*
PIERRE LOTI, very large trusses of silvery rosy-lilac flowers; a new colour. 2*s.* 6*d.*
PRESIDENT CARNOT, bright vermilion, shaded cardinal. 1*s.* 6*d.*
PRESIDENT DUTAILLY, dark amaranth, bordered maroon. 1*s.*
PROUVE, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 1*s.*
RAFFAELLO MERCATELLI, reddish-salmon, semi-double flowers. 1*s.*
REINE NATHALIE, large trusses of white flowers; plant of good habit. 2*s.* 6*d.*
RUBENS, rose madder, shaded orange, white reverse. 1*s.* 6*d.*
RUY BLAS, centre bright salmon, the rest of the flower peach-rose. 1*s.* 6*d.*
SACHER-MASOCH, immense trusses of dark rose-coloured flowers. 2*s.* 6*d.*
SAINT-SAËNS, large trusses of bright red flowers, margined with salmon. 1*s.* 6*d.*
SECRETAIRE NICOLAS, orange-madder; fine trusses. 1*s.*
SERGENT BOBILLOT, beautiful rosy-purple flowers; fine trusses. 1*s.*

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

SULLY-PRUDHOMME, large trusses of bright carmine flowers. 2*s*. 6*d*.
TOLSTOI, clear rose carmine; good trusses. 5*s*.
TOURGUENIEFF, large soft rose flowers with salmon centre. 5*s*.
TUNISIE, erect trusses of double flowers, white shaded with salmon. 1*s*. 6*d*.
VIVIAND MOREL, amaranth, centre deep red. 1*s*.
WILHELM PFITZER, orange-salmon of a new shade, plant dwarf and very floriferous. 1*s*. 6*d*.
WILLIAM KELWAY, enormous trusses of fiery scarlet flowers. 1*s*. 6*d*.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 9s., 12s. and 18s. per dozen

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

DR. MASTERS, a handsome variety, with rich gold and crimson coloration. 1*s*. 6*d*.
DOLLY VARDEN, a variety with finely-coloured foliage, having a dark zone splashed with bright carmine, and broad white margin. 1*s*.
EMPRESS OF INDIA, an attractive variety of compact growth; large round leaves with well-defined zone of dark chocolate and rosy carmine, and very pure white margin. 1*s*.
ENCHANTRESS, a free-growing variety; the leaves have a well-defined dark zone, belted with carmine scarlet, golden margin, and rich green disc. 1*s*.
GOLDEN QUEEN, a variety with nice smooth foliage; dark zone and clear yellow margin. 1*s*. 6*d*.
LADY DOROTHY NEVILLE, a pretty and attractive silver tricolor variety. 1*s*.
LASS-O'-GOWRIE, leaf margin white, with inner broad zone of brilliant carmine-rose. 1*s*.
MASTERPIECE, a showy variety; the leaves have a broad blackish zone ornamented with rich crimson-lake and golden margin. 1*s*.
MR. HENRY COX, leaf of good shape and substance, with extremely bright coloration; the zone being rich crimson, and the margin bright yellow. 1*s*. 6*d*.
MISS GORING, a very attractive variety, with richly flamed red zone, dark green disc, and golden leaf margin; very striking and effective. 1*s*.
MISS POND, a very effective variety, with bright crimson zone and broad white margin. 1*s*.
MRS. COL. WILKINSON, leaves flat, with narrow zone of bright carmine, and white edge. 1*s*.
MRS. H. LITTLE, an exceedingly beautiful, rich, and distinct variety; golden margin, with broad well-defined zone of rich flamed scarlet; vigorous and compact habit. 1*s*. 6*d*.
MRS. T. A. DICKSON, a richly-coloured silver tricolor variety. 1*s*. 6*d*.
PETER GRIEVE, a variety with rich gold-margined leaves, zoned with flamed scarlet. 1*s*.
SALAMANDER, a golden tricolor variety, of very free growth, with bright red zone. 1*s*.
WILLIAM SANDY, an excellent golden tricolor variety, with brightly coloured foliage. 1*s*.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s. and 18s. per dozen, according to sorts.

SWEET-SCENTED LEAVED PELARGONIUMS

Selections made by Mr. W. B. at 18s. and 30s. per dozen, according to sorts.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years. The measurements of a few of the plants are given below :—

Prices on application, or an inspection invited.

DICKSONIA ANTARCTICA.	
No.	Height of Stem.
1	4 ft. 3 in.
2	3 ft. 4 in.
3	2 ft. 9 in.
4	2 ft. 9 in.
5	3 ft. 11 in.
6	4 ft. 6 in.
7	3 ft. 7 in.
8	3 ft. 6 in.
9	7 ft.
10	6 ft. 2 in.
11	6 ft. 4 in.
12	10 ft. 6 in.
13	13 ft.
14	3 ft. 6 in.
15	10 ft. 6 in.
16	1 ft. 10 in.

DICKSONIA ANTARCTICA.	
No.	Height of Stem.
17	6 ft. 6 in.
18	7 ft.
19	2 ft. 3 in.
20	1 ft. 11 in.
21	3 ft. 1 in.
22	7 ft. 6 in.

CYATHEA DEALBATA.	
No.	Height of Stem.
23	5 ft. 0 in.
24	3 ft. 6 in.
25	2 ft. 10 in.
26	6 ft.

CYATHEA BURKEI.	
No.	Height of Stem.
27	6 ft. 4 in.
28	9 ft. 2 in.
29	9 ft. 2 in.
30	8 ft. 10 in.
31	8 ft.

CYATHEA DREGEI.	
No.	Height of Stem.
32	6 ft. 9 in.
33	6 ft. 9 in.
34	6 ft. 1 in.
35	8 ft.
36	7 ft.
37	5 ft. 6 in.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 24s., 30s. and 42s. per dozen.

ACTINOPTERIS RADIATA, 3*s.* 6*d.*
ADIANTOPTERIS RADIATA, 3*s* 6*d.*
ADIANTUM AMABILE, 1*s.* 6*d.*
ANEITENSE, 3*s.* 6*d.*
ASSIMILE ORISTATUM, *vide* page 106.
BELLUM, 3*s.* 6*d.*
CARDIOCHLÆNA, 3*s.* 6*d.*
CAUDATUM, 3*s.* 6*d.*
CILIATUM, 3*s.* 6*d.*
COLLISII, 3*s.* 6*d.* and 5*s.*
CONCINNUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— LATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CURVATUM, 3*s.* 6*d.*
DOLABRIFORME, 2*s.* 6*d.* and 3*s.* 6*d.*
FARLEYENSE, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
FERGUSONII, 2*s.* 6*d.*
FRAGRANTISSIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FULVUM, 2*s.* 6*d.* and 3*s.* 6*d.*
GHIESBREGHTII (SCUTUM), 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEUM, 3*s.* 6*d.*
KAULFUSSI, 3*s.* 6*d.*
LATHOMII, 3*s.* 6*d.*
LEGRANDII, 2*s.* 6*d.* and 3*s.* 6*d.*
LUDDEMANNIANUM, 3*s.* 6*d.*
ADIANTUM MACROPHYLLUM, 3*s.* 6*d.*
MACROPHYLLUM BIPINNATUM, 5*s.*
PENTADACTYLON, 3*s.* 6*d.*
PERUVIANUM, 3*s.* 6*d.*
REGINÆ, 3*s.* 6*d.*
RHODOPHYLLUM, 3*s.* 6*d.* and 5*s.*
RHOMBOIDEUM, 3*s.* 6*d.*
RUBELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SANCTÆ CATHERINÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
SCUTUM, *vide* GHIESBREGHTII.
TENERUM, 2*s.* 6*d.*
TETRAPHYLLUM ACUMINATUM, 3*s.* 6*d*
—— GRACILE, 3*s.* 6*d.* and 5*s.*
TINCTUM, 3*s.* 6*d.*
TRAPEZIFORME, 3*s.* 6*d.*
VEITCHII, 3*s.* 6*d.*
VERSAILLENSE, 3*s.* 6*d.*
VICTORIÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
WALTONII DIFFUSUM, 3*s.* 6*d.*
WEIGANDII, 2*s.* 6*d.* and 3*s.* 6*d.*
ALSOPHILA REBECCÆ, 3*s.* 6*d.* and 5*s.*
ANEMEDICTYON PHYLLITIDIS, 1*s.* 6*d* and 2*s.* 6*d.*
ANEMIA COLLINA, 2*s.* 6*d.*
ANGIOPTERIS EVECTA.

GYMNOGRAMMA ELEGANTISSIMUM.

GYMNOGRAMMA ELEGANTISSIMUM.

A very elegant new Stove Fern, with beautifully arching finely cut fronds of a pleasing green colour and firm texture. The rachides are of a dark reddish brown colour, the pinnæ being divided and subdivided into numberless minute emarginate segments, the whole plant presenting a most attractive appearance.

From its graceful habit of growth, and its long, elegantly recurving fronds, this variety is admirably adapted for cultivation in suspended baskets, as well as for other decorative and ornamental purposes. 7*s.* 6*d.* and 10*s.* 6*d.*

ANTIGRAMMA BRASILIENSIS, 7*s.* 6*d.* and 10*s.* 6*d.*
ASPIDIUM MACROPHYLLUM, 3*s.* 6*d.*
TRIFOLIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ASPLENIUM ALATUM, 3*s.* 6*d.*
BAPTISTII, 5*s.*
BELANGERI, 2*s.* 6*d.*
BIFIDUM, 3*s.* 6*d.*
CICUTARIUM, 2*s.* 6*d.*
ERECTUM, 3*s.* 6*d.*
FERNANDEZIANUM, 2*s.* 6*d.*
FRAGRANS, 2*s.* 6*d.*
ASPLENIUM FÆNICULACEUM, 2*s.* 6*d.*
HOOKERIANUM, 3*s.* 6*d.*
INÆQUALIFOLIUM, 2*s.* 6*d.*
LONGISSIMUM, 3*s.* 6*d.*
NIDUS, 2*s.* 6*d.*
NOBILIS, 2*s.* 6*d.*
PROLONGATUM, 3*s.* 6*d.* and 5*s.*
SHEPHERDII, 2*s.* 6*d.* and 3*s.* 6*d.*
VIVIPARUM, 3*s.* 6*d.*
BLECHNUM BRASILIENSE, 2*s.* 6*d.* & 3*s.* 6*d.*
POLYPODIOIDES, 2*s.* 6*d.* and 3*s.* 6*d.*
OCCIDENTALE, 2*s.* 6*d.*

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnæ distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5*s.* and 7*s.* 6*d.*

CHEILANTHES ECKLINIANA, 3*s.* 6*d.* and 5*s.*
ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
HIRTA ELLISIANA, 2*s.* 6*d.* & 3*s.* 6*d.*
TOMENTOSA, 2*s.* 6*d.*
CIBOTIUM SCHIEDEI, 5*s.* and 7*s.* 6*d.*
CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 107.
DAVALLIA BULLATA, 2*s.* 6*d.*
CHÆROPHYLLA, 3*s.* 6*d.*
CONCINNA, *vide* page 9.
EPIPHYLLA, *vide* page 9.
DECORA, 3*s.* 6*d.*
ELEGANS, 2*s.* 6*d.*
—— POLYDACTYLA, 3*s.* 6*d.* and 5*s.*
—— RUFA, 3*s.* 6*d.*
FÆNICULACEA, 3*s.* 6*d.*
FIJIENSIS, 3*s.* 6*d.* and 5*s.*
—— MAJOR, 3*s.* 6*d.* and 5*s.*
—— PLUMOSA, 3*s.* 6*d.* and 5*s.*
HIRSUTA, 3*s.* 6*d.* and 5*s.*
HEMIPTERA, 3*s.* 6*d.*
KUNZII, 3*s.* 6*d.* and 5*s.*
LAWSONIANA, 3*s.* 6*d.*
LUCIDA, *vide* page 10.
MOOREANA, 2*s.* 6*d.* and 3*s.* 6*d.*
NOVA ZEALANDIÆ, 2*s.* 6*d.*
ORNATA, 3*s.* 6*d.* and 5*s.*
PENTAPHYLLA, 3*s.* 6*d.*
POLYANTHA, 3*s.* 6*d.*
PYXIDATA, 3*s.* 6*d.*
SOLIDA, 3*s.* 6*d.*
TYERMANNI (HUMATA), 3*s.* 6*d.*
DIPLAZIUM ARNOTTII, 7*s.* 6*d.*
DORYOPTERIS GERANIFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
HASTATA, 2*s.* 6*d.* and 3*s.* 6*d.*
PALMATA, 1*s.* 6*d.* & 2*s.* 6*d.*
DORYOPTERIS SAGITTÆFOLIA, 3*s.* 6*d.*
ELAPHOGLOSSUM GLABRATUM, 7*s.* 6*d.*
L'HERMINIERI, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
GLEICHENIAS, DICARPA, 3*s.* 6*d.* and 5*s.*
DICARPA LONGIPINNATA, *vide* illustration, page 104, 7*s.* 6*d.* and 10*s.* 6*d.*
DICHOTOMA, 7*s.* 6*d.*
FLABELLATA, 5*s.* and 7*s.* 6*d.*
MENDELII, 10*s.* 6*d.* and 15*s.*
MICROPHYLLA, 5*s.* and 7*s.* 6*d.*
RUPESTRIS GLAUCESCENS, 10*s.* 6*d.*
SEMIVESTITA, 5*s.* and 7*s.* 6*d.*
SPELUNCÆ, 7*s.* 6*d.*
GONIOPHLEBIUM APPENDICULATUM, 3*s.* 6*d.*
FRAXINIFOLIUM, 5*s.*
GLAUCOPHYLLUM, 3*s.* 6*d.* and 5*s.*
SUBAURICULATUM, 2*s.* 6*d.*
GYMNOGRAMMA ALSTONII, one of the best golden Ferns, 3*s.* 6*d.* and 5*s.*
CHRYSOPHYLLUM, 3*s.* 6*d.*
DECOMPOSITUM, 3*s.* 6*d.*
ELEGANTISSIMUM, *vide* page 102.
LAUCHEANUM, 3*s.* 6*d.*
MERTENSII, 2*s.* 6*d.* and 3*s.* 6*d.*
PARSONII, 3*s.* 6*d.*
PERUVIANUM AROYROPHYLLUM, 2*s.* 6*d.* & 3*s.* 6*d.*
SCHIZOPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— OLORIOSUM, 3*s.* 6*d.*
TARTAREUM, 2*s.* 6*d.*
TOMENTOSUM, 2*s.* 6*d.*
WETENHALLIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
GYMNOPTERIS QUERCIFOLIA, 3*s.* 6*d.*
GYMNOTHECA RADDIANA, 2 and 3 guineas
HEMIONITIS CORDATA, 2*s.* 6*d.*
PALMATA, 2*s.* 6*d.* and 3*s.* 6*d.*

LASTREA JENMANI.

This Fern has been introduced from Jamaica. The frond is about two feet long and nine or twelve inches wide, covered with dense minute pellucid dots; the pinnæ are numerous, the lower ones much reduced, the larger ones six inches long and an inch wide, cut down nearly to the rachis. 5*s.*

LASTREA QUINQUANGULARIS, 3*s.* 6*d.*
RICHARDSII MULTIFIDA, 3*s.* 6*d.*
see also page 107.
LOMARIA GIBBA, 1*s.* 6*d.* and 2*s.* 6*d.*
LYGODIUM SCANDENS, 2*s.* 6*d.*
DICHOTOMUM, 5*s.*
MENISCIUM RETICULATUM, 3*s.* 6*d.*
MICROLEPIA HIRTA CRISTATA, 3*s.* 6*d.*
NEPHRODIUM TRUNCATUM, 7*s.* 6*d.*
NEPHROLEPIS ACUTA, 3*s.* 6*d.*
BAUSEI, 3*s.* 6*d.*
CORDATA COMPACTA, 3*s.* 6*d.*
DAVALLIOIDES, 3*s.* 6*d.*
—— FURCANS, 3*s.* 6*d.*
—— MULTICEPS, new, 7*s.* 6*d.*
DUFFII, 2*s.* 6*d.* and 3*s.* 6*d.*
ENSIFOLIA, 3*s.* 6*d.*
EXALTATA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— PLUMOSA, 5*s.*

GLEICHENIA DICARPA LONGIPINNATA, *vide* page 103.

PTERIS VICTORIÆ.

This very remarkable and beautiful variegated Pteris has been imported from the Eastern Archipelago, and is undoubtedly one of the most striking and desirable Ferns of recent introduction. The plant is of graceful habit, throwing up a tuft of fertile pinnate fronds, each composed of a long linear end segment, and three or four distant pairs of sessile pinnæ, many of them being forked at the base. These segments are entire, about one-sixth of an inch broad, and beautifully variegated throughout, with close lanceolate white teeth, extending from the midrib nearly to the edge, forming a striking contrast to the dark green ground colour; the sterile fronds have broader and shorter segments. Extremely elegant in growth, this pretty New Fern cannot fail to become a great favourite. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.* A coloured illustration post free, price 1*s.*

NEPHROLEPIS PECTINATA, 3*s*. 6*d*.
TUBEROSA, 1*s*. 6*d*. and 2*s*. 6*d*.
RUFESCENS TRIPINNATIFIDA, 3*s*. 6*d*.
PHILIPPINENSIS, 2*s*. 6*d*.
NOTHOCHLÆNA CHRYSOPHYLLA, 3*s*. 6*d*.
NIVEA, 3*s*. 6*d*.
SINUATA, 3*s*. 6*d*.
ONYCHIUM AURATUM, 3*s*. 6*d*.
PHLEBODIUM GLAUCUM, 3*s*. 6*d*. and 5*s*.
SPORODOCARPUM, 3*s*. 6*d*.
PLATYCERIUM GRANDE
STEMARIA, 15*s*.
PLATYLOMA FLEXUOSUM, 3*s*. 6*d*.
PLEOPELTIS PICTA, 5*s*.
PUSTULATA, 2*s*. 6*d*. and 3*s*. 6*d*.
POLYSTICHUM LENTUM, 5*s*.
TRIANGULARE, 2*s*. 6*d*.
—— LAXUM, 2*s*. 6*d*. and 3*s*. 6*d*.
VIVIPARUM, 3*s*. 6*d*. and 5*s*.
see also page 107.
POLYPODIUM PECTINATUM, 3*s*. 6*d*.
VENOSUM, 3*s*. 6*d*.
PTERIS ASPERICAULIS, 3*s*. 6*d*.
BAUSEI, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
TREMULA VARIEGATA, *vide* page 11.
TRICOLOR, 3*s*. 6*d*.
of sorts, 2*s*. 6*d*. and 3*s* 6*d*.
VICTORIÆ, *vide* page 105.
see also page 107.
STENOCHLÆNA SCANDENS, 3*s*. 6*d*.

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 24s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tasselate growths. 3*s*. 6*d*.

ADIANTUM CAPILLUS-VENERIS IMBRICATUM.

This spleudid new Maiden-hair Fern is a decided acquisition, having the decorative appearance of *Adiantum Farleyense* with the hardness of *Adiantum Capillus-Veneris*, added to a grace quite its own. The fronds are rich in colour, delicate in form and arrangement, whilst the character and habit of the plant is refined and graceful. In recognition of its merit, it was awarded a First-class Certificate by the Royal Horticultural Society. 5*s*. and 7*s*. 6*d*.

ADIANTUM CAPILLUS-VENERIS, 1*s*. 6*d*.
CAPILLUS-VENERIS GRANDE, 2*s*. 6*d*.
—— —— MAONIFICUM, 2*s*. 6*d*.
—— —— MARIESII, 2*s*. 6*d*. and 3*s*. 6*d*.
—— —— PACOTTI, 1*s*. 6*d*. and 2*s*. 6*d*.
CUNEATUM, 1*s*. 6*d*. and 2*s*. 6*d*.
—— ELEGANS, 2*s*. 6*d*.
—— GRANDICEPS, 2*s*. 6*d*. and 3*s*. 6*d*.
DECORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
FORMOSUM, 1*s*. 6*d*.
GLAUCOPHYLLUM, 2*s*. 6*d*.
GRACILLIMUM, 2*s*. 6*d*. and 3*s*. 6*d*.
HISPIDULUM, 1*s*. 6*d*.
MUNDULUM, 2*s*. 6*d*. and 3*s*. 6*d*.
PUBESCENS, 2*s*. 6*d*.
SETULOSUM, 2*s*. 6*d*.
ADIANTUM WILLIAMSII, 2*s*. 6*d*. and 3*s*. 6*d*.
see also page 101.
ALSOPHILA AUSTRALIS, 2*s*. 6*d*. and 3*s*. 6*d*.
ASPLENIUM BULBIFERUM, 1*s*. 6*d*. and 2*s*. 6*d*.
COLENSOI, 2*s*. 6*d*.
DIMORPHUM (*biforme*), 1*s*. 6*d*. and 2*s*. 6*d*.
DIVARICATUM, 2*s*. 6*d*. and 3*s*. 6*d*.
FLACCIDUM, 2*s*. 6*d*.
FALCATUM, 7*s*. 6*d*.
HEMIONITIS, 3*s*. 6*d*.
LAXUM PUMILUM, 2*s*. 6*d*. and 3*s*. 6*d*.
LUCIDUM, 2*s*. 6*d*. and 3*s*. 6*d*.
NEO-CALEDONICUM, 5*s*.
CHEILANTHES, *vide* page 103.
CIBOTIUM REGALE, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
SCHIEDEI, *vide* page 103.

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*. For large plants, *vide* page 101.

CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3*s*. 6*d*. and 5*s*. For large plants, *vide* page 101.

CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being muricated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10*s*. 6*d*.

CYATHEA MEDULLARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
(CIBOTIUM) PRINCEPS, 3*s.* 6*d.* and 5*s.*
CYRTOMIUM CARYOTIDEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FALCATUM, 2*s.* 6*d.*
—— FENSOMII, this handsome new Fern is a great improvement on the old variety. Awarded First-class Certificate. 3*s.* 6*d.*
FORTUNEI, 2*s.* 6*d.*
DAVALLIA CANARIENSIS, 2*s.* 6*d.*
DISSECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
GRIFFITHIANA, 3*s.* 6*d.*
MARIESII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— CRISTATA, 3*s.* 6*d.* and 5*s.*
DAVALLIA TENUIFOLIA, 2*s.* 6*d.*
TENUIFOLIA STRICTA, 2*s.* 6*d*
of sorts, 3*s.* 6*d.* and 5*s.*
DICKSONIA ANTARCTICA, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
For large plants, *vide* page 101.
SQUARROSA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
DICTYOGRAMMA JAPONICUM VARIEGATUM, 2*s.* 6*d.*
DIDYMOCHLÆNA TRUNCATULA, 3*s.* 6*d.*
DIPLAZIUM, *vide* page 103.
DORYOPTERIS PALMATA, *vide* page 103.
DOODIA ASPERA, 2*s.* 6*d.*
CAUDATA, 2*s.* 6*d.*

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 3*s.* 6*d.*

HYMENOPHYLLUM MULTIFIDUM, 21*s.* | **HYMENOPHYLLUM** DEMISSUM, 5*s.* and 7*s.* 6*d.*

LASTREA CORUSCA.

An interesting greenhouse fern, introduced from Japan, with dark shining green bipinnate fronds, acutely triangular in outline, having the lower pinnæ deflexed, and the points of all the pinnæ gracefully recurved. The pinnules are narrow, elliptical or oblong, rounded at the tips and with serrated edges, the underside assuming with age a silvery-grey appearance. 5*s.*

LASTREA ARISTATA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
ATRATA, 2*s.* 6*d.*
ERYTHROSORA, 2*s.* 6*d.*
GLABELLA, 2*s.* 6*d.* and 3*s.* 6*d.*
LEPIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
MEMBRANIFOLIA, 2*s* 6*d.* and 3*s.* 6*d.*
PATENS, 2*s* 6*d.*
PROLIFICA, 2*s.* 6*d.*, 3*s.* 6*d* and 5*s.*
SIEBOLDII, 2*s.* 6*d.*
LEUCOSTEGIA IMMERSA, 2*s.* 6*d.*
LOMARIA CYCADÆFOLIA, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
GIBBA, *vide* page 103.
DALGAIRNSIÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
PATTERSONII, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
ZAMIÆFOLIA. 2*s.* 6*d.* and 3*s.* 6*d.*
NEPHRODIUM MOLLE CORYMBIFERUM, 2*s.* 6*d.*
MOLLE CRISTATUM, 3*s.* 6*d.*
—— RAMOSUM, 3*s.* 6*d.*
NIPHOBOLUS HETERACHTIS, 3*s.* 6*d.* and 5*s.*
LINGUA CORYMBIFERA, 3*s.* 6*d.* and 5*s.*
ONYCHIUM JAPONICUM, 1*s.* 6*d.*
OSMUNDA JAPONICA CORYMBIFERA, 2*s.*6*d.* & 3*s.*6*d.*
PALUSTRIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PELLÆA TERNIFOLIA, 3*s.* 6d. and 5s.
PHLEBODIUM AUREUM, 2*s.* 6*d.*
PLATYCERIUM ALCICORNE, 3*s.* 6*d.*
ALCICORNE MAJUS, 7*s.* 6*d.*
FALCATUM, 3*s.* 6*d.*
POLYPODIUM TRICHODES (LASTREA TENERICAULIS), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
POLYSTICHUM CAPENSE, 1*s.* 6*d.* and 2*s.* 6*d.*
POLYBLEPHARUM, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SETOSUM, 2*s.* 6*d.* and 3*s.* 6*d.*
VENUSTUM, 5*s.*
PTERIS ADIANTIFOLIA, 1*s.* 6*d.* and 2*s.* 6*d.*
ARGUTA. 2*s.* 6*d.*
ARGYREIA, 1*s.* 6*d.* and 2*s.* 6*d.*
CRETICA ALBO-LINEATA, 1*s.* 6*d.*
—— —— —— CRISTATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— MAYII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— NOBILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
HASTATA, 1*s.* 6*d.* and 2*s.* 6*d.*
INTERNATA, 2*s.* 6*d.*
LEPTOPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
LONGIFOLIA, 1*s.* 6*d.* and 2*s.* 6*d.*
NEMORALIS VARIEGATA, 2*s.* 6*d.*
OUVRARDII, 1*s.* 6*d.*
REX, 3*s.* 6*d.* and 5*s.*
SERRULATA, 1*s.*
—— CRISTATA, 1*s.* 6*d.*
—— —— COMPACTA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— DENSA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— MAJOR, Chiswick variety, 5*s.*
—— —— VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRACILIS, new, 5*s.*
STRAMINEA, 3*s.* 6*d.*
TREMULA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— ELEGANS, 3*s.* 6*d.*
—— FLACCIDA, 3*s.* 6*d.*
—— FOLIOSA, 2*s.* 6*d.*
—— VARIEGATA, *vide* page 11.

PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the pinnules are crested and tasselled. 7*s.* 6*d.*

PTERIS TREMULA SMITHIANA, 3*s.* 6*d.* and 5*s.* | **STRUTHIOPTERIS** GERMANICA, 2*s.* 6*d.*
TODEA AFRICANA, 2*s.* 6*d.* and 3*s.* 6*d.*

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which should be seen to be justly appreciated. The fronds, which are fifteen to eighteen inches in length, are of a bright green, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 2*s.* 6*d.* and 3*s.* 6*d.* Fine strong plants, 10*s.* 6*d.*, 15*s.* and 21*s.*

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

WOODWARDIA ORIENTALIS, 2*s.* 6*d.* and 3*s.* 6*d.* | **WOODWARDIA** RADICANS, 2*s.* 6*d.* and 3*s.* 6*d.*

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLAS (LYCOPODIUMS.)

G, greenhouse; *H*, hardy; *S*, stove.

	s.	*d.*
S **AFRICANA**	2	6
S **ALBO-SPICA**	3	6
S **AMŒNA** ... 2*s.* 6*d.* &	3	6
S **APUS (APODA)**	1	6
S **ATROVIRIDIS**	2	6
S **CANALICULATA**	5	0
S **CAULESCENS**	2	6
S **COGNATA**	3	6
S **CUSPIDATA**	2	6
S **EMILIANA**	3	6
S **FILICINA** (DICHŒUS)	2	6
S **FLAGELLIFERA**	3	6
S **GALEOTTII** (SCHOTTII)	2	6
S **GRANDIS** ... 3*s.* 6*d.* &	5	0
S **INÆQUALIFOLIA** ... 1*s.* 6*d.* &	2	6
G **INVOLVENS** ... 2*s.* 6*d.* &	3	6
G **KRAUSSIANA** (DENTICULATA)	0	9
G —— **AUREA** ... 1*s.* 6*d.* &	2	6
G **KRAUSSIANA VARIEGATA**	1	6
S **LÆVIGATA** (ŒSIA ARBOREA)	3	6
S **LOBBII**	2	6
S **LYALLII**	2	6
S **MARTENSII**	1	6
S —— **ALBO-VARIEGATA**	1	6
S **POULTERI**	2	6
S **RUBRICAULIS**	2	6
S **SERPENS** (MUTABILIS and VARIABILIS)	1	6
S **SETOSA**	2	6
S **STOLONIFERA**	1	6
S **TASSELLATA**	5	0
S **UNCINATA** (ŒSIA)	1	6
S **USTA**, *vide* page 11.		
S **VOGELLII VARIEGATA**	5	0
S **VICTORIÆ**	3	6
S **WALLICHII**	3	6
G **WILDENOVII** (PUBESCENS)	2	6

Selection of good kinds can be supplied at 18s. per dozen.

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

ACANTHOPHŒNIX CRINITA (ARECA CRINITA), fine plants..... 1 and 1½ guineas.
ACANTHORRHIZA ACULEATA (CHAMÆROPS STAURACANTHA) ..... 10*s.* 6*d.* and 15*s.*
***ARCHONTOPHŒNIX** ALEXANDRÆ (PTYCHOSPERMA ALEXANDRÆ) ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
* CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½ and 2 guineas.
ARECA ALBA, *vide* DICTYOSPERMA ALBUM.
AUREA, *vide* DICTYOSPERMA AUREUM.
* BAUERI *vide* RHOPALOSTYLIS BAUERI.
CRINITA, *vide* ACANTHOPHŒNIX CRINITA.
LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS
MADAGASCARIENSIS ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
TRIANDRA ..... 10*s.* 6*d.* and 15*s.*
VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII
***ARENGA** WIGHTII ..... 1 guinea
ASTROCARYUM MALYBO (A. ARGENTEUM)..... 1½ and 2 guineas
BOWENIA SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowenia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from which are developed its large and handsome leaves, which differ from the typal and only other known Bowenia in having the margins distinctly toothed or serrated .... 5*s.* and 7*s.* 6*d.*
CALAMUS AUSTRALIS .....
MICRANTHUS ..... 7*s.* 6*d.* and 10*s.* 6*d.*
(DÆMONOROPS) PALEMBANIOUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
(——) PERIACANTHUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
ROXBURGHII ..... 10*s.* 6*d.*
CALYPTROGYNE SWARTZII "Mountain Thatch Palm" (CALYPTRONOMA SWARTZII) 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
CALYPTRONOMA SWARTZII, *vide* CALYPTROGYNE SWARTZII
CARLUDOVICA DRUDEI ..... 10*s.* 6*d.* and 15*s.*
PALMATA ..... 10*s.* 6*d.* and 15*s.*
PLUMIERI ..... 10*s.* 6*d.*
WALLISII ..... 7*s.* 6*d.* and 10*s.* 6*d.*
CARYOTA URENS "Wine Palm" ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
CATAKIDOZAMIA HOPEI .....
DENISONI, *vide* LEPIDOZAMIA

CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnæ deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.

CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS

CHAMÆDOREA ELEGANTISSIMA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

GRAMINIFOLIA ..... 10*s.* 6*d.* and 15*s.*

*. POLITA ..... 10*s.* 6*d.*

COCOS WEDDELLIANA.

* **CHAMÆROPS** EXCELSA, *vide* TRACHYCARPUS EXCELSUS

* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI

* HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.* to 2, 3 and 4 guineas each.

* —— GRACILIS ..... 15*s.* and 21*s.*

* —— ROBUSTA ..... 15*s.* and 21*s.*

* —— TOMENTOSA ..... 15*s.* and 21*s.*

STAURACANTHA, *vide* ACANTHORRHIZA ACULEATA

CHRYSALIDOCARPUS LUTESCENS (ARECA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.* to 21*s.*

***COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 3*s.* 6*d.* & 5*s.*

* FLEXUOSA ..... 3*s.* 6*d.* and 5*s.*

INSIONIS (GLAZIOVA INSIONIS), 7*s.* 6*d.* and 10*s.* 6*d.*

PLUMOSA ..... 2*s.*6*d.*, 3*s.* 6*d.* and 5*s.*

PROCOPEANA ..... 5*s.* and 7*s.* 6*d.*

***COCOS** WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnæ or segments, of a rich green colour. In all sizes, 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 21*s.*

***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS

CYCAS ARMSTRONGII .....

CIRCINALIS ..... 1½ and 2 guineas.

MEDIA, a noble Cycad. Trunks in various sizes. Prices on application.

* REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.*; fine specimens, 3, 4 and 5 guineas each.

RUMPHII .....

SIAMENSIS .....

CYCLANTHUS DISCOLOR ..... 1 guinea

CYPHOKENTIA GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS

DÆMONOROPS, *vide* CALAMUS

DICTYOSPERMA ALBUM (ARECA ALBA) ..... 3*s.* 6*d.* and 5*s.*

AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems ..... 10*s.* 6*d.* and 15*s.*

DIOON EDULE ..... 1½, 2 and 3 guineas.

DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS

CAUDESCENS (CEROXYLON NIVEUM) ..... 5*s.* and 7*s.* 6*d.*

***ENCEPHALARTOS** CAFFRA .....

* HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.

* HORRIDUS .....

* —— MULTIFLEXUS .....

* (ZAMIA) LEHMANNI .....

* (——) —— GLAUCUS .....

* (——) —— SPINOSUS .....

* (——) REGALIS. This handsome species forms a most desirable ornamental plant for the decoration of conservatories, imparting a grandeur that few other plants are capable of producing. Price on application.

* (——) VILLOSUS .....

* (——) —— AMPLIATUS .....

* (——) —— DENTICULATUS .....

* (——) —— GRACILIS .....

* (——) —— VROOMII ..... 4 and 5 guineas.

EUTERPE EDULIS "ASSAI PALM" (OREODOXA SANCONA) ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

GEONOMA ACAULIS, *vide* page 10.

GRACILIS ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*

INTERMEDIA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

SCHOTTIANA ..... 3*s.* 6*d.* and 5*s.*

GLAZIOVA ELEOANTISSIMA, *vide* COCOS WEDDELLIANA
INSIONIS, *vide* COCOS INSIONIS
GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA
FORSTERIANA, *vide* HOWEA FORSTERIANA
***HEDYSCEPE** CANTERBURYANA "Umbrella Palm" (KENTIA CANTERBURYANA), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
***HOWEA** BELMOREANA, "Curley Palm," (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 2*s* 6*d*.., 3*s.* 6*d.*, 5*s.* to 21*s.*
* FORSTERIANA, "Flat or Thatch-Leaf Palm," (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA) .....
HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS
INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS
(ARECA) VERSCHAFFELTII, 10*s.* 6*d.*, 15*s.* and 21*s.*
***KENTIA** AUSTRALIS .....
* BELMOREANA, *vide* HOWEA BELMOREANA
* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA
ELEOANTISSIMA.....
* FORSTERIANA, *vide* HOWEA FORSTERIANA
ORACILIS, *vide* KENTIOPSIS OLIVÆFORMIS
MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII
* RUPICOLA, a graceful Palm destitute of spines, with arching pinnate leaves and narrow sharply pointed pinnæ. The young fronds have a lustrous pinkish bronze colour, which adds greatly to the beauty of the plant.
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA
***KENTIOPSIS** OLIVÆFORMIS (KENTIA GRACILIS, CYPHOKENTIA ORACILIS) .....
***LATANIA** BORBONICA, *vide* LIVISTONA CHINENSIS
* COMMERSONI (L. RUBRA). 1 & 1½ guinea.
LEOPOLDINA PULCHRA, *vide* COCOS WEDDELLIANA
LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA DENISONI) .....
LIVISTONA ALTISSIMA. 10*s.* 6*d.* 15*s.* & 21*s.*
* AUSTRALIS (CORYPHA AUSTRALIS). 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*
* CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA) in all sizes, from 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.*, to 2, 3, 4 and 5 guineas each.
HOOOENDORHFII, a fine Stovo Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, giving the leaves a bold and distinctive character. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
INERMIS, an elegant and ornamental species introduced from Queensland. It early develops characterized leaves, which are fan-shaped in outline and divided almost to the petiole into linear lanceolate segments, each about half-an-inch in breadth. 10*s.* 6*d.*, 15*s.* & 21*s.*
* MAURITIANA, *vide* L. CHINENSIS
ROTUNDIFOLIA (SUBOLOBOSA) 3*s.* 6*d.* & 5*s.*
* SINENSIS, *vide* L. CHINENSIS
***MACROZAMIA** CYLINDRICA .....
* DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA
* PLUMOSA ..... 2, 3 and 4 guineas.
MAXIMILIANA REGIA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
ONCOSPERMA FASCICULATUM, *vide* page 11.
OREODOXA SANCONA, *vide* EUTERPE EDULIS
PHŒNICOPHORIUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA
***PHŒNIX** COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis*; its dense compact habit of growth will render it extremely useful for decorative purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

GEONOMA GRACILIS.

HOWEA (KENTIA) BELMOREANA.

RHOPALOBLASTE HEXANDRA.

For description, *vide* page 113.

*PHŒNIX DACTYLIFERA (THE DATE PALM) ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 1 and 1½ guinea.
INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory
5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
* RECLINATA ..... 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
* RUPICOLA, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnicees to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lanceshaped in outline, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition. 3*s.* 6*d.*
fine plants, 21*s.*, 31*s.* 6*d.* and 42*s.*
* SYLVESTRIS, a Sugar-yielding Palm
1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
PINANGA KUHLEI ..... 7*s.* 6*d.* and 10*s.* 6*d.*
LEPIDA ..... 21*s.*
MACULATA ..... 10*s.* 6*d.* to 21*s.*

PHŒNIX RUPICOLA.

SPECTABILIS ..... 21*s.*
PRITCHARDIA AUREA ..... 1½, 2 and 3 guineas
PACIFICA ..... 1 and 1½ guinea
*PTYCHOSPERMA ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ
* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA
MACARTHURII (KENTIA MACARTHURII) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
*RHAPIS FLABELLIFORMIS ..... 5*s.*, 7*s.* 6*d.* to 21*s.*
HUMILIS ..... 21*s.* and 31*s.* 6*d.*
RHOPALOBLASTE HEXANDRA, a very handsome and remarkably graceful palm, with dark olive-green pinnate leaves, broadly ovate in outline, composed of numerous narrow elongated segments, in which the midrib is most prominent on the upper surface. The leaf stalks, which are broad and sheathing at the base, are sparsely covered with a ferruginous rufescence. Being a spineless palm, of good habit and exceedingly elegant appearance, it is admirably adapted for table and other decorative purposes. *Vide* illustration page 101. Price on application.
*RHOPALOSTYLIS BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA) ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA) ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
SABAL ADANSONI "DWARF PALMETTO" ..... 3*s.* 6*d.* and 5*s.*
GLAUCESCENS ..... 7*s.* 6*d.* and 10*s.* 6*d.*
UMBRACULIFERA (BLACKBURNIANA), noble and very distinct ..... 3*s.* 6*d.* and 5*s.*
*SEAFORTHIA ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA
* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI
STANGERIA PARADOXA ..... 10*s.* 6*d.*
STEVENSONIA GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM) ..... 1, 1½, 2 to 5 guineas.
THRINAX CHUCO ..... 5*s.* and 7*s.* 6*d.*
ELEGANS, very handsome for exhibition purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
ELEGANTISSIMA, an exceedingly elegant and graceful Palm ..... 15*s.* and 21*s.*
* PARVIFLORA ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
TRACHYCARPUS EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* to 2, 3, 4 and 5 guineas each.
FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* to 2, 3, 4 and 5 guineas each.
WALLICHIA DENSIFLORA ..... 21*s.* and 31*s.* 6*d.*
NANA .....
*ZAMIA BREVIFRONS ..... 1½ and 2 guineas
* FURFURACEA ..... 2 and 3 guineas
* INTEGRIFOLIA ..... 2 and 3 guineas
* LEHMANNI, *vide* ENCEPHALARTOS LEHMANNI
LINDENI .....
PRASINA ..... 1½ guinea
* ROEZLII .....
SKINNERI .....
* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS
* VROOMII, *vide* ENCEPHALARTOS VROOMII.

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.

New and Choice Varieties, 5s., 7s. 6d., 10s. 6d., 15s., 21s. and 31s 6d. each.

ADOLPHE ADAMS, green, densely speckled with white; rose-coloured mid-ribs. 2*s.* 6*d.* and 3*s.* 6*d.*

AGRIPPINE DIMITRY, white ground, green margin and veins, pink centre. 3*s.* 6*d.*

AÏDA, transparent ruddy rose tissue with green ribs. 5*s.*

ALCIBIADE, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 3*s.* 6*d.*

ALFRED BLEU, green, with white spots and flesh-coloured centre. 2*s.* 6*d.*

ALFRED MAME, carmine-red, bordered with white and spotted with rose. 7*s.* 6*d.*

ALICE VAN GEERT, creamy-white, veined rose. 5*s.*

ALPHAND, green, spotted red; crimson centre. 2*s.* 6*d.* & 3*s.* 6*d.*

ALPHONSE KARR, carmine centre and red spots. 3*s.* 6*d.*

ALZIRE, 7*s.* 6*d.*

AMŒNUM, transparent rose, with red ribs, violet-rose veins green margin. 3*s.* 6*d.*

ANDROMAQUE, 10*s.* 6*d.*

ANNA DE CONDEIXA, rose centre, with clear green margin, and white, yellow and dark green zone. 3*s.* 6*d.*

ANNIBAL, 3*s.* 6*d.*

ARETHUSE, 3*s.* 6*d.*

ARGYRITES, pale green with white spots. 1*s.* 6*d.* & 2*s.* 6*d.*

ARISTIDE, light green; crimson centre. 3*s.* 6*d.*

ARSINOË, 3*s.* 6*d.* and 5*s.*

ARTEMISE, silvery-white with rosy-crimson ribs. 3*s.* 6*d.*

ASSUNGUY, transparent leaves, with black green veins, entire leaf suffused with deep rose-piuk. 10*s.* 6*d.*

AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined golden-green. 5*s.*

AUGUSTE LEMOINIER, soft green centre and rosy-crimson rib and veins. 3*s.* 6*d.*

AUGUSTE RIVIÈRE, white centre and rays, and crimson spots. 3*s.* 6*d.*

AURORE BOREALE, dark red, spotted with bronzy-green, reddish carmine ribs. 7*s.* 6*d.*

AZULAO, centre transparent, light violet with bluish tint, bright green border. 10*s.* 6*d.*

BACURY, large leaf, greenish yellow ground, centre rosy-red; ribs and veins bright rosy-crimson. 10*s.* 6*d.*

BARAO DE MAMORE, white ground reticulated with green: centre and ribs marked with dark brown red; narrow green border. 10*s.* 6*d.*

BARAQUINII, crimson centre, dark green margin. 2*s.* 6*d.* and 3*s.* 6*d.*

BARAQUINII SUPERBUM, 3*s.* 6*d.* & 5*s.*

BARILLET, green, bright rosy crimson centre and ribs. 3*s.* 6*d.* and 5*s.*

BARONEZA DE OLIVEIRA CASTRO, 10*s.* 6*d.*

BARON DE ROTHSCHILD, mottled green, with red centre and spots. 3*s.* 6*d.*

BARON ADOLPHE de ROTHSCHILD, reddish crimson with lighter centre, ornamented with large bright rose spots. 42*s.*

BARONNE CLARA de HIRSCH, long creamy-white leaves, ornamented with groups of rose-coloured dots, rich brownish-red nerves. 21*s.*

BARRAL, bright green, with a fine red centre, and large spots of rose. 3*s.* 6*d.* and 5*s.*

BEETHOVEN, white, veined with green, rib delicate rose. 2*s.* 6*d.*

BEIJA-FLOR, dark rose centre, margin bright green, bright red veins. 10*s.* 6*d.*

BELLEYMEI, white variegated leaves. 2*s.* 6*d.*

BICOLOR. 1*s.* 6*d.*

BICOLOR SPLENDENS. 2*s.* 6*d.*

BOSPHORE. 5*s.*

BOTAFOGO, a splendid variety, centre bright red, intensified in the veins, distinct margin of greenish primrose. 10*s.* 6*d.*

BRONGNIARTII, 2*s.*6*d.* & 3*s.* 6*d.*

BUREL, dark bluish-green veined bright rose, marked with rosy-violet. 3*s.* 6*d.*

CANDIDUM, white ground with strongly marked ribs. 5*s.*

CANNÆRTII, leaves flushed with salmon-red, and spotted white. 2*s.* 6*d.*

CARDINALE, brilliant red, dotted with golden-yellow and greenish-yellow. 7*s.* 6*d.*

CERES, rich green with rosy-salmon centre. 5*s.*

CHANTINII, reddish ground, spotted with white. 2*s.* 6*d.*

CHANTINII FULGENS, 3*s.* 6*d.* and 5*s.*

CHARLEMAGNE, large rosy-red leaves, nerves dark red. 5*s.*

CHARLES VERDIER, fine green, with blush-pink centre and spots. 2*s.* 6*d.* & 3*s.* 6*d.*

CHELSONI, bright glossy green, suffused with brilliant red, and blotched crimson. 2*s.* 6*d.*

CLIO, ground colour deep rose shaded white; green ribs, and narrow green margin. 5*s.*

COIMBRA, yellowish ground, lilac-rose ribs and veins; bordered rich green. 10*s.*6*d.*

COMTE DE GERMINY, dull-red leaves with brighter veins, maculated white. 10*s.* 6*d.*

COMTESSE DE BROSSE, leaves deep rose, veins carmine-red, 7*s.* 6*d.*

COMTESSE DE CONDEIXA, white ground shaded rose; carmine-red veins; narrow green margin. 5*s.*

COMTESSE DE MAILLE, white ground, veined with bright rosy-red and green. 3*s.* 6*d.*

COMTESSE DU BERTHIER. 3/6

COMTESSE FERD. de LESSEPS, large bright rosy-red leaves, veins rich carmine. 7*s.* 6*d.*

COYPEL. 3*s.* 6*d.*

CYPRIS. 3*s.* 6*d.*

DE HUMBOLDT, glossy green, spotted with scarlet. 3*s.* 6*d.*

DEVINCK, leaves heart-shaped; delicate pink centre ribs, with white spots. 3*s.* 6*d.*

DONA CARMEN MACEDO. 10/6

DONIZETTI, rich red centre, green border, rose spots. 3*s.*6*d.*

DON PEDRO D'ALCANTARA. 10*s.* 6*d.*

DR. BOISDUVAL, centre rayed crimson; snow-white blotches on a green ground. 3*s.* 6*d.*

DR. LINDLEY, crimson centre, the green ground marked with rose blotches. 3*s.* 6*d.*

DR. L. WITTMACK. 10*s.* 6*d.*

DUC DE CLEVELAND, red centre, surrounded with pea-green; red spots. 3*s.* 6*d.*

DUC DE MORNY, deep green leaf borders with large crimson-rayed centre. 3*s.* 6*d.*

DUC DE NASSAU, brilliant red centre and ribs, white spots. 2*s.* 6*d.* and 3*s.* 6*d.*

DUC DE RATIBOR, green with red mid-ribs and white spots. 2*s.* 6*d.* and 3*s.* 6*d.*

DUCHARTRE, leaf ground white, flushed rose, green veins and red spots. 3*s.* 6*d.*

E. G. HENDERSON, green, with transparent rose spots and mottled crimson rays and centre. 2*s.* 6*d.*

ELSA, silvery rose, with red spots; fine. 5*s.*

ELVINA, bright green, blotched with red; grey centre and veins. 3*s.* 6*d.*

EMILIE VERDIER, leaves of a light transparent rose colour, spotted with red. 3*s.* 6*d.*

ERNEST CAILLE. 7*s.* 6*d.*

EUCHARIS, rose centre with violet reflections margined with bright green. 5*s.*

EURYDICE. 15*s.*

EUTERPE. 3*s.* 6*d.*

FAUST. 5*s.*

FELICIEN DAVID, carmine centre, surrounded white, and veined with red on green ground. 3*s.* 6*d.* and 5*s.*

FERDINAND DE LESSEPS, dark carmine-red ground with violet-rose ribs, and deep green spots. 5*s.*

GABRIELLE LEMOINIER, silver white transluecid leaves, centre veined green. 5*s.*

GASPARD CRAYER, intense deep red leaves, bordered with dark greenish violet. 7*s.* 6*d.*

GASTON CHANDON. 5*s.*

GAZE DE PARIS, transluecid leaves, green ribs. 3*s.* 6*d.* & 5*s.*

GEORGES BERGER, dwarf variety, with long leaves, centre brilliant scarlet, margined with golden-green mixed with red. 31*s.* 6*d.*

GERARD DOW, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 5*s.* and 7*s.* 6*d.*

GLUCK. 5*s.*

GOLDEN QUEEN, pale golden yellow. 5*s.*

GRATIOSUM. 3*s.* 6*d.*

GRETRY, carmine centre, with white spots. 3*s.* 6*d.* and 5*s.*

GUARAREMA, green with white spots, crimson veins. 10*s.* 6*d.*

HALEVY, white mid-ribs and crimson blotches. 3*s.* 6*d.*

HENRIETTE BASSET. 10*s.*6*d.*

HEROLD, dark carmine veins, surrounded by light green, blotched pure white. 3*s.* 6*d.*

HOMERE. 10*s.* 6*d.*

HORACE. 5*s.* & 7*s.* 6*d.*

HOULLETTI, green with white spots. 2*s.* 6*d.* and 3*s.* 6*d.*

HRUBYANUM. 3*s.* 6*d.* and 5*s.*

IBIS ROSE, a magnificent variety, with beautiful rich rose-coloured foliage. 10*s.* 6*d.*

IBIS ROUGE. 21*s.*

IDA. 10*s.* 6*d.*

IMPERATRIZ THEREZA, chalk-white heavily suffused with rose, black veins. 10*s.*6*d.*

INDEPENDENCIA, transparent leaf, ground colour creamy white, suffused and mottled with reddish rose; emerald green veins. 10*s.* 6*d.*

ISADORE LEROY, rich metallic green, with crimson-red centre rays. 3*s.* 6*d.*

ISIS, bright rose, veins violet-carmine. 5*s.*

JAMES LAING. 10*s.* 6*d.*

JOHN LAING, centre bright rosy-red, bordered with creamy-white. 10*s.* 6*d.*

JOHN R. BOX, red and greenish-maroon ground; carmine-red veins; violet-rose centre. 3/6.

JOINVILLE, fine leaves with dark red centre. 10*s.* 6*d.*

JULES PUTZEYS, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3*s.* 6*d.*

JUPITER. 3*s.* 6*d.*

LAINGII, reddish-carmine centre; the whole of the leaf sprinkled with white. 3*s.* 6*d.*

LA LORRAINE, rosy-carmine, narrow green margin; a brilliant variety. 10*s.* 6*d.* & 15*s.*

LAMARTINE, crimson centre, white and red spots. 3*s.* 6*d.*

LA NACRE, a beautiful variety with flesh coloured transparent leaves, reflected like mother-of-pearl, veins dark carmine. 3*s.* 6*d.* and 5*s.*

LA PERLE DU BRESIL, white, delicately tinted with rose, mid-rib dark green. 3*s.* 6*d.*

L'ALBANE. 3*s.* 6*d.*

L'AURORE, orange-red, carmine veins, creamy-white margin. 7*s.* 6*d.*

L'AUTOMNE, creamy-white, with bluish maculations. 7*s.*6*d.*

L'INSOLITE, dark yellowish-green, margined with apple-green, spotted with bright red. 21*s.*

LE GRAND SUCCÈS, large opaline white leaves. 5*s.* and 7*s.* 6*d.*

LE NAIN ROUGE, dwarf variety with copper-red leaves. 7*s.* 6*d.* and 10*s.* 6*d.*

LEOPOLD ROBERT, rosy-white ground; carmine-red veins shaded with reddish-brown; green margin. 3*s.* 6*d.*

LEPESCHKINEI, leaves marked with rich rose spots; bright red centre. 3*s.* 6*d.*

LEPLAY, leaves marked with white, and beautifully veined with rosy-violet. 3*s.* 6*d.*

LILLIE BURKE, leaves greenish-white, suffused rose in centre, nerves and veins bright rose. 15*s.*

LOUISE DUPLESSIS, red rays and veins on a white ground; green margin. 3*s.* 6*d.*

LOUIS VAN HOUTTE, large copper-red leaves, veins dark violet. 10*s.* 6*d.*

LUCIDUM, transparent leaves, silvery-white with network of green veins. 21*s.*

LUDDEMANNI, deep crimson ribs; the leaf blotched with magenta and white. 3*s.* 6*d.*

LULLII. 3*s.* 6*d.* and 5*s.*

LUTEUM AURATUM, glittering yellow, shaded with green, dark centre. 15*s.*

LYMINGTON, centre ivory-white, surrounded with dark green prettily spotted. 5*s.*

MADAME ALFRED BLEU, deep green, with large white blotches, and broad crimson-scarlet veins. 3*s.* 6*d.* and 5*s.*

MADAME ALFRED BLEU MAJOR, large round white leaves, shaded rose, nerves rosy-red and green. 10*s.* 6*d.*

MADAME ALFRED MAGNE, transparent leaves, dark carmine red, with yellowish white margin, centre vein violet red. 10*s.* 6*d.*

MADAME ALFRED MAME, light green, covered with large white spots; rosy-carmine centre 3*s.* 6*d.* & 5*s.*

MADAME DE LA DEVANSAYE, leaves white, shaded rose, and veined with red and green. 3*s.* 6*d.* and 5*s.*

MADAME D'HALLOY, silver white, suffused with rose, veined carmine. 5*s.* and 7*s.*6*d.*

MADAME DOMBRAIN, centre and ribs pale yellowish-green, shaded rose, and spotted with white and rose. 3*s.* 6*d.*

MADAME EDOUARD PYNAERT, a splendid variety, with reddish-carmine leaves. 21*s.*

MADAME FRITZ KŒCHLIN, white ground, violet-rose ribs, green veins. 3*s.* 6*d.*

MADAME GROULT, rosy-red leaves, bordered with dark green, spotted with white. 10*s.* 6*d.*

MADAME HEINE, silvery-white, stained and edged with pale green; distinct. 3*s.* 6*d.*

MADAME HOULLET, large leaves, with clustering blush-white blotches. 3*s.* 6*d.*

MADAMEIMBERT KŒCHLIN, green with large dark red spots. 7*s.* 6*d.*

MADAME JULES MENOREAU, white centre, tinted rose, veined rich bright rose, margined green. 3*s.* 6*d.* & 5*s.*

MADAME JULES PICOT, translucid rosy-violet. 7*s.*6*d.*

MADAME LAFORGE, centre and ribs reddish-crimson, with green margin. 3*s.* 6*d.*

MADAME LEMOINIER, pale rose with darker ribs; veins and centre encircled with creamy-white. 5*s.*

MADAME LEON SAY, leaves carmine-red margined with creamy-white. 10*s.* 6*d.*

MADAME MARCHAND, violet-red, margin green. 5/ & 7/6.

MADAME MARJOLIN SCHEFFER, white foliage, charmingly veined and netted with rosy-lake. 3*s.* 6*d.*

MADAME MITJANA, transparent reddish-crimson, rose centre. 5*s.* and 7*s.* 6*d.*

MADAME T. DEVIGIER, rosy-white, carmine nerves. 3*s.* 6*d.*

MADAME WILLAUME, delicate salmon-rose-coloured transparent leaves. 3*s.* 6*d.*

MARIA MITJANA, very bright rose, translucid leaves. 7*s.*6*d.*

MARIE FREEMAN. 10*s.* 6*d.* and 15*s.*

MARQUIS DE CAUX, red centre and veins, with rose blotches on margins. 3*s.* 6*d.*

MARQUIS F. D'ALBERTAS, centre silvery-white, surrounded with bright green, maculated with white and suffused rose. 5*s.* and 7*s.* 6*d.*

MARGUERITE GELINIER, bright rose centre, with a broad zone of greyish white, nerves rosy-violet. 10*s.* 6*d.*

MARS, clouded crimson centre, the whole leaf spotted with crimson. 3*s.* 6*d.*

MARTHA LAFORGE, rosy-carmine leaves, spotted with light green, and maculated with white. 21*s.*

MAXIME DUVAL, fine broad crimson centre and ribs, green margin. 3*s.* 6*d.*

MAX KOLB, light green ground with palo centre; distinct. 2*s.* 6*d.* and 3*s.* 6*d.*

MERCADANTE, pale copper-coloured centre and veins, bordered with green. 3*s.* 6*d.*

MERCÉDÈS DARGENT, white leaves, marked with a network of rose-coloured nerves, the principal veins bright rose. 21*s.*

MEYERBEER, white leaf ground, green veins and red mid-ribs. 2*s.* 6*d.* and 3*s.* 6*d.*

MICHEL BUCHNER, leaves of a brilliant red colour. 21*s.*

MINERVE, silvery-white mid-rib and rays, surrounded with greyish-white; green margin, with white spots. 3*s.* 6*d.*

MINUS ERUBESCENS, very dwarf; leaves reddish crimson, bordered with green. 2*s.* 6*d.*

MIRACEMA, an exceedingly beautiful variety, large milk-white leaves, veins feathered with soft pink. 10*s.* 6*d.*

MIRITY, 10*s.* 6*d.*

MONSIEUR A. HARDY, rich reddish-carmine veins on white ground, tinted with roso and spotted with green. 3*s.* 6*d.*

MONSIEUR BRION WINNE, a dwarf variety, centre violet blue, the margin marked with large white maculations. 21*s.*

MONSIEUR CHABER, large golden-yellow leaves, maculated with white. 21*s.*

MONSIEUR D'HALLOY, delicate rose, bright rose centre, red and green veins. 3*s.* 6*d.*

MONSIEUR J. LINDEN, fine large whitish leaf, with rose veins and green border. 3*s.*6*d.*

MONSIEUR LEON SAY, copper-red leaves, maculated with violet-rose. 10*s.* 6*d.*

MOZART, rose centre and veins on green ground. 3*s.* 6*d.*

MRS. HARRY VEITCH, fine reddish-gold leaves. 10*s.* 6*d.*

MRS. LAING, white ground; deep rose centre and veins; green margin. 3*s.* 6*d.*

MUCURIPE, centre rose-pink, surrounded with greenish white, margined green. 10*s.* 6*d.*

NAPOLEON III, flamed crimson centre, with forked rays, and carmine-red spots. 3*s.* 6*d.*

OMBRELLE PARISIENNE, crimson-red, veins red, and green margin. 5*s.*

ONSLOW, deep rosy-crimson centre with green margin, spotted rose. 3*s.* 6*d.* and 5*s.*

ORIFLAMME, brilliant red, margined with green. 5*s.*

ORNATUM, golden-yellow ground; carmine ribs encircled with rosy-lake; red-violet veins. 3*s.* 6*d.*

ORPHÉE, leaves rosy-white, veined with bright carmine. 21*s*

OURO FINO, white ground carmine-red ribs, green margin, with network of yellow veins. 10*s.* 6*d.*

PAUL VERONESE, pinkish-white centre, deep scarlet ribs and green margin. 3*s.*6*d.*

PERIQUITO, large broad green leaf, with white blotches and crimson veins. 10*s.* 6*d.*

PETROPOLIS, 3*s.* 6*d.*

PHILIPPE SCHULDT, 5*s.*

PRESIDENT DE LA DEVANSAYE, leaves bright rosy-carmine, bordered with golden-green. 42*s.*

PRINCE ALBERT EDWARD, dark emerald-green, rich crimson radiating mid-rib, white spots. 2*s.* 6*d.* and 3*s.* 6*d.*

PRINCE OF WALES, large golden-yellow leaves. 5*s.*

PRINCESS ALEXANDRA, rosy-salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. 3*s.* 6*d.* and 5*s.*

PRINCESS OF TECK, bright orange-yellow, veins suffused with deep red. 5*s.* and 7*s.* 6*d.*

PRINCESS OF WALES, golden-yellow, spotted with crimson. 5*s.*

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. 5*s.*

PROSERPINE, 3*s.* 6*d.*

PYRRHUS, centre and ribs deep crimson, green margin. 3*s.*6*d*

QUADRICOLOR, centre of leaf pale yellowish-green, ribs white, edged rosy-crimson, and margined green. 3*s.* 6*d.*

RAMEAU, centre and ribs deep reddish-crimson, surface covered with white blotches, shaded red 3*s.* 6*d.* and 5*s.*

RAOUL PUGNO, very transparent, pale flesh colour, green margin. 3*s.* 6*d.* and 5*s.*

RAULINII, rich red centre and veins, finely spotted with white. 3*s.* 6*d.*

RAYMOND LEMOINIER, centre bright carmine-red, margined with creamy-white. 7*s.* 6*d.*

RAYON D'OR, very large golden-yellow leaves, extra fine and of vigorous growth. 21*s.*

REINE DE DANEMARK, leaves soft rose, with an irregular marking of dark green, veins bright carmine. 7*s.* 6*d.*

REINE MARIE DE PORTUGAL, violet-rose centre with red veins, dark maroon, zone-green border. 3*s.* 6*d.* and 5*s.*

REINE VICTORIA, green veins and margins, spotted with white and rich crimson. 2*s.* 6*d.* and 3*s.* 6*d.*

RIO DE JANEIRO, 10*s.* 6*d.*

ROBERT BROWN, 15*s.*

RONCADOR, glossy dark rose leaves, with green veins. 10*s.* 6*d.*

ROSINHA, 10*s.* 6*d.*

ROSSINI, pale centre, pink mid-ribs, red blotches. 3*s.* 6*d.*

ROUILLARD, green margin, pale green centre, mid-rib and rays violet-plum; leaf spotted crimson. 3*s.* 6*d.* and 5*s.*

RUBENS, golden-green ground, shaded bright red and veined with dark brown. 5*s.*

RUBRUM AURATUM, 21*s.*

RUBRUM METALLICUM, violet-red, rose centre, margin copper-red. 10*s.* 6*d.*

SALVATOR ROSA, bright red centre tinted with rosy-violet; light green margin. 3*s.* 6*d.*

SIRIUS, centre scarlet-red, spotted with rosy-red and golden-green. 5*s.* and 7*s.* 6*d.*

SIR WALTER SCOTT, 3*s.* 6*d.*

SOCRATES, 10*s.* 6*d.*

SOUVENIR DE LILLE, translucid delicate rose leaves, nerves bright rose. 7*s.* 6*d.*

SOUVENIR DE MADAME BERNARD, bright red centre, dotted with golden-yellow, green and white. 5*s.*

SOUVENIR DE MADAME E. ANDRE, green marbled with white, veined with rosy-crimson. 3*s.* 6*d.*

SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7*s.* 6*d.*

SOUVENIR DU DOCTEUR BLEU, reddish-scarlet centre; pale green border shaded with rich red. 10*s.* 6*d.* & 15*s.*

SPONTINI, pea-green, with white spots and rosy-pink ribs and veins. 5*s.*

TRICOLOR, grey-green with red-lake centre and carmine mid-ribs. 5*s.* and 7*s.* 6*d.*

TRIOMPHE DE L'EXPOSITION, crimson centre, red ribs, green border. 2*s.* 6*d.*

TYMBIRA, peculiar leaves, clouded with rose. 10*s.* 6*d.*

URANUS, 3*s.* 6*d.*

VAN DYCK, transparent rosy-lake, pale rose centre, grey-green margin. 3*s.* 6*d.*

VESTA, greenish-white veins, surrounded with crimson; leaf spotted rose. 3*s.* 6*d.*

VICOMTESSE DE LA ROQUEORDAN, red mid-rib and rays bordered white; green margin. 3*s.* 6*d.*

VILLE DE HAMBOURG, rosy red, prettily netted with carmine. 5*s.* & 7*s.* 6*d.*

VILLE DE LAON, the outer part of leaf apple green, maculated with rosy red, the principal ribs and veins bright red. 21*s.*

VILLE DE MULHOUSE, greenish-white, shaded rose; rich green centre. 3*s.* 6*d.*

VILLE DE SENS. 21*s.*

VIRGILE, 3*s.* 6*d.*

VIRGINALE, shining white, veined. 3*s.* 6*d.*

VIUVA SANT ANNA NERY, creamy-white ground, finely reticulated with pale green, a trace of rose colour along the ribs. 10*s.* 6*d.*

WEBER, 5*s.* & 7*s.* 6*d.*

WIGHTII, 2*s.* 6*d.*

WILH ZIEGLER, fiery brown red centre, with dark veins. 10*s.* 6*d.*

XENOPHON. 5*s.*

XERES. 5*s.*

BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

ALFONSO, a fine flower; colour cinnamon, shaded with salmon. 1*s.* 6*d.*
AURELIA, a very fine large flower of a cinnamon-rose colour; very distinct. 1*s.* 6*d.*
BERTHA, a splendid flower with broad petals, of a soft salmon-pink colour. 3*s.* 6*d.*
BRILLIANT, rich bright orange, a dazzling colour; flowers large and fine; very showy. 2*s.* 6*d.*
CALYPSO, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 2*s.* 6*d.*
CARDINAL, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 2*s.* 6*d.*
CAROLINE, deep rosy-pink, a very fine showy flower with broad petals. 1*s.* 6*d.*
CHELSEA GIANT, light carmine-scarlet; a huge flower. 3*s.* 6*d.*
CLEOPATRA, rosy-lake, shaded with magenta; a very large flower with fine broad petals. 2*s.* 6*d.*
CLIMAX, deep rich rosy-carmine; the two outer petals extremely broad; a beautiful variety. 1*s.* 6*d.*
CORONET, rich rosy-carmine; a large flower with broad petals. 2*s.* 6*d.*
CORSAIR, rosy-salmon; a most profuse blooming variety. 1*s.* 6*d.*
DAPHNE, a fine large flower of a pretty pink colour, with purple shade. 3*s.* 6*d.*
DAVISII, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1*s.*
DEFIANCE, a showy variety, producing fine large flowers of a light orange-scarlet colour. 3*s.* 6*d.*
DELICATA, a charming variety, with beautiful blush-white flowers 1*s.* 6*d.*
DRAGON, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 2*s.* 6*d.*
EMBLEM, a large flower with broad petals, of a deep rose colour, shaded with magenta. 1*s.* 6*d.*
ENSIGN, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 1*s.* 6*d.*
ETHEL, a beautiful flower of a light salmon-pink colour. 3*s.* 6*d.*
FIREFLY, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 3*s.*6*d.*

FLAMBEAU, bright crimson, shaded with rose, fine round flower. 3*s*. 6*d*.
FLAMMETTA, bright orange-scarlet; a remarkably large and fine flower. 2*s*. 6*d*.
FRŒBELLI, a splendid species from Ecuador, producing brilliant scarlet flowers. 1*s*.
GEM, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 2*s*. 6*d*.
HERMINE, light orange-cinnamon, a very distinct and attractive shade of colour. 1*s*. 6*d*.
ICARUS, a very fine large flower of a bright salmon colour. 2*s*. 6*d*.
IMPERIALIS, splendid flower, dark rosy-crimson. 5*s*.
JUPITER, deep crimson, fine large flower of good shape. 5*s*.
LUCINDA, a large and fine flower, with remarkably long petals of a deep rose colour. 2*s*. 6*d*.
MABEL, delicate salmon-pink; a fine flower of good shape. 3*s*. 6*d*.
MAGNET, beautiful light pink the reverse of the petals deep pink; a charming variety. 1*s*. 6*d*.
MARATHON, deep crimson; a very fine large flower. 2*s*. 6*d*.
MARTHA, soft delicate rose-pink; a beautiful flower. 3*s*. 6*d*.
MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 1*s*. 6*d*.
MINIATA, a fine showy variety, producing flowers of bright rosy-carmine colour. 1*s*. 6*d*.
MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 2*s*. 6*d*.
OBERON, bright crimson, shaded with orange-scarlet; a splendid variety. 2*s*. 6*d*.
ORESTES, deep rosy-carmine; a magnificent flower with fine large petals. 2*s*. 6*d*.
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 2*s*. 6*d*.
PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2*s*. 6*d*.
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 1*s*. 6*d*.
PINK BEAUTY, fine large bright rosy-pink flowers, beautiful shape. 3*s*. 6*d*.
REGALIS, a beautiful salmon-rose flower, of good form and substance. 3*s*. 6*d*.
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 2*s*. 6*d*.
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. 1*s*. 6*d*.
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. 2*s*. 6*d*.
STARLIGHT, a beautiful variety, with large flowers of a pretty shade of blush-pink 2*s*. 6*d*.
SUNRISE, a magnificent variety, producing large flowers of a bright rosy scarlet colour. 1*s*. 6*d*.
SUNSET, rich crimson; a fine large showy flower. 2*s*. 6*d*.
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. 1*s*. 6*d*.
TEMPLAR, a fine flower, with broad petals of a rosy-pink colour. 2*s*. 6*d*.
TROJAN, an effective variety, freely producing fine flowers of a light rosy-pink colour. 1*s*. 6*d*.
VERONA, bright rosy-pink; a very pretty variety. 2*s*. 6*d*.
VESTA, pure white; very large flower. 3*s*. 6*d*.
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 3*s*. 6*d*.
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 1*s*. 6*d*.
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. 1*s*. 6*d*.

Selections of good single-flowering Varieties can be made by Mr. W. B. at 12s., 18s. and 24s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 30s., 42s. and 60s. per dozen. Unnamed varieties, when dormant, 12s. and 18s. per dozen.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ACUMINATA SPLENDIDA, 2/6
ANNETTE, 2/6.
ARIADNE, 3/6.
ARTHUR MALET, 5/-.
COMTESSE LOUISE D'ERDODY, 2/6.
CRYSTALLINA, 2/6.
DUCHESS, 1*s*.
DIADEM, 2/6.
DUCHESSE DE BRABANT, 2/6.
DR. LE GUILLON, 3/6.
FREDERIC SCHNEIDER, 2/6.
GAETON O'GORMAN, 2/6.
JULES ERROT, 2/6.
LA CANDEUR, 2/6.
LA PERLE DE PARIS, 2/6.
LE POUSSIN, 2/6.
LE SCHAH, 2/6.
LEDA, 5/-
LOUISE CLOSON, 2/6.

MADAME ADR SCHMITT, 2/6.
—— BICHAT, 3/6.
—— DE CAUVILLE, 3/6.
—— DE GUERLE, 3/6
—— EYEN, 3/6.
—— GILKINET, 3/6.
—— GRISAR, 3/6
—— HENRI GACHE.

MALETTA, 2/6.
MAZEPPA, 3/6.
MIRA, 2/6.

MISS MARY ANDERSON, 2/6.
MONGE, 5/-.
OTTO FORSTER, 2/6.
PRESIDENT DE BOUREUILLES, 3/6.
PROFESSOR DE-LAINE, 2/6.
PROGNE, 2/6.
RICHARD, 1/6.
SATIN BLANC, 2/6.
SERICEA, 2/6.
SOPHIE OLSOUFIEFF, 2/6.
STELLATA, 2/6.
THOMAS CLARA, 3/6.
VIRGINIA, 3/6.

The following are effective decorative kinds, many of them winter-flowering species and varieties. 18s., 30s. and 42s. per dozen, according to the selection.

ALBO PICTA
ARGENTEO GUTTATA
ARGYROSTIGMA ELEGANTISSIMA
BAUMANNII, new scented variety, 3/6.
BEDDOMEI (Assamica)
BERTHA DE CHATEAUX
CARRIERI
—— VILLOSA
DECORA
DREGEI
EGREGIA
FLORIBUNDA ROSEA, 5/-.
HYBRIDA CORBEILLE DE FEU, 5/-.
—— ILLUSTRATION, 5/-.
IMPERIALIS
MADAME ISABELLA BELLON
—— RENE CALLEUX
MARGARITÆ
METALLICA
NELUMBIÆFOLIA RUBRA
OLBIA
POLYANTHA
RUBELLA
SCEPTRA
SCHARFFII
SCHMIDTII HYBRIDA ROSEA
SEMPERFLORENS ELEGANS
—— COMPACTA NANA
—— GIGANTEA ROSEA
SIEBERIANA
SMARAGDINA

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

SELECT NEW CHRYSANTHEMUMS.

JAPANESE.

ALICE SEWARD, *5s.*
AMOS PERRY, *2s. 6d.*
BEAUTY OF CASTLE HILL, *1s.*
BEAUTY OF EXMOUTH, *7s 6d.*
BRYDEN Jr., *5s.*
CHAS. BLICK, *5s.*
CHAS. DAVIS, *6s.*
COL. W. B. SMITH, *3s. 6d.*
C. SHRIMPTON, *7s. 6d.*
EDWIN BECKETT, *2s. 6d.*
ELMER D. SMITH, *2s. 6d.*
EMILY LADENBURG, *5s.*
EXCELSIOR, *2s. 6d.*
F. W. FLIGHT, *2s. 6d.*
G. C. SCHWABE, *2s. 6d.*
GEORGE W. CHILDS, *6s.*
GENERAL HAWKES, *3s. 6d.*
GOLDEN WEDDING, *2s.*
HOLBORN ROSE, *1s. 6d.*

JOHN SHRIMPTON, 7*s.* 6*d.*
J. P. KENDALL, 2*s.* 6*d.*
LADY BROOKE, 3*s.* 6*d.*
LIZZIE CARTELEDGE, 1*s.* 6*d.*
LIZZY SEWARD, 5*s.*
LORD BROOKE, 3*s.* 6*d.*
LORD TENNYSON, 5*s.*
MIDDLETON CLARKE, 3*s* 6*d.*
MISS DOROTHY SHEA, 5*s.*
MISS WATSON, 2*s.* 6*d.*
MR. CHAS. E. SHEA, 2*s.* 6*d.*
MRS. A. G. HUBBUCK, 6*s.*
MRS. BRUCE FINDLAY, 5*s.*
MRS. C. MYERS, 3*s.* 6*d.*
MRS. E. BECKETT, 2*s.* 6*d.*
MRS. E. D. ADAMS, 2*s.* 6*d.*
MRS. F. A. SPAULDING, 1*s.* 6*d.*
MRS. F. L. AMES, 6*s.*
MRS. BAYARD CUTTING, 3*s.* 6*d.*
MRS. HENSZEY, 3*s.* 6*d.*
MRS. WALTER CUTTING, 5*s.*
MRS. J. S. FOGG, 1*s.* 6*d.*
MRS. LIBBIE ALLEN, 1*s.* 6*d.*
MRS. NEVILLE, 3*s.* 6*d.*
MRS. NISBET, 2*s.* 6*d.*
MRS. W. HERBERT FOWLER, 5*s.*
PRIMROSE LEAGUE, 5*s.*
PRINCESS MAY, 5*s.*
PRINCESS VICTORIA, 6*s.*
ROBERT OWEN, 10*s.* 6*d.*
R. SMITH, 1*s.* 6*d.*
THOMAS HEWITT, 5*s.*
VESUVIUS, 3*s.* 6*d.*
VISCTSS. HAMBLEDON, 10*s* 6*d.*
WABAN, 3*s.* 6*d.*
W. H. ATKINSON, 5*s.*
W. H. LINCOLN, 1*s.* 6*d.*
WILLIAM SEWARD, 7*s.* 6*d.*
THE TRIBUNE, 3*s.* 6*d.*

ANEMONE.

ADA STRICKLAND, 4*s.*
ENTERPRISE, 3*s.* 6*d.*
JUDGE HOITT, 4*s.*

CHINESE.

ARISTINE ANDERSON, 1*s.* 6*d.*
BARON HIRSCH, 7*s.* 6*d.*
BROOKLEIGH GEM, 3*s.* 6*d.*
C. B. WHITNALL, 3*s.* 6*d.*
GEORGE COCKBURN, 3*s.* 6*d.*
HENRY PERKINS, 5*s.*
LUCY KENDALL, 5*s.*
M. B. SPAULDING, 5*s.*
M. L. PARLI, 3*s.* 6*d.*
MISS BELLA WILSON, 1*s.* 6*d.*
MISS M. SIMPKINS, 5*s.*
MRS. CLIBRAN, 1*s.* 6*d.*
MRS. LAY, 3*s.* 6*d.*
MRS. C. MADEIRA, 3*s.* 6*d.*
MRS. J. MITCHELL, 5*s.*
MRS. ROBINSON KING, 1*s.* 6*d.*
OETA, 3*s.* 6*d.*
UTOPIA, 3*s.* 6*d.*

HIRSUTE OR PLUMOSE VARIETIES.

EDITH WALTON, 3*s.* 6*d.*
GARTEN INSPECTOR UMLAUFT, 3*s.* 6*d.*
H. BALLANTINE, 1*s.* 6*d.*
LOUIS BOEHMER, 1*s.*
MISS ANNIE MANDA, 2*s.*
MRS. A. HARDY, 1*s.*
MRS. WM. TRELEASE, 3*s.* 6*d.*
NACRE, 2*s.* 6*d.*
QUEEN OF THE HIRSUTES, 5*s.*
SPARTEL, 2*s.* 6*d.*
W. A. MANDA, 1*s.* 6*d.*
WHITE PLUME (*syn.* L'Enfant des deux Mondes), 2*s.* 6*d.*
WILLIAM FALCONER, 2*s.* 6*d.*
ZAMBESI, 3*s.* 6*d.*

CHRYSANTHEMUMS—GENERAL COLLECTION.

CHRYSANTHEMUMS—EARLY-FLOWERING.

All 6d. each, with the exception of those priced.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ALICE BUTCHER
ANASTASIO
AUREOLE
BLANC PRECOCE
BLUSHING BRIDE
BOUQUET DE DAME, 1*s.*
CASSY
CLAIRE ALOZIO
CLARA
CLARENCE BRYANT
COMTESSE F. DE CARIEL
CRIMSON PRECOCITE
CURIOSITY
DELPHINE CABOCHE
EARLY FLORA
E. G. HENDERSON & SON
FIBERTA
FLAMBEAU TOULOUSAIN
FLEUR D'ETE
FREDERIC MARRONET
FREDERICK PELÈ
GOLDEN FLEECE
GOLDEN SHAH
G. WERMIG (GOLDEN MADAME DESGRANGE)
G. WRIGLEY
HELOISE MIELLEZ
HENDERSONI
HERMINE
HIPPOLYTE JAMAIN
INIMITABLE
JACINTHA, 1*s.*
LA BIEN-AIMÉE
LAVALLEE
LE LUXEMBOURG
LEONIE LASSALI
LUCINDA
MADAME C. DESGRANGE
MADAME DUFOY
MADAME ED. LEFORT, 1*s.*
MADAME JOLIVART
MADAME PICOUL
MADELINE DAVIS
MANDARIN
MARTIMAS
MISS P. BROUGHTON
M. JULES PAQUET, 1*s.*
M. WILLIAM HOLMES
M. DUFOY
MR. W. PIERCY
MRS. HAWKINS
MRS. J. R. PITCHER
NANUM
OCTOBER BEAUTY
O. J. QUINTUS
ORANGE YELLOW
PERPETUÉL TOULOUSAIN
PETIT MIGNON
PIERRE VERFIEL
POMPONIUM
PRECOCITÉ
ROI DES PRECOCES
ROSE D'ÉTE
ST. CROUTS
SALTER'S EARLY BLUSH
SOUVENIR
SOUVENIR DE M. FERIE, 1*s.*
SURPRISE
TORREADOR
VICOMTE CLIQUOT, 1*s.*
WHITE LADY
WHITE ST. CROUTS
WILLIAM BEALBY
ZENOBIE

All 6d. each, with the exception of those priced.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide pages 120 and 121.

Excepting those priced, all 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ADA SPAULDING
ADVANCE
ADIRONDACH
AGREMENTS DE LA NATURE
AIDA, 1*s.*
ALASKA, 1*s.*
ALBERIC LUNDEN
ALBERT DE NURIOS
ALBERT VICTOR
ALFRED CHANTRIER
ALICE BIRD
AMARANTINA CARMINATA
ANNA M. PAYNE
ARTHUR WOOD, 1*s.*
AVALANCHE
BEAUTE DE TOULOUSE
BEND OR
BERTIER RENDATLER
BICOLOR
BISMARCK
BOULE D'ARGENT
BOUQUET FAIT
CAREW UNDERWOOD
CESARE COSTA
CHARLIE SHARMAN, *see* W. M. Singerley
CHARLOTTE DE MONTCABRIER
CHRISTMAS EVE, *syn.* Mrs. H. Cannell
CŒUR FIDÈLE
COMTESSE DE BEAUREGARD
CORONET
COQUETTE DE CASTILLE
CROWN PRINCE, 1*s.* 6*d.*
CULLINGFORDII
DANÆ, 1*s.*
DAVID WINDSOR, 1*s.*
DAVID ALLEN, *syn.* G. F. Moseman
DIAMOND
DOMINATION, *syn.* Mrs. Bullock
DON DIÈGUE
DON QUICHOTTE
DOREE
DR. MASTERS
DUCHESS OF ALBANY (Delaux)
DUCHESS OF CONNAUGHT
DUCHESSE DE GEROLSTEIN
DUKE OF BERWICK
EDWIN MOLYNEUX
ELAINE
E. G. HILL
ELSIE
ENCHANTERESSE
ESPÉRANCE
E. S. RENWICK, 1*s.*
ETHEL
ETOILE DE LYON
ETOILE DU MIDI
ETOILE FLEURI
ETOILE TOULOUSAINE
EUGENE GIAT, 1*s.*
FAIR MAID OF GUERNSEY
FERNAND FERAL
FEU DE BENGALE
FIMBRIATUM
FLEUR DES BOIS
F. L. HARRIS
FLOCON DE NEIGE
FLORENCE DAVIS, 1*s.*
FULTON
GEORGES DANIELS
GEORGE WALCOTT
G. F. MOSEMAN, *see* David Allen
GLADIATOR, *see* W. M. Singerly
GLOIRE DU ROCHER
GLOIRE DE TOULOUSE
GLOIRE RAYONNANTE
GOLDEN GEM
GOLDEN PRINCE
GOLD THREAD
GOOD TIDINGS
GORGEOUS
GOVERNOR OF GUERNSEY
GRANDIFLORUM
HAMLET, 1*s.*
HELVETIE
HERNANI
ILE JAPONAISE
ISODORE FERAL
JAMES SALTER
J. COLLINS
JESSICA
JOHN THORPE
J. R. PEARSON, 1*s.*
KÆMPFER
KATAKANA
KATE MURSELL
KIOTO, 1*s.*
LADY BRASSEY
LADY EMILY
LADY MATHESON
LADY SELBORNE
LADY T. LAWRENCE, *see* Robert Bottomley
LA FRISURE
LA NYMPHE
LA TRIOMPHANTE
L'ADORABLE
L'AUBE MATINALE
LE CYGNE
LE NEGRE
LÉON FRACHE
L'EBOURIFFÉE
LILIAN S. BIRD
L'INCROYABLE
L'ISLE DES PLAISIRS
LORD BEACONSFIELD
L'OR DE FRANCE
MACAULAY
MADAME BERTIER RENDATLER
MADAME CLEMENCE AUDIGEUR
MADAME DE SEVIN
MADAME FERAL
MADAME LA MARQUISE DE MUN
MADAME LEON COLLIN, 9*d.*
MADAME MARIE CLOSES
MADLLE. ANTOINETTE BRUNEL
MADLLE. JULIETTE DORDAN
MADLLE. MARIE HOSTE, 1*s.*
MADLLE. MELANIE FABRE
MADLLE. PAUL DUTOUR
MAGGIE MITCHELL, *syn* Miss Clara Harris
MAIDEN'S BLUSH
MARIE OUVRAY
MARQUIS OF LORNE
MARSA
MARTHA HARDING
MARY

CHRYSANTHEMUMS—JAPANESE—continued.

MISS CLARA HARRIS, *see* Maggie Mitchell
M. ASTORG
M. A. VILMORIN
M. BRUNET
M. CASTEL
M. CAVALIER
M. CHARLES HUBERT
M. COCHET
M. D. D. HILLIER
M. E. A. CARRIERE
M. DELAUX
M. EUGENE POURQUIE
M. H. ELLIOTT
M. J. H. LAING
M. JULES HUMBERT
M. LEMOINE
M. LEON BRUNEL
M. MAXIME CORNU
M. RICHARD LARIOS
M. THOMAS S. WARE
MM. THIBAUT et KETELEER
MR. A. H. NEVE
MR. C. ORCHARD
MR. H. CANNELL
MR. H. WELLAM
MRS. A. CARNEGIE
MRS. A. MAYES
MRS. BEALE, *see* Robert Bottomley
MRS. BEATRICE CARD, 1*s.*
MRS. BULLOCK, *see* Domination
MRS. E. W. CLARKE
MRS. F. JAMESON, 1*s.*
MRS. G. C. SCHWABE, 1*s.*
MRS. GOLDRING
MRS. H. J. JONES, *syn* Yellow Ethel
MRS. H. CANNELL, *see* Christmas Eve
MRS. J. J. HILLIER
MRS. J. WRIGHT
MRS. L. CASTLE
MRS. T. H. SPAULDING
MRS. WM. MENCKE
NEWPORT, 1*s.*
NUIT D'HIVER
PAUL & SON
PÈRE DELAUX
PETER THE GREAT
PHŒBUS
PLUIE D'OR
PRESIDENT ARTHUR
—— SPAULDING, *see* W. M. Singerley
PRINCE OF ORANGE
PRINCE ZILAH
PURITAN
R. C. KINGSTON, 1*s.*
RED DRAGON
REINE DES BEAUTÉS
REX RUBRORUM
ROBERT BOTTOMLEY, *syn.* Lady T. Lawrence and Mrs. Beale
ROBERT CANNELL
ROBERT CRAIG
ROBERT CRAWFORD
ROSA BONHEUR
ROSE SUPREME
ROSEUM SUPERBUM
R. T. BIGGS
RUBRUM STRIATUM
SAMUEL HENSHAW
SARNIA
SHASTA, 1*s.*
SIR JOSEPH
SOLEIL LEVANT
SOURCE D'OR
SOURCE JAPONAISE
SOUVENIR DE HAARLEM
SOUVENIR DU JAPON
SOUVENIR DE M. MENIER, 1*s.*
SNOWSTORM
STANSTEAD SURPRISE
STANSTEAD WHITE
STRIATUM PERFECTUM
SUNFLOWER
SUNSET
TALFOURD SALTER
TENDRESSE
THE COSSACK
THOMAS STEVENSON
TOKIO
V. H. HALLOCK, 1*s.*
VICE-PRESIDENT DARQUIER
VILLE D'HYÈRES
VIOLET ROSE
VIVIAND MOREL
VOLUNTEER, 1*s.*
W. G. DROVER, *see* Mrs. Frank Thompson
W. TRICKER, 1*s.*
W. WELLS, 1*s.* 6*d.*
W. W. COLES, 1*s.*
WILLIAM STEVENS
W. L. SCHEFFER
W. M. SINGERLEY, *syn.* Charlie Sharman, Gladiator, President Spaulding
YELLOW ETHEL, *see* Mrs. H. J. Jones

Excepting those priced, all 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

For New Varieties, see page 109.

Excepting those priced, all 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ACQUISITION
AGATHA
AGNES HAMILTON
ATARGULLE
BIJOU
CALLIOPE
DELAWARE, 1*s.*
DICK TURPIN
DUCHESS OF WESTMINSTER, 1*s.*
E. M. BOLAS
FAIR MARGARET
FINETTE
FLEURE DE MARIE
GEORGES SAND

GLUCK
GOLDEN CEDO NULLI
GRACE DARLING
JAMES WESTON, 9*d.*
LADY MARGARET
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART
M. CHATE
MISS ANNIE LOWE
MISS EYRE
MISS NIGHTINGALE
M. PANKAUCKE, 9*d.*
MR. ASTIE
MRS. CHAS. PRATT, 9*d.*
MRS. M. RUSSELL, 9*d.*
MRS. WYNESS
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
THORPE, Jun.
VIRGINALE
WYOMING

Excepting those priced, all 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS

For New Varieties, vide page 121.

All 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED LYNE
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BEAUTY
BEVERLEY
BRONZE JARDIN DES PLANTES
BRONZE QUEEN OF ENGLAND
CHAS. GIBSON
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE
DIDO
DR. LINDLEY
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMILY DALE IMPROVED
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FRANK WILCOX
GARIBALDI
GEORGE PEABODY
GEORGE STEVENS
GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
GUERNSEY NUGGET
HERO OF STOKE NEWINGTON
H. SHOESMITH
IONA
JARDIN DES PLANTES
JOHN DOUGHTY
JOHN LAMBERT
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LEDA
LE GRAND
L'ÉMIR
LORD EVERSLEY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME PAGES
MARECHAL DUROC
MISS M. A. HAGGIS
MISS VIOLET TOMLIN
MOUNT EDGCUMBE
MOUNT ETNA
M. R. BAHUANT
MR. BUNN
MR. COBAY
MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. COLEMAN
MRS. G. RUNDLE
MRS. HALIBURTON
MRS. HUFFINGTON
MRS. NORMAN DAVIS
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE
PINK PERFECTION
PRESIDENT HYDE
PRINCE OF WALES
PRINCESS IMPERIAL
PRINCESS OF TECK
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REINE DES BLANCHES
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE
SIR BEAUCHAMP SEYMOUR
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, *vide* GLOBE WHITE
WHITE VENUS
ZEPHYR

All 6d. each.
Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIS
ANNETTE
ARIOSTO
AURORE
BERROL
BELLE NAVARRAISE
BOULE DE NEIGE
BRAHMA
BRUNETTE
CARMINATUM ALBUM
CHAMPS ELYSEES
CRIMSON PERFECTION
DANAE
DIAMANT
ELEGANT
ERNEST BENARY
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX
HECLA
JASON
JERSEY GEM
JULIA ENGLEBACK
LACINIATUM SUPERBUM
LA DESIREE
LA FAVORITE
LA RENONCULE
LA VIERGE
LACINIATUM ROSEUM
LE CID
LILACEE
LUCIEN CABOCHE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. ELISA LAYEILLON
MADLLE. ELISE DORDAN
MADLLE. MARTHE
MADLLE. MATHILDE RAYNAUD
MAID OF KENT
MARABOUT
MARION
MARGUERITE VINCENT
M. BONAMY AINE
M. DELEUIL
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET
M. ULRICH
MUSTAPHA
OLIVAR
ORANGE QUILL
ORNATUM
OSIRIS
PABLO
PERFECTION
POLYCARP
POMPON ROSE
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSERPINE
RAJAH
ROSE D'AMOUR
ROSE TREVENNA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SANS PAREIL
SNOWDROP
SŒUR MELANIÉ
SOIRÉE D'ETE
TOUSSAINT MAURISOT
VARIEGATUM
VICTOR HUGO
ZAIRE

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

All 6d. each.

ATTRACTION
BRUNETTE
CASINO
COACHMAN
CRIMSON AND GOLD
DR. KELLOCK
GUS. HARRIS
LORD MAYOR
MAGENTA KING
MARY ANDERSON
MISS MABEL WILDE
MISS ROSE
MRS. A. LE MOULT
MRS. FRANCIS RICARDO
MRS. KELLOCK
MRS. LANGTRY
PERFECTION
PURE GOLD
TERRA COTTA
THE FRIARY BEAUTY

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUM FRUTESCENS, *vide page* 130.

NEW AND CHOICE FUCHSIAS.

Those marked (*) are double-flowered varieties.

***ADAIR**, short tube and well-reflexed sepals of a bright crimson colour; double, bluish-purple corolla, often flaked rose. 1*s.* 6*d.*

***A. DE NEUVILLE**, large open double reddish-violet corolla; bright rose sepals. 1*s.*

***ADMIRAL AUBE**, dark red reflexed sepals, large double rosy-mauve corolla; very floriferous. 1*s.* 6*d.*

***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 1*s.* 6*d.*

***ADMIRAL RIEUNIER**, tube and sepals bright red; enormous corolla, white, marked at base with rose. 7*s.* 6*d.*

AEROSTAT, vinous-red recurved sepals; long trumpet-shaped bluish-violet corolla. 1*s.*

***ALBERT DELPIT**, very large scarlet recurved sepals; immense flesh-coloured double corolla. 7*s.* 6*d.*

***ALPHONSE DAUDET**, bright red recurved sepals and bluish-violet corolla. 1*s.*

***ALPHONSE KARR**, very large rosy-red sepals. enormous metallic-violet corolla; flower of fine form and great merit. 1*s.* 6*d.*

***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish-purple double corolla. 2*s.* 6*d.*

***AUGUSTE HARDY**, large horizontal brilliant red sepals; enormous double violet-rose corolla. 1*s.* 6*d.*

***AUGUSTIN THIERRY**, enormous semi-double bright rose corolla; sepals bright red, a good market variety. 1*s.*

***AYRSHIRE**, bright coral red tube and sepals, rich blue corolla; stout and fine. 1*s.* 6*d.*

***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish-coral colour; enormous double azure-violet corolla. 1*s.*

***BEAUTY OF WEST KENT**, large flowers of great substance; corolla soft carmine, broad reddish-purple sepals. 2*s.* 6*d.*

***BUFFON**, large red reflexed sepals; enormous rosy-white corolla, very double, 1*s.*

BULGARIE, large brilliant red well-shaped sepals; large violet-plum corolla. 1*s.*

BULRUSH, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy-purple corolla. 1*s.*

CAMILLE FLAMMARION, a large flower; with reflexed sepals of a rosy-red colour, and well-formed reddish-violet corolla. 1*s.*

***CELINE MONTALAND**, large slightly reflexed rose-carmine sepals, very large double corolla, expanding horizontally, rosy-white, veined carmine. 1*s.* 6*d.*

CERVANTES, sepals roso; corolla rosy-mauve, bordered with blue. 1*s.*

***CHARLES SECRETAN**, large bright rose sepals; enormous creamy-white double corolla. 7*s.* 6*d.*

***CHRISTOPHE COLOMB**, large scarlet sepals; enormous rosy carmine double corolla. This is one of the most beautiful of Fuchsias, the brilliant colouring of the flowers making it exceptionally distinct. 7*s.* 6*d.*

***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1*s.*

COLONEL ARCHINARD, large blue corolla, lighter at the base of petals. 7*s.* 6*d.*

***COMTE DE MUN**, enormous double violet, striated with rose at base; good habit. 7*s.* 6*d.*

CONSTANCY, flesh coloured tube and sepals; the latter well-reflexed, rich carmine corolla, stout and extra fine. 1*s.* 6*d.*

***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 2*s.* 6*d.*

COUNTESS OF ABERDEEN, the nearest approach to a totally white *Fuchsia* yet raised, the corolla and sepals being milk white. 1*s.* 6*d.*

C. N. MAY, scarlet tube and sepals; corolla dark plum colour; excellent habit. 1*s.*

***DE QUATREFAGES**, large clear red reflexed sepals, large double corolla, clear violet marbled with rose. 1*s.* 6*d.*

DIADEM, blush tube and sepals, corolla palo magenta, broadly edged with brilliant carmine, a fine showy variety. 1*s.*

DORCAS, short tube and large rosy-carmine sepals, immense soft bluish-purple corolla, veined and shaded with rose. 1*s.* 6*d.*

***DR. PRILLIEUX**, large bright scarlet recurved sepals; very large dark violet double corolla, with extended petals. 1*s.*

DR. TOPINARD, large cerise-red sepals; corolla white suffused with rose, the petals being very evenly extended. 1*s.*

***DOROTHY FRY**, short crimson tube and recurved sepals; very large semi-double white corolla. 2*s.* 6*d.*

***DUCHESS OF EDINBURGH**, a fine large bold flower, sepals broad and completely reflexed of a bright carmine colour; full double corolla, petals white, suffused and marked with rose at base. Excellent for market work. 1*s.* 6*d.*

***EDMOND ABOUT**, large vermilion-carmine reflexed sepals; enormous double white corolla, suffused with rose. 1*s.*

***EMILE BAYARD**, rosy-red sepals, double corolla, petals rosy-white, margined with lilac. 1*s.* 6*d.*

***EMILE SALLE**, large red sepals; long white corolla, veined violet carmine. 7*s.* 6*d.*

EMILY BRIGHT, creamy-white tube and sepals; bright carmine corolla, of fine form. 1*s.*

ENOCH ARDEN, corolla indigo blue flaked with red. 1*s.*

ERNEST RENAN, short rosy tube and reflexed sepals; rose corolla; pyramidal habit. 1*s.*

NEW AND CHOICE FUCHSIAS—continued.

*EUGENE DELAPLANCHE, bright red reflexed sepals, very double corolla of a clear violet colour. 1s. 6d.

*EUGENE VERCONSIN, short red sepals; corolla double, petals shading from rosy-white at base to lavender-blue on the margins. 1s. 6d.

*FATMA, bright crimson tube and reflexed sepals; bluish-purple corolla. 1s. 6d.

*FLORA, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy-carmine. 1s. 6d.

*FRAU EMMA TOPFER, broad well reflexed rosy-magenta sepals; double white corolla suffused and veined with rose. 1s.

GANNET, short tube with long bright crimson reflexed sepals; bluish-purple corolla, shaded with rosy-crimson at the base. 1s. 6d.

*GAY-LUSSAC, large spreading double corolla, violet-purple, veined red. 7s. 6d.

*GENERAL DODDS, rosy-red sepals, large bluish-lilac double corolla. 7s. 6d.

GERALD, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish-crimson colour. 1s. 6d.

GERTRUDE, bright rose-carmine tube and sepals, the latter large and completely reflexed; large white corolla, veined carmine from the base. 2s. 6d.

GLORY, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 1s. 6d.

*GUSTAVE NADAUD, red sepals completely reflexed, long double coralla, of a violet plum colour. 1s. 6d.

*GUSTAVE FLAUBERT, sepals rose-carmine, double corolla of an unusual shade of lilac-mauve; of free habit and very floriferous. 1s. 6d.

*GUY DE MAUPASSANT, sepals dark cherry colour, enormous double creamy-white corolla. 1s. 6d.

HARMONIE, reflexed whitish-rose sepals, corolla soft lilac; of good habit. 1s.

*HENRI DE LA POMMERAYE, plant very floriferous and of pyramidal habit; sepals coral red, double rosy white corolla. 1s. 6d.

HEROINE, white tube and sepals, with lines of pink, bright carmine corolla; new in colour, and of excellent habit. 1s. 6d.

HERON, short tube, and broad rosy-carmine sepals; corolla rich bluish-purple. 1s.

IRMA, bright rosy-carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy-purple corolla. 1s. 6d.

JAMES WELCH, bright rosy-red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome. 1s.

JASON, fine corolla about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1s.

*JEANNE SAMARY, sepals red, completely reflexed, exposing a double salmon-white corolla, centre petals tubular. 1s. 6d.

*JUMNA, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy-crimson. 2s. 6d.

*KLÉBER, sepals horizontally reflexed, rosy-white tipped with green; double violet-blue corolla. 2s. 6d.

*LA FRANCE, large recurved bright red sepals; the large double corolla being of a beautiful cobalt-blue; very fine. 1s.

*LAMARTINE, large double corolla, round and of perfect form, velvety bluish-violet. 7s. 6d.

LAMUS, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny-purple colour. 1s.

LEO DELIBES, short tube, with long and large recurved rose-coloured sepals, long reddish violet corolla. 1s. 6d.

LE VERRIER, large dark red reflexed sepals; plum coloured corolla with bright centre; a remarkable variety suitable for planting in the open. 1s.

LITTRE, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1s.

LORD LYONS, coral-red reflexed sepals; enormous plum-coloured corolla. 1s.

*LOUIS FAUCON, enormous double corolla, of a rich plum colour, shaded with violet. Of extra merit. 1s. 6d.

*MADAME BRUANT, a magnificent new variety, with enormous double flowers; sepals bright red and well reflexed, corolla lilac-mauve, maculated and veined with rose. 7s. 6d.

*MADAME GALLI-MARIE, a very large full double flower, long recurved brilliant rosy-red sepals, and alabaster white corolla. 1s.

*MADAME JULES CHRETIEN, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine 1s.

*MADAME THIBAUT, carmine tube and recurved sepals, fine large double corolla; carmine bordered with white. 1s. 6d.

*MARVELLOUS, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1s.

*MATHIAS DUVAL, small tube and large scarlet sepals; long double corolla of dark violet serrated petals. 1s.

MEMPHIS, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1s.

*MOLESWORTH, tube and sepals bright carmine, the latter well reflexed, displaying an unusually large and full pure white double corolla. 1s.

*M. ALPHAND, horizontal scarlet sepals, large double violet-amaranth corolla. 1s. 6d.

*M. BROWN SEQUARD, large well recurved scarlet sepals; perfectly shaped creamy-white double corolla. 1s. 6d.

M. DUFAURE, rosy-salmon corolla and elegantly recurved sepals of a yellowish-salmon colour, with green tips. 1s.

NEW AND CHOICE FUCHSIAS—continued.

*M. DYBOWSKI, reflexed coral-red sepals, double corolla lilac-rose colour. 1*s.* 6*d.*

*M. E. VAUCHER, sepals dark red, enormous double corolla, violet-purple, shaded with blue, base of petals carmine. 1*s.* 6*d.*

*M. HERMITTE, short reddish-crimson sepals; large violet-blue irregular corolla, very double. 7*s.* 6*d.*

M. JOULE, well-formed flowers of medium size of a pretty sky-blue colour, marked with white at the base; clear red sepals. 1*s.*

*M. LOMBROSO, sepals reddish crimson, large bluish-violet double corolla. 1*s.*

*MONUMENT, full double corolla of a deep purple colour, striped with rosy-carmine; tube and sepals rosy-crimson. 1*s.*

MRS. BRIGHT, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1*s.*

*NANCY, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 2*s.* 6*d.*

*NOVEAU MASTODONTE, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1*s.*

*OCTAVE FEUILLET, irregular semi-double flowers, sepals bright red, corolla rose-mauve; very florifcrous. 1*s.* 6*d.*

*PASTEUR, large well recurved dark red sepals; long double pure white corolla. 7*s.* 6*d.*

*PATTERN, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with rose. 2*s.* 6*d.*

*PHENOMENAL, short tube and reflexed sepals of a rich reddish-crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1*s.*

*PIERRE JOIGNEAUX, short bright rose sepals, corolla double and of a brilliant dark mauve colour. 7*s.* 6*d.*

*PIERRE LOTI, enormous bluish-violet double corolla; large bright red sepals. 1*s.*

*P. RADAELLI, bright red recurved sepals; enormous double corolla, bluish violet, striated with carmine rose. 7*s.* 6*d.*

*PRESIDENT CARNOT, rosy-crimson reflexed sepals, double violet-blue corolla. 1*s.*

*PRESIDENT GREVY, sepals rosy-lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 1*s.*

*RAOUL TOCHÉ, long dark red sepals, enormous double pure white corolla. 1*s.* 6*d.*

*RANGER, short tube and completely recurved rosy-crimson sepals; fine large double light bluish-purple corolla, shaded with rose at the base. 1*s.*

*REAPER, short tube and wide sepals, of a bright rosy-carmine colour; short double corolla of a purplish-crimson colour. 1*s.*

RHODERICK DHU, large spreading blue corolla; sepals and tube scarlet. 1*s.*

*SÉNATEUR BERLET, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1*s.*

*SYLVANUS, short tube and long rosy-crimson sepals; bluish-purple corolla. 2*s.* 6*d.*

THOMAS KING, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1*s.* 6*d.*

TULIP, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1*s.*

*ULYSSE TRELAT, large bright red sepals, large double corolla, white suffused with rose. 1*s.*

VENUS VICTRIX IMPROVED, white tube and sepals; dark purple corolla. 1*s.*

*VIOLET DE DUC, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1*s.*

WALTER LONG, bright coral-red tube and sepals; clear violet corolla. 1*s.*

*WASHINGTON, large red sepals; large double rose corolla; a new colour. 7*s.* 6*d.*

*WHITE GIANT, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1*s.*

*WYVERN, short tube and large rosy-crimson sepals well-reflexed, long semi-double purple corolla. 1*s.* 6*d.*

Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

HYBRID FUCHSIAS AND SPECIES.

AMPLIATA, a handsome large scarlet-flowered species, introduced from the Andes. 3*s.* 6*d.*

DEPENDENS, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 1*s.* 6*d.*

PROCUMBENS, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. 1*s.*

SPLENDENS, rich crimson flowers with the ends of the sepals light green. 1*s.*

THYMIFOLIA, a very pretty neat-growing species; flowers rosy-crimson, the petals or corolla completely recurving on the sepals. 2*s.* 6*d.*

TRIPHYLLA, flowers at every growth in trusses of orange-scarlet or Indian-red colour; a very distinct and beautiful species. 2*s.* 6*d.*

NEW AND CHOICE COLEUS.

AURORE, leaves deep rosy purple, with a white zone, margined emerald green, 3/6.

AVENIR, a distinct variety, with long golden leaves, punctulated with brownish chocolate, 3*s.* 6*d.*

FLAMME, large denticulated leaves, bright carmine red, surrounded with dark, 3*s.* 6*d.*

LE RÊVE, a handsome variety, with bizarre leaves, variegated yellow and red, 3*s.* 6*d.*

LE RÉVEIL, leaves undulated and deeply toothed, parti-coloured, rose, pale yellow, purple, green (sometimes one-half the leaf is rose and purple, the other side pale yellow and green), 3*s.* 6*d.*

MADAME LECUYOT, leaves blackish purple, with bright red centre, 3*s.* 6*d.*

MADLLE. AIMÉE MOTTIER, leaves maculated with carmine, green margins, 3*s.* 6*d.*

MADLLE. B. DE MAIH, large creamy yellow leaves, striated with red, white and chocolate, 3*s.* 6*d.*

MARQUIS DE COURCY, leaves bullate and prettily crisped and toothed, colour rose, red, gold and dark green, 3/6.

M. ACHILLE NOEL, leaves splashed and marmorated with various colours on a light green ground (a beautiful variety), 3*s.* 6*d.*

M. MASSON, leaves deeply crenate, irregularly marked dark purple, rose veins, margins yellow and green, 3*s.* 6*d.*

M. MAYOR, blackish-green markings on a reddish-violet ground, bordered green and white, 3*s.* 6*d.*

M. TRAVANILLON, red and velvety-purple leaves, much toothed, with nerves and zone of dark violet, 3*s.* 6*d.*

PIERRE GUERRAUD, magnificent variety, with red leaves, centre white, 3*s.* 6*d.*

SOUVENIR DU GENERAL COMTE DE PAJOL, velvety-red, centre white, surrounded with green, 3*s.* 6*d.*

CHOICE COLEUS.

AILSA, 2*s.* 6*d.*

ALPHONSE BERNOUD, 1*s.* 6*d.*

ANACREON, 1*s.* 6*d.*

BEAUMARCHAIS, 1*s.* 6*d.*

CEDRUS, 1*s.* 6*d.*

COUNTESS OF DUDLEY, 1*s.*

EDITH, 1*s.* 6*d.*

ESPERANCE, 2*s.* 6*d.*

JAMES BARNSHAW, 1*s.*

LA ROQUE, 2*s.* 6*d.*

LOUIS CHRETIEN, 1*s.*

LOUIS PAILLET, 2*s.* 6*d.*

MADEMOISELLE DE LA ROCHETTERIE, 1*s.*

MAGGIE, 1*s.*

MISS LOVELL, 2*s.* 6*d.*

MOSAIQUE, 2*s.* 6*d.*

M. THIBAUT, 1*s.*

MRS. H. M. STANLEY, 2*s.* 6*d.*

PLATON, 1*s.* 6*d.*

POMPADOUR, 1*s.*

RECAMIER, 1*s.* 6*d.*

TINTORET, 1*s.* 6*d.*

UTOPIA, 2*s.* 6*d.*

New and Choice Bedding and Soft-Wooded Plants.

ABUTILON, of sorts, *vide* page 49.
AGERATUM, of sorts, 6*s*. per dozen.
ALTERNANTHERA, of sorts, 6*s*. per dozen.
BOUVARDIAS, from 1*s*. 6*d*. to 3*s*. 6*d*.

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2*s*. 6*d*. and 3*s*. 6*d*.

CANNAS.

CANNAS.

These striking foliage plants are most effective for sub-tropical gardening and border grouping. They are extremely useful for summer decorative purposes, 9*s*., 12*s*. and 18*s*. per dozen.

ADMIRAL COURBET, citron-yellow, splashed carmine, 1*s*. 6*d*.
COMMANDANT RIVIÈRE, 1*s*. 6*d*.
CONQUETTE, 1*s*. 6*d*.
E. B. ALEGATIERE, 1*s*.
GLADIOLŒFLORA, golden yellow, 1*s*.
IRIDIFLORA EHEMANNI, 1*s*. 6*d*.
JOSEPHINE HUBER, 1*s*.
LOUIS CHRETIEN, canary-yellow, margined carmine, 1*s*.
METALLICA, 1*s*.
NIGRICANS, 1*s*.
NIGRICANS MARGINATA, 1*s*. 6*d*.
PRESIDENT FAIVRE, foliage chocolate-purple, with red midribs, 1*s*.
ROSŒFLORA, rose flowers, 1*s*.
SOUVENIR DE THIERS, 1*s*. 6*d*.
SOUVENIR DE VAN HOUTTE, 1*s*. 6*d*.
VIOLACEA MACROPHYLLA, 1*s*.
VIRIDE VARIEGATA, 1*s*. 6*d*.

CARNATIONS, Tree of sorts, 30*s*. and 42*s*. per doz.
CHRYSANTHEMUM FRUTESCENS, 1*s*.
FRUTESCENS ALICE CROUSSE, 1*s*. 6*d*.
CHRYSANTHEMUM FRUTESCENS COMTE DE CHAMBORD, 1*s*. 6*d*.
FRUTESCENS ETOILE D'OR, 1*s*. 6*d*.

DAHLIAS.

Bouquet or Pompon Varieties, 9*s*. & 12*s*. per doz.
Caotus-Flowered Varieties, 9*s*., 12*s*. & 18*s*. per doz.
Choice Exhibition Varieties, 9*s*., 12*s*., 18*s*. and 24*s*. per dozen.
Choice Exhibition Varieties, Fancy Flowers, 9*s*., 12*s*., 18*s*. and 24*s*. per dozen.
Dwarf Bedding Varieties, 9*s*. & 12*s*. per dozen.
Single-Flowered Dahlias, 9*s*., 12*s*. & 18*s*. per doz.

ECHEVERIAS.

ECHEVERIA GRANDISEPALA, 2*s*. 6*d*.
IMBRICATA, 2*s*. 6*d*.
PRUINOSA, 2*s*. 6*d*.
RETUSA GLAUCA, 1*s*. 6*d*. and 2*s*. 6*d*.
ECHEVERIA SCAPHYLLA, 2*s*. 6*d*.
SCHEIDECKERI, 1*s*. 6*d*.
SECUNDA, 9*d*. each; 6*s*. per dozen.
—— GLAUCA, 9*d*. each; 6*s*. per dozen.

IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9*d.* each.

LANTANAS, of sorts, 18*s.* per dozen.

LOBELIA, BARNARD'S PERPETUAL, *vide* page 11.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s.*, 12*s.* and 18*s.* per dozen.

MIMULUS MOSCHATUS FLORE-PLENO, 1*s.*

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s.* and 18*s.* per dozen.

PETUNIA SNOWDRIFT.

A very beautiful double variety, producing in the freest possible manner an abundance of pure snow-white flowers of medium size, most elegantly fringed and fimbriated. The blossoms are borne on unusually long stalks, thus making this variety of special value where cut flowers are in request. 3*s.* 6*d*

PETUNIAS.

For Greenhouse and Conservatory decoration these lovely plants can hardly be surpassed, affording as they do, all through the summer and autumn, a wealth of bloom of the most diversified character, combined with a delicious fragrance. Both double and single varieties can be supplied as under.

NEW DOUBLE PETUNIAS.

CANDEUR, large fimbriated white flowers, centre yellow. 3*s.* 6*d.*

CHÂTIMENT, very large ruby-red flowers, splashed with white. 3*s.* 6*d.*

DAPHNIS, flowers fimbriated, white with green tips, maculated purple. 3*s.* 6*d.*

ECLIPSE, very large fringed flowers, vinous red, bordered white. 3*s.* 6*d.*

EURYDICE, fimbriated white flowers with black veins. 3*s.* 6*d.*

PANTHÉON, enormous flowers, greenish white, lightly nerved with black. 3*s.* 6*d.*

ROXELANE, greyish blue flowers, veined black, and prettily fimbriated. 3*s.* 6*d.*

SALAMANDRE, enormous violet-crimson flowers, splashed with white. 3*s.* 6*d.*

VESTALE, very large pure white flowers, beautifully fimbriated, 3*s.* 6*d.*

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18*s.* and 30*s.* per dozen; choice new kinds, 42*s.* per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12*s.* & 18*s.* per doz.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per dozen.

PYRETHRUMS.—SINGLE AND DOUBLE-FLOWERING.

Selections of good kinds, 6*s.*, 9*s.* and 12*s.* per dozen.

SALVIA Bethelii, 1*s.*
Gesneræflora, 1*s.*
Inoénieur Clavenad, 2*s.* 6*d.*
SALVIA M. Issanchou, 1*s.*

SALVIA patens, 9*d.*
—— alba, 1*s.*
Pitcheri, 1*s.*
rutilans, 1*s.*

SALVIA splendens, 1*s.*
—— Bruantii, 1*s.*
SEMPERVIVUM Haworthii, 1*s.*

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, Cannas, Musas, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. **Good Selections made at 30s. and 42s. per dozen.**

BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots, or planted in the open air.

FOR TESTIMONIALS see next page.

DIRECTIONS FOR USE.

For POT PLANTS AND BULBS.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a large teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For CHRYSANTHEMUMS.—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

For ROSES, SHRUBS, VINES, &c., in Pots.—Use about a tablespoonful to a 12-inch pot several times during the season.

For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For LAWNS.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Tins, containing about 1½ lbs., price, 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S.,

ESTABLISHMENT FOR NEW & RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.

BULL'S FOOD FOR PLANTS.

TESTIMONIALS.

IMPNEY HALL, DROITWICH, *13th February*, 1893.

Dear Sir,—I am very pleased with the results from using your Plant Food. I grew my Chrysanthemums with it last season, which won the City of Edinburgh Silver Cup, also the three First Prizes for cut-blooms in the large Open Classes at Birmingham, and the First Prizes at Sheffield. I have also used it with excellent results for Strawberries, Melons, Vines, &c. I am now using it on Vine and Peach Borders with every confidence of its producing good results. I shall be glad if you will kindly forward another 5cwt. and oblige,

Yours truly, RICHARD PARKER, Gardener to J. CORBETT, Esq.

ST. ANNE'S, CLONTARF, DUBLIN, *2nd March*, 1893.

Dear Sir,—I have used many Artificial Manures for plants in the past 36 years, but none that I like so well as your "Plant Food." Not only is it a quick Fertilizer, but it has no unpleasant odour—a great desideratum.

Yours faithfully, CHARLES SMITH, Gardener to the Right Hon. Lord ARDILAUN.

THE DEN, BELFAST, *27th January*, 1893.

Dear Sir,—You will doubtless be interested to know that last season I won twenty-three First and ten Second Prizes for plants and fruit grown with your Food for Plants, which has proved a most excellent stimulant, and is certainly the best Manure I have ever used. It is cleanly to use, creates no fungus, and has no unpleasant odour, in fact, no gardener should be without it. Please send me another cwt. and oblige,

Yours truly, WM. McILROY, Gardener to G. W. WOLFF, Esq.

WALTON GRANGE GARDENS, STONE, STAFFS, *December 1st*, 1892.

Dear Sir,—Your Food for Plants is first-rate for anything that requires a stimulant. I find Encharis do fine with a little sprinkled on the pot once a fortnight, summer and winter. Yours respectfully, W. STEVENS.

THE GARDENS, NEWHATTLE ABBEY, DALKEITH, N.B., *11th February*, 1892.

Dear Sir,—I wish to tell you that your Food for Plants is a capital Manure. I grew my Chrysanthemums with it last season, and won the Edinburgh Cup with them. Kindly send me on the same quantity as last, and oblige,

Yours truly, J. W. McHATTIE, Gardener to the Most Hon. THE MARQUIS OF LOTHIAN.

LEIGHTON GARDENS, WELSHPOOL, *7th January*, 1892.

Now that I have used Mr. William Bull's Food for Plants over twelve months, I have very great pleasure in stating that I believe it to be the best Plant Manure in the market. It produces fine foliage, large flowers, and gives a good healthy appearance to Stove and Greenhouse Plants in general. I have also used it on Melons, Cucumbers, Tomatoes and Vines with good results, and it is excellent for Chrysanthemums.

WILLIAM ROTHWELL, Gardener to Mrs. NAYLOR.

STALLINGTON HALL GARDENS, STOKE-ON-TRENT, *February 19th*, 1892.

DEAR SIR,—Your Plant Food is excellent. I cannot speak too highly of it.

Yours truly, THOMAS HAWKINS, Gardener to Sir SMITH CHILD, Bart.

HAREWOOD GLEN, SELKIRK, N.B., *February 23rd*, 1892.

DEAR SIR.—Please send me another cwt. of your Food for Plants. I find it an excellent Manure for Chrysanthemums, Ferns, Azaleas, Primulas, Gloxinias, in fact, for everything I applied it to. I shall never be without it. It has great advantages over any other manure I have used, having no unpleasant odour, and causing no fungus. ROBERT FAICHNEY, Gardener to J. W. DENISTOUN, Esq.

GOLDEN GROVE, CARMARTHEN, *July 14th*, 1891.

Sir,—Please send, on account of Viscount Emlyn, a supply of Plant Manure, same as last sent me. I am glad to say it is the best artificial manure I have ever used. Yours respectfully, JOHN HILL,

Gardener to the Rt. Hon. Viscount EMLYN.

STRATTON PARK, MICHELDEVER, *19th December*, 1891.

Dear Sir,—I am much pleased with your Plant Food; I have tried it on a great variety of plants with the most gratifying results. E. GANDY, Gardener to the Rt. Hon. Earl of NORTHBROOK.

MALSHANGER, BASINGSTOKE.

Dear Sir,—I have tried your Plant Food on Vines, Cucumbers, Melons, Tomatoes, &c., and the effect was quite phenomenal; it pleases me much. I am yours truly, N. KNELLER, Gardener to W. S. PORTAL, Esq.

KENILWORTH, *4th November*, 1892.

Dear Sir,—I find your Food for Plants a most excellent manure for Tomatoes and Cucumbers.

Yours truly, R. WHATELEY, Market Grower.

Sold in Tins, containing about 1½ lbs., price 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

For Full Particulars see preceding page.

"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."

CALCEOLARIA, HERBACEOUS (Prize Strain.) *Vide* page 135.

"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."

"I have had some flowers 2¼ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide* page 135.

"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to 2½ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction: the plants have been admired by all who have seen them."

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."

CINERARIA, extra choice mixed. *Vide* page 135.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and included descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per pkt.—s.	d.
ASTER, Comet, pure white	1	6
ABUTILON, new varieties, extra choice	1	0
Ageratum, Tom Thumb, WHITE GEM	1	0
Auricula, Alpine, very fine strain.. 1*s.* &	1	6
BEGONIA HYBRIDA GIGANTEA, flowers of gigantic size, measuring 4 to 5 inches, and of various and attractive colours .. 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Begonia, Double, finest mixed	2	6
CALCEOLARIA, HERBACEOUS, Prize Strain 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Candytuft, Tom Thumb, white	0	6
CARNATION (Dodwell's), Bizarre 2*s.* 6*d.* &	3	6
—— (Dodwell's), Flaked .. 2*s.* 6*d.* &	3	6
—— —— Self .. .. 2*s.* 6*d.* &	3	6
—— —— yellow ground flowers, 2*s.* 6*d.* &	3	6
—— New Double Margaret	1	0
CHRYSANTHEMUM JAPONICUM	1	0
—— large flowering, extra choice	1	0
CINERARIA, extra choice mixed 1*s.* 6*d.* &	2	6
—— hybrida grandiflora nana 1*s.* 6*d.* &	2	6
—— Double	2	6
CLARKIA, Morning Glory	1	0
Cockscomb, Glasgow Prize	1	0
COLEUS, choice hybridised 1*s.* 0*d.* &	1	6
CYCLAMEN PERSICUM, finest, mixed colours 1*s.* 6*d.* &	2	6
—— —— giganteum, mixed 1*s.* 6*d.* &	2	6
—— —— Baroness Burdett-Contts, superb pure white. F.C.C. R.H.S.	2	6
—— —— Duke of Fife, rich dark rose, Certificated. R.B.S.	2	6
—— —— Mont Blanc, a grand flower	2	6
—— —— Duke of Connaught, rich purplish-crimson 1*s.* 6*d.* &	2	6
—— —— Prince of Wales, large bright red	2	6
—— —— Princess May, a charming shade of pink	2	6
—— —— Mauve Queen, mauve coloured flowers	2	6
DAHLIA, Cactus, scarlet	1	0
Eschscholtzia Mandarin, orange	0	6
GLOXINIA, extra choice hybridised, 1*s.* 6*d.* &	2	6
—— Finest Spotted	2	6
—— grandiflora erecta 1*s.* 6*d.* &	2	6
Godetia, Lady Albemarle	0	6
Heuchera sanguinea	1	0
Hollyhook, extra choice mixed	1	0
Humulus Japonicus variegatus (The Variegated Hop)	1	6
Inula ensifolia (New)	1	0
Lobelia, Barnard's Perpetual 3*s.* 6*d.* &	5	0
—— Cardinalis (The Cardinal Flower)	1	0
—— erinus speciosa	0	6
Mignonette, Golden Queen	1	0
—— Mammoth	1	0
Myosotis Alpestris, Victoria, very distinct	1	0
—— dissitiflora	1	0
Nasturtium, Empress of India	0	6

	Per pkt.—s.	d.
PANSY, ASHBURNHAM STRAIN	2	6
—— Peacock, (Peacock Blue) 1*s.* &	1	6
Papaver glaucum (The Tulip Poppy)	1	6
—— nudicaule coccinenm fl. pl.	1	0
PEAS, SWEET (New Varieties)—		
—— —— Countess of Radnor	1	6
—— —— Captain of the Blues	0	6
—— —— Delight	1	0
—— —— Empress of India	1	0
—— —— Ignea	1	0
—— —— Mrs. Eckford	1	6
—— —— Mrs. Gladstone	1	0
—— —— Mrs. Sankey	1	0
—— —— Orange Prince	1	0
—— —— Princess Victoria	1	0
—— —— Queen of England	1	0
—— —— Senator	1	0
—— —— Splendour	0	6
—— —— Waverley	1	0
—— —— Eckford's mixed	0	6
PELARGONIUM, Gold and Bronze 1*s.* 6*d.* &	2	6
Ivy-leaved, varieties	2	6
PETUNIA, choice hybridised	1	0
Phlox Drummondi cuspidata	0	6
—— —— fimbriata	0	6
—— —— purpuræ marmorata plena (New)	1	0
Picotee, Prize Strain 2*s.* 6*d.* &	3	6
Polyanthus, choice mixed	0	6
—— gold laced	1	0
POPPY, Cardinal	1	0
—— "White Swan"	0	6
Primrose, Hardy Hybrids, choice mixed	1	0
Primula OBCONICA	1	0
—— SINENSIS FIMBRIATA, Brilliant (New)	2	6
—— —— "Comet" (New)	2	6
—— —— FULGENS	2	6
—— —— ALBA MAONIFICA	2	6
—— —— IMPERIAL BLUE	2	6
—— —— MONT BLANC	2	6
—— —— PINK BEAUTY	2	6
—— —— SPLENDIDA	2	6
—— —— AVALANCHE	2	6
—— —— BULL'S PREMIER MIXTURE, 1*s.* 6*d.* &	2	6
—— —— ALBA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— RUBRA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— KERMESINA SPLENDENS FL. PL., 2, 6 &	3	6
—— —— SIN. FIN. ROSEA FL. PL., charming blush rose 2*s.* 6*d.* &	3	6
—— —— SIN. FIN. STRIATIFLORA FL. PL., blush rose, striped with crimson 2*s.* 6*d.* &	3	6
PYRETHRUM AUREUM	0	6
Scabiosa hybrida Victoriæ (New)	0	6
Stock, East-Lothian, in 4 colours	2	6
Streptocarpus, New Hybrids	2	6
Tagetes patula nana grandiflora fl. pl.	1	0
Torenia, "White Wings" pure white	1	0
Verbena compacta coccinea oculata	1	0
Wallflower Harbinger, fine dark red	0	6
—— Double German, finest mixed	1	0

GLADIOLUS.
(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some :—

The best and safest time for planting is from the beginning of March to the end of April, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated ; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

During excessively dry weather, copious waterings are recommended.

When any bulbs show signs of growth before the time mentioned above, they should be potted and kept in a cool frame until the proper season for planting out.

CHOICE GLADIOLUS.

This beautiful tribe of plants should be largely planted everywhere.

Orders are booked throughout the year at the following prices, and the bulbs supplied in January, February, or March.

12 choice named varieties, 3s., 6s. & 12s.
According to Selection.

25 ,, ,, ,, 6s., 12s. & 24s.
According to Selection.

50 ,, ,, ,, 12s., 24s. & 46s.
According to Selection.

100 ,, ,, ,, 24s., 45s. & 90s.
According to Selection.

GLADIOLUS, Finest Mixed Hybrids.

The flowers of these magnificent hybrids are of great beauty, possessing much diversity of colour, many being striped and splashed in the most handsome manner. Invaluable for cutting.

Various colours, 12*s.* 6*d.* per 100 ; 1*s.* 9*d.* per dozen.

GLADIOLUS BRENCHLEYENSIS.

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders.

Selected bulbs 6*s.* 6*d.* per 100, or 60*s.* per 1,000.

GLADIOLUS, SNOW-WHITE.

A magnificent White Gladiolus, with large and elegantly formed flowers of great substance slightly shaded with cream, a faint line of purple extending half-way through the lower petal. 15*s.* per doz.

GLADIOLUS, HARDY HYBRIDS.

LEMOINEI.—A handsome hybrid early-flowering variety. 3*s.* 6*d.* per dozen.

MARY LEMOINE.—Very beautiful. 3*s.* 6*d.* per dozen.

LEMOINE'S HYBRIDS.—Named varieties. 5*s.* and 7*s.* 6*d.* per dozen.

LEMOINE'S HYBRIDS.—Large blotched, choice mixed. 2*s.* per dozen ; 15*s.* per 100.

NEW PLANTS

Introduced and sent out for the first time in 1887.

Adiantum assimile cristatum
Alocasia grandis
Aphelandra chrysops
Aristolochia ridicula
Begonia egregia
Bougainvillea refulgens
Clerodendron Rumphianum
Costus mosaicus
Croton Beauty
Croton Nestor
—— Sunbeam
Cypripedium amandum
—— concinnum
—— regale
Hæmanthus abyssinicus
Heliconia brevispatha
Lastrea Jenmani
Maranta iconifera
Nephthytis picturata
Pancratium guianensis
Pothos argenteus
—— nitens
Pteris tremula grandiceps
Rhododendron albescens
—— graveolens
Selaginella tasselata
Thunia Marshallian tricolor

NEW PLANTS

Introduced and sent out for the first time in 1888.

Aglaonema picta compacta
Alocasia marginata
—— princeps
Aphelandra amœna
Ardisia polycephala
Croton Delight
—— Junius
—— Magnificent
Croton Monarch
—— Victory
Cypripedium Saundersianum
Dracena argenteo-striata
Eomicon chionantha
Esmeralda bella
Mussænda erythrophylla
Nidularium Innocentii
striatum
Panax crispatum
—— lepidum
—— nitidum
—— ornatum
Pavetta natalensis
Pinanoa lepida
Rhododendron Diana
—— Fair Rosamond

NEW PLANTS

Introduced and sent out for the first time in 1889.

Cavendishia spectabilis
Croton Flamingo
—— Memphis
—— mirabile
—— Prince of Orange
Croton Reidii
Cypripedium Tautzianum
lepidum
Diplarrhena Moreæ
Encephalartos regalis
Gymnogramma eleoantissima
Hibiscus rosa sinensis
intermedius
Imantophyllum blandfordiæ
forum striatum
Tecoma Smithii

NEW PLANTS

Introduced and sent out for the first time in 1890.

Eucharis Bakeriana
Gloriosa superba grandiflora
Lastrea corusca
Rhopaloblaste hexandra
New Sonerilas
Streptocarpus Rexii purpureus
Greenhouse Rhododendron
Myra

NEW PLANTS

Introduced and sent out for the first time in 1891.

Alberta magna
Ansellia humilis
—— —— pallida
Bulbophyllum Pechei
Cirrhopetalum mundulum
Dipladenia illustris glabra
Pteris Victoriæ
Greenhouse Rhododendron
Clarinda
Greenhouse Rhododendron
Diadem
—— —— Juno
—— —— Plato

NEW PLANTS

Introduced and sent out for the first time in 1892.

Begonia floribunda rosea
Bowkeria triphylla
Ixora salmonea
Lælia præstans alba
Primula Imperialis
Tradescantia decora

NEW PLANTS

Introduced and sent out for the first time in 1893.

Aglaonema versicolor
Anthurium Scherzianum
roseum
—— —— sanguineum
Cyrtanthus intermedium
Davallia concinna
Davallia lucida
—— epiphylla
Geonoma acaulis
Heliconia illustris
Hoplophytum lineatum
Hypolytrum Schraderianum
Lamprococcus speciosus
Oncosperma fasciculatum
Pteris tremula variegata
Selaginella usta
Vriesia purpurascens

INDEX.

PAGE

Abboma 12
Abyssinian Banana 42 & 58
Abutilon 49
Acacia 35
Acalypha 12
Achimenes 91
Acineta 60
Acmena ovata 35
Acropera 60
Ada 60
Adansonia 12
Adiantum .. .. 101 & 106
—— assimile cristatum .. 106
Æohmea 12
Aërides .. .. 60 & 61
Agapanthus 35
Agave 35
Aglaonema .. 9 & 12
—— versicolor 9
Alberta magna 35
Allamanda 12
Alocasia 12
—— marginata 12
—— prinoeps . .. 12
Alpinia 12
Alsophila .. .. 101 & 106
Althæa, *vide* Hibiscus .. 51
Amaryllis .. 12, 14 & 50
Amasonia 14
Amomum 14
Amorphophallus .. 14 & 35
Ananassa 14
Anchomanes 14
Anemidictyon 101
Angræcum 61
Anguloa 61
Anœctochilus 61
Ansellia humilis 61
Anthurium 13, 14 & 15
—— insigne 14
—— Scherzerianum 13 & 16
—— —— roseum 9
—— —— sanguineum .. 9
Antigonon 16
Aphelandra 16
Aralia .. 16 & 35
Araucaria 35
Ardisia 16
Areca 109
Arenga 109
Aristolochia 16
—— elegans 16
—— saccata 16
Arpophyllum 62
Artanthe 16
Artocarpus 16
Asparagus 35
—— plumosus nanus .. 35
Asplenium .. .. 103 & 106
Astrocaryum 109
Ataccia 16
Aucuba 50
Azalea .. .. 36 & 50
—— balsaminæflora .. 36
—— Hybrid 36
Bambusa .. .. 36 & 50
Barkeria 62
Barleria 16
Batatas 16
Bauhinia 16
Bedding Plants .. 130 & 131

PAGE

Begonia .. .. 117 to 120
Begonia floribunda rosea 120
—— Handsome-Flowered 117 to 119
—— Variegated Foliaged 119
—— Winter-Blooming .. 120
Beloperone 16
Berbebis 50
Bertolonia 16
Bignonia .. 18, 36 & 50
Billbergia 18
Blandfordia .. 36 & 37
Bletia 62
Bomarea 36
Boronia 36
Bougainvillea 18
—— refulgens 18
Bouvardia 130
Bowenia 109
Bowkeria triphylla .. 36
Brasavola 62
Brassia 62
Bredia 38
Broughtonia 62
Browneа 18
Brugmansia 38
Brunsvigia 38
Bulbophyllum 62
Burchellia 18
Burlingtonia 62
Caladium .. .. 114 to 117
Calamus 109
Calanthe .. .. 62 & 63
Calliphburia 18
Calodendron 38
Calpioarpum 18
Camellia 38
Camoënsia maxima .. 17
Canna 130
Capparis 18
Carludovioa 109
Catasetum 63
Cattleyá .. .. 63 to 66
Cavendishia 38
Ceratozamia 110
Cestrum 38
Chamæcladon 18
Chamædorea 110
Chamærops 110
Chevalliera 18
Chirita 18
Chrysanthemum, Chinese or Large-flowered, 121 & 124
—— New .. .. 120 & 121
—— frutescens 130
—— Japanese .. 120 to 123
—— Pompon 125
Chysis 67
Cibotium .. .. 103 & 106
Cienkowskia 18
Cinnamomum 18, 50 & 58
Cirrhopetalum 67
Cissus .. .. 18 & 38
Clematis .. .. 38 & 50
Clerodendron 18
—— macrosiphon 18
—— nutans 18
Cleyera 38
Climbing Plants for Stove 45
—— —— for Greenhouse 45
Cocos Weddelliana .. 110

PAGE

Cœlogyne 67
—— oristata hololeuca (alba) 67
Coffea .. .. 18 & 58
Colax 67
Coleus 129
Comparettia 67
Coryanthes 67
Corypha, *vide* Livistona .. 111
Costus 18
Crinum .. 18, 38 & 51
Crossandra 18
Croton .. .. 18 to 20
—— elegantissimus .. 19
—— Flamingo 19
—— insignis 19
—— Junius 19
—— Magnificent .. 19
—— Memphis 19
—— Nestor 19
—— ornatus 19
—— Prince of Orange .. 20
—— Reidii 20
—— Sunbeam 20
—— Victory 20
Cryptanthus 20
Cbyptochilus 67
Cupania 20
Curculigo 20
Curcuma 20
Curmeria 20
Cyanophyllum 20
Cyathea .. .. 101 & 106
—— dealbata .. 101 & 106
—— Dregei .. 101 & 106
Cycas .. .. 38 & 110
Cyclamen .. .. 38 & 51
Cycnoches 67
Cymbidium .. .. 67 & 68
Cyperus 20
Cypripedium 68 to 70
—— hardy varieties .. 51
Cyrtanthus intermedium. 9
Cyrtodeira 20
Cyrtopodium 70
Cyrtosperma 20
Dæmonorops, *vide* Calamus
Dahlia .. .. 38 & 130
Dais 40
Dalechiampia 20
Davallia .. .. 103 & 107
—— concinna 9
—— lucida 10
—— epiphylla 10
Dendrobium .. 71 to 73
Dendrochilum, *vide* Platyclinis
Deyeuxia 40
Diacrium 73
Dichæa 73
Dicksonia .. .. 101 & 107
—— antarctica .. 101 & 107
Dieffenbachia 21
—— triumphans 21
Dionæa muscipula .. 40
Dioon edule 110
Dioscorea 21
Dipladenia 21
—— Brearleyana .. 21
Diplarrhena Moreæ .. 40
Dipterix 21

INDEX—*continued.*

PAGE

Disa 73
Doodia aspera multifida 107
Dorstenia .. .. 21 & 58
Doryanthes 40
Double-flowered Epacris 39
—— —— Ivy-leaved Pelargoniums .. 96
—— —— Zonal Pelargoniums .. 97
Draœna .. 21, 23 & 40
—— argenteo-striata .. 21
—— fragrans variegata 21
—— Goldieana 21
—— Lindeni 21
Dracontium 23
Drosera 40
Drymonia 23
Echeveria 130
Echites 23
Elæocarpus .. 24 & 40
Encephalartos 110
—— regalis 110
Encholirion 24
Epaoris .. .. 39 & 40
—— double 39
Epidendrum 73
Epipremnum mirabile .. 24
Eranthemum 24
Eria 73
Erythrina .. .. 24 & 40
Erythroxylon Coca 24 & 58
Euadenia 24
Eucalyptus 40
Eucharis .. .. 22 & 24
Eucodonia 91
Eugenia 24
Eulalia 51
Euphorbia 24
Eurycles .. .. 23 & 24
Exostemma 24
Ferns .. .. 101 to 108
Ficus .. 24, 40, 58 & 59
Fittonia 24
Flax, New Zealand .. 43
Food for Plants 132
Franoiscea 24
Fraxinus 51
Freesias 40
Fuchsia .. .. 126 to 128
Galactodendron .. 24 & 59
Galeandra 73
Garoinia .. .. 24 & 58
Gardenia 24
Geodorum 73
Geonoma .. .. 10 & 110
Geranium, *vide* Pelargoniums .. 93
Gesnera .. .. 24 & 91
Gladiolus 136
Gleichenia .. 103 & 104
Glonera 24
Gloriosa 24
Gloxinia 92
Godwinia gigas 24
Gongora 73
Goniophlebium 103
Goodyera 73
Grammangis 74
Grammatophyllum .. 74
Greenhouse Plants 35 to 44

PAGE

Grevillea 40
Griffinia 24
Grobya 73
Gymnogramma .. 102 & 103
—— elegantissima .. 102
Habenaria 74
Habrothamnus 41
Hæmanthus .. 24 & 41
Hardy Plants .. 50 to 57
Hedychium .. 24 & 41
Heliconia .. .. 10 & 24
—— illustris 10
Hemigraphis 24
Hibiscus .. 24, 25, 41 & 51
—— Rosa Sinensis 24 & 25
—— syriacus 51
Hippeastrum, *vide* Amaryllis .. 12 & 14
Hoffmannia 25
Hoplophytum lineatum .. 10
Houlletia 74
Howea 111
Hoya 25
Huntleya 74
Hydrangea .. 41 & 51
Hymenocallis 25
Hymenosporum 25
Hypolytrum Schraderianum 10
Imantophyllum 41
Impatiens 25
—— Hawkerii 25
Ipomœa 25
Ipsea 74
Iris .. .. 41, 51 & 52
—— German 52
—— Kæmpferi 52
Isoloma 25
Ivy-leaved Pelargoniums 96
Ixora .. .. 25 & 26
—— salmonea 25
—— speciosa 25
Jacaranda 26
Jasminum .. .. 26 & 41
Jatropha 26
Juncus zebrinus, *vide* Soirpus
Justicia 26
Kentia 111
Kæmpferia 26
Kniphofia 52
Lælia .. .. 74 & 75
Lamprococcus .. 11 & 26
—— speciosus 11
Landolphia 26
Lapageria .. .. 41 & 42
—— alba 41
—— rosea 41
Laportea 26
Lasiandra 42
Lastrea .. 103 & 107
Latania 111
Leptotes 75
Libertia .. .. 42 & 52
Lilacs, new double 56 & 57
Lilium .. .. 52 to 54
—— auratum 52
—— longiflorum Harrisii 53
Limatodis 75
Liparis 76

PAGE

Livistona 111
Lobelia, Barnard's Perpetual 11
Lomaria .. .. 103 & 107
Lyoaste 76
—— Skinneri 76
Lycopodium, *vide* Selaginella .. 108
Maokaya bella 42
Macrozamia 111
Magnolia .. 26, 42 & 54
Malus 54
Manettia 26
Maranta 26
Marcgravia 26
Masdevallia .. 76 to 79
—— Harryana aoanthifolia .. 77
—— —— conohiflora .. 77
—— —— regalis .. 78
Maxillaria 79
Medicinal and Officinal Plants .. 58 & 59
Medinilla 26
Mesospinidium 79
Microstylis 79
Miltonia .. .. 79 & 80
Monstera 26
Montbretias 54
Mormodes 80
Musa .. 26, 42, 58 & 59
Mussænda 26
—— erythrophylla .. 26
Myrtus 42
Nægelia, *vide* Gesnera .. 91
Napoleona 26
Nanodes 80
Nellia 54
Nepenthes 26
Nephrodium .. 103 & 107
Nephrolepis .. 103 & 106
Nephthytis 27
Nerine .. .. 42 & 43
Nerium 43
New Plants 137
—— —— announced for the first time 9
New Greenhouse Plants 35 to 44
—— Hardy Plants 50 to 57
—— Stove Plants 12 to 34
Nidularium .. 28 & 29
—— Innocentii striatum 28
Nosegay Pelargoniums .. 97
Odontoglossum .. 80 to 84
—— crispum (Alexandræ) 81
—— vexillarium 84
—— —— insigne 84
Officinal and Medicinal Plants .. 58 & 59
Oncidium .. .. 84 to 86
—— macranthum 85
Oncosperma fascioulatum 11
Ophiopogon 43
Oplismenus 29
Opuntia 54
Orchids .. .. 60 to 90
Oxalis 29
Palisota 29
Palms, Cycads, &c. 109 to 113

INDEX—*continued.*

	PAGE
Palumbina	86
Panax	29
Pancratium 29, 30, 31 &	54
Pandanus	29
Panicum, *vide* Oplismenus	29
Paphinia	87
Passiflora 29, 43, &	54
Paullinia	29
Pavetta	29
Pavonia	29
Pæonia	54
Pelargonium Bronze and Gold	100
—— Cape Hybrids	96
—— Chelsea Gem	98
—— Double-flowered Zonal 98 &	99
—— —— Ivy-leaved	96
—— Fancy	96
—— Hybrid Perpetual, &c.	96
—— Ivy-leaved	97
—— —— with double flowers	96
—— Noseday	97
—— Regal	93
—— Show	94
—— Spotted	95
—— Tricolor	100
—— Variegated	100
—— Zonal	97
Pellionia	29
Pentas	29
Pentstemon	131
Peperomia	29
Peristeria elata	87
Pescatoria	87
Petunia	131
Phaius	87
Phalænopsis	87
Phellodendron	54
Philadelphus	54
Philodendron	29
—— nobile	29
Phlox 55 &	131
Phœnix 111 &	113
—— rupicola	113
Pholidota	87
Phormium	43
Phyllaoathis	29
Phyllanthus	29
Phyllocactus	43
Phyllotænium	29
Pieris	55
Pilumna	87
Pinanga	113
Piper 29, 55 &	59
Pitcairnia	32
Pittosporum	43
Plant Food	132
Platyclinis	87
Pleione	87
Pleopeltis	106
Pleurothallis 87 &	88
Plumbago 32 &	43
Pogostemon	32
Poinciana	32
Polygonum	55
Polystichum 106 &	107
Portlandia	32
Pothos	32
Pothos argenteus	32
—— flexuosus	32
—— nitens	32
Primula 43 &	55
—— imperialis	43
Promenæa	88
Prunus	55
Psidium 32 &	59
Pteris 106 &	107
—— tremula variegata	11
—— Victoriæ	105
Ptychosperma	113
Punica	43
Puya	32
Ravenala	32
Regal Pelargoniums	93
Reidia	32
Reinwardtia	43
Renanthera	88
Restrepia	88
Rhapis	113
Rheum	55
Rhodea	43
Rhododendron 46 to 48 &	55
—— albescens	46
—— Clarinda	46
—— Diadem	46
—— Juno	48
—— Pink Beauty	47
—— Plato	48
Rhopaloblaste hexandra 112 &	113
Rhopalostylis	113
Rhyncostylis	88
Rhus	55
Richardia 43 &	44
Rodriguezia	88
Rogeira 32 &	44
Rondeletia	32
Rosa	55
Rubus	55
Ruellia	32
Sabal	113
Saccharum	32
Saccolabium	88
Salvia	131
Sanchezia	32
Sanseveira	32
Sarcochilus	88
Sarcopodium	88
Sarracenia	44
Saxifraga	55
Schismatoglottis	32
Schomburgkia	88
Schubertia	32
Scindapsus	32
Scirpus	55
Scuticaria	88
Seaforthia	113
Sedum	55
Seeds 134 &	135
Selaginella	108
—— flaccellifera	108
—— tassellata	108
—— usta	11
Sempervivum	131
Senecio 44 &	55
Show Pelargoniums	94
Shrubs, *vide* Hardy Plants	50
Skimmia	55
Smilax	34
Sobralia	88
Sonerila	34
Sophronitis 88 &	89
Sparmannia	44
Spathiphyllum	34
Spathoglottis	89
Spiræa 55 &	56
—— astilboides	55
Stadmannia	34
Stanoeria	113
Stanhopea	89
Stephanotis	34
Stevensonia	113
Stove Plants 12 to	34
Strelitzia	34
Streptocarpus	34
Styrax	56
Synoonium	34
Syrinoa 56 &	57
Tacsonia 34 &	44
Tainia	89
Tecoma 34 &	44
—— amboinensis	34
—— Smithii	44
Terminalia	34
The Dove Flower	87
—— Irish Fern	108
Thrinax	113
Thrixspermum	89
Thunbergia 33 &	34
Thunia	89
Tillandsia	34
—— Lindeniana vera	34
Todea 107 &	108
Tonoa 24 &	59
Trachycarpus	113
Tradescantia decora	34
Tree Ferns	101
Trichopilia	89
Trichosma	89
Trigonidium	89
Tritoma, *see* Kniphofia	52
Tritonia	57
Tropæolum	57
Tropical Fruits 58 &	59
Tuberoses	44
Tydæa	92
Uropedium	89
Utricularia	34
Vallota	44
Vanda 89 &	90
Vanilla 34 &	90
Veronica	45
Vitis 44 &	57
Vriesia	34
—— purpurascens	11
Wallichia	113
Warrea	90
Warscewiczella	90
Weigela	57
Wistaria	57
Xanthoceras	57
Xylobium	90
Xylophylla	34
Yucca 44 &	57
Zamia	113
Zinoiber 34 &	59
Zygopetalum	90

MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS,

sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.

Cheques to be crossed "LONDON JOINT STOCK BANK."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.

PRICE 1/-

A Catalogue of New Rare and Beautiful PLANTS AND ORCHIDS

OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S., F.Z.S., F.R.H.S.,
M.A.I., F.R.B.S. & M.S.A.
Socc. Hort. Berol.,
Bruxell., St. Petersburgh
et Paris, et Soc.
Agric. et Bot.
Gandav. Socius.

1893

New Plant Merchant,

536, KING'S ROAD,
(and Ashburnham Park)
CHELSEA,
LONDON,
S.W.